Part VIIIB

ARRANGEMENTS FOR PAYMENT FOR SPECIALS AND IMPORTED UNLICENSED MEDICINES

The arrangements laid out in this Part cover specials and imported unlicensed medicines (except for those specials and imported medicines listed in Part VIIIA)

Basic price of certain Specials and Imported unlicensed medicines

The price listed in respect of a drug specified in the following list is the basic price on which payment will be calculated pursuant to Part I Clause 5B 1 for the dispensing of that drug.

Drugs listed in this Part have a minimum quantity and price for that quantity and a price per subsequent ml/g/tab/cap unless in a special container.

The Secretary of State determines the price based on information submitted by manufacturers that hold Specials Manufacturers Licences issued by the Medicine and Healthcare products Regulatory Agency (MHRA).

Formulations - The Tariff covers the formulations specified. The following symbols are used in Part VIIIB.

STD Standard formulation including standard flavours

- SF Sugar free
- AF Alcohol free
- CF Colour free
- FF Flavour free
- LF Lactose free
- PF Preservative free
- NSF Non standard flavours
- Special Container
- Selected List Scheme (SLS) 8

Price - All unlicensed medicines are listed with a minimum quantity and corresponding price, which is payable for any amount prescribed up to the minimum quantity. Unless in a special container, subsequent quantities will be payable at the additional price per ml/g/tab/cap up to the total quantity prescribed.

The price of each product listed in this Part covers the formulations specified and this price will be paid regardless of how the product was sourced.

Arrangements for payment for all other Specials and Imported unlicensed medicines Prescriptions for <u>specials</u> not listed in this Part will be paid depending on how the special was sourced. Where the special has been sourced

- From a manufacturer holding a MHRA specials licence, the contractor will be paid the price endorsed on the prescription form. This price should be invoice price *less* any discount or rebate which may be linked to the procurement of this product.
- Under the manufacturing part of the Section 10 exemption from the Medicines Act 1968, the contractor will be paid the cost of the ingredients used to manufacture the special.

Prescriptions for imported unlicensed medicines not listed in this Part will be paid the price endorsed on the prescription form. This price should be invoice price *less* any discount or rebate which may be linked to the procurement of this product.

Endorsement requirements above Part II Clause 9

It is not necessary to endorse prescription forms for unlicensed medicines listed in this Part other than with the endorsement requirements outlined in Part II Clause 9. For products not listed in this Part, contractors shall endorse the form according to how the unlicensed medicine was sourced.

- Where the unlicensed medicine is manufactured under a specials licence or sourced under an importers licence issued by the MHRA, the contractor shall endorse the 1. pack size from which the order was supplied
 - invoice price per pack size from which the product was supplied less discount/rebates
 - manufacturer's/importer's licence number
 - batch number of the unlicensed medicine.
- Where the special has been prepared under the manufacturing part of the Section 10 exemption from the Medicines Act 1968, by the contractor or by a third party, the contractor shall endorse the names, 2. quantities and cost of the ingredients used in preparing the special.

Part VIIIB

ARRANGEMENTS FOR PAYMENT FOR SPECIALS AND IMPORTED UNLICENSED MEDICINES

Further requirements when supplying unlicensed medicines Contractors shall

Keep the following records for 5 years: а

- The source of the special or imported unlicensed product The person to whom and the date on which the special or imported unlicensed product was sold or supplied
- .
- The prescriber's details The quantity of each sale or supply The batch number of the special
- b Make available these records for inspection by the Licensing Authority.

For specials not listed in this Part, the contractor or his representative must stamp, date, initial and endorse the Certificate of Analysis (COA)/Certificate of Conformity (COC) with the invoice price less discount and prescriber's details. At the end of each month, the contractor shall send a copy of the appropriately endorsed COA/COC to the NHSCB of the prescriber, allowing the NHSCB to match expenditure to the special supplied.

For imported unlicensed products not listed in this Part, the contractor or his representative shall make every reasonable effort to obtain a Certificate of Analysis (COA)/Certificate of Conformity (COC) for each imported product sourced.

- Where a COA/COC is available, the contractor must stamp, date, initial and endorse the COA/COC with the invoice price less discount and prescribers details.
- Where a COC/COA is not available, the contractor must stamp, date, initial and endorse the invoice with the invoice price less discount (where not clearly detailed by the supplier) and the prescriber's details.

At the end of each month, the contractor shall send a copy of the appropriately endorsed COA/COC/invoice to the NHSCB of the prescriber, allowing the NHSCB to match expenditure to the special supplied.

Part VIIIB

| Product | Formulations covered by tariff | Minimum volume | Price for minimum volume (p) | Price for each extra ml/g above minimum volume (p) |
|--|---------------------------------|-------------------|---------------------------------------|--|
| Acetazolamide 250mg/5ml oral suspension | STD, SF, LF, CF, NSF, AF, FF | 100ml | 10296 | 1 |
| Allopurinol 100mg/5ml oral suspension | STD, SF, LF, CF, NSF, AF, FF | 150ml | 4580 | 6 |
| Allopurinol 300mg/5ml oral suspension | STD, SF, LF, CF, NSF, AF, FF | 100ml | 10844 | 1 |
| Amiodarone 100mg/5ml oral suspension | STD, SF, LF, CF, NSF, AF, FF | 100ml | 18282 | 3 |
| Amiodarone 50mg/5ml oral suspension | STD, SF, LF, CF, NSF, AF, FF | 100ml | 20303 | 43 |
| Antacid and Oxetacaine oral suspension | STD, SF, LF, CF, NSF, AF, FF | 150ml | 2224 | 15 |
| Arginine 2g/5ml oral solution | STD, SF, CF, NSF, AF, FF | 250ml | 9912 | 14 |
| Arginine 500mg/5ml oral solution | STD, SF, LF, CF, NSF, AF, FF | 200ml | 9529 | 48 |
| Atorvastatin 20mg/5ml oral suspension | STD, SF, NSF, AF, FF | 100ml | 8320 | 15 |
| Azathioprine 100mg/5ml oral suspension | STD, SF, LF, CF, NSF, AF | 100ml | 20666 | 33 |
| Azathioprine 20mg/5ml oral suspension | STD, SF, LF, CF, AF | 100ml | 18143 | 30 |
| Azathioprine 25mg/5ml oral suspension | STD, SF, LF, CF, NSF, AF, FF | 150ml | 22093 | 11 |
| Azathioprine 50mg/5ml oral suspension | STD, SF, LF, CF, NSF, AF, FF | 100ml | 6729 | 4 |
| Bendroflumethiazide 2.5mg/5ml oral suspensio | , | 150ml | 3106 | 6 |
| Betahistine 8mg/5ml oral suspension | STD, SF, LF, CF, NSF, AF, FF | 200ml | 15483 | 12 |
| Bisacodyl 2.5mg/5ml oral suspension | STD, SF | 100ml | 21033 | 1 |
| Bisacodyl 2.74mg/ml rectal solution | STD, LF, CF | 200ml | 2795 | 6 |
| Bisoprolol 1.25mg/5ml oral solution | STD, SF, LF, FF, AF | 100ml | 15946 | 1 |
| Bisoprolol 1.25mg/5ml oral suspension | STD, SF, LF, CF, NSF | 100ml | 11595 | 6 |
| Bisoprolol 2.5mg/5ml oral solution | STD, SF, LF, CF | 150ml | 2817 | 13 |
| Bisoprolol 2.5mg/5ml oral suspension | STD, SF, LF, NSF | 100ml | 8697 | 2 |
| Bisoprolol 5mg/5ml oral solution | STD, SF, LF | 150ml | 11641 | 5 |
| Bisoprolol 5mg/5ml oral suspension | STD, SF, LF, NSF | 100ml | 8456 | 7 |
| Calcium carbonate 500mg/5ml oral suspension | STD, SF, LF, CF, NSF | 100ml | 10912 | 8 |
| Calcium carbonate 600mg/5ml oral suspension | STD, SF, LF, CF, NSF, FF | 150ml | 11212 | 2 |
| Carbimazole 10mg/5ml oral suspension | STD, SF, LF, CF, NSF, AF, FF | 150ml | 20960 | 51 |
| Carvedilol 5mg/5ml oral suspension | STD, SF, LF, CF, NSF | 100ml | 10551 | 1 |
| Chloral hydrate 1g/5ml oral solution | STD, SF, LF, CF, NSF, FF | 100ml | 16549 | 14 |

Part VIIIB

| WEDICINES | | | | | |
|---|-----------------------------------|-------------------|---------------------------------------|--|--|
| Product | Formulations covered by tariff | Minimum volume | Price for minimum volume (p) | Price fo each extr ml/g abov minimur volume (p | |
| Chloral hydrate 500mg/5ml oral solution | STD, SF, CF, NSF, FF, AF | 100ml | 2750 | | |
| Any prescription for chloral hydrate 500mg/5ml | | d at this price | | | |
| Chlorothiazide 150mg/5ml oral suspension | STD, SF, LF, CF, NSF, AF | 100ml | 17155 | | |
| Chlorothiazide 250mg/5ml oral suspension | STD, SF, LF, CF, NSF, FF | 50ml | 7645 | | |
| Ciclosporin 0.05% eye drops 0.4ml unit dose | PF | ■0.4ml | 540 | | |
| preservative free Ciclosporin 0.2% eye ointment preservative fre | e PF | ■ 3.5g | 7640 | | |
| Clindamycin 75mg/5ml oral suspension | STD, SF, LF, CF, NSF, AF, FF | 100ml | 16208 | 2 | |
| Clomipramine 50mg/5ml oral suspension | STD, SF,CF, NSF, AF | 100ml | 37547 | 3 | |
| Clonazepam 2.5mg/ml drops | STD, SF | 10ml | 9204 | 2 | |
| Clonidine 50micrograms/5ml oral solution | STD, SF, LF, CF, NSF | 100ml | 7659 | 1 | |
| Clonidine 50micrograms/5ml oral suspension | STD, SF, LF, CF, NSF, AF | 100ml | 9752 | | |
| Clopidogrel 1mg/1ml oral suspension | STD, SF, LF, CF, NSF, AF | 100ml | 10238 | | |
| Clopidogrel 75mg/5ml oral solution | STD, SF, LF, CF, AF | 150ml | 5158 | 3 | |
| Clopidogrel 75mg/5ml oral suspension | STD, SF, NSF, AF | 100ml | 11476 | 2 | |
| Coal tar 10% ointment | All bases | 100g | 14866 | | |
| Coal tar 5% ointment | All bases | 100g | 18496 | 3 | |
| Coal tar and Salicylic acid ointment BP | STD, All bases | 100g | 10483 | | |
| Coal tar solution 5% in Betamethasone valerat 0.025% ointment | e STD | 100g | 11227 | 2 | |
| Coal tar solution 6% / Salicylic acid 2% in ointment | STD, All bases | 100g | 8771 | | |
| Co-careldopa 12.5mg/50mg/5ml oral suspension | onSTD, SF, LF, CF, NSF, AF, FF | 100ml | 16448 | | |
| Co-careldopa 25mg/100mg/5ml oral suspensio | | 100ml | 8819 | | |
| Coconut oil 25% ointment | STD | 100g | 12770 | | |
| Co-dydramol 10mg/500mg/5ml oral suspension | n STD, SF, LF, CF, NSF, FF | 150ml | 4394 | | |
| Colecalciferol 10,000units/5ml oral solution | STD, SF, LF, AF, FF | 20ml | 15232 | | |
| Colecalciferol 20,000units/ml oral solution | STD, SF, LF, CF, NSF | 30ml | 16581 | | |
| Colecalciferol 5,000units/5ml oral solution | STD, SF, LF, AF, FF | 20ml | 10019 | | |
| Cyclizine 50mg/5ml oral solution | STD, SF, NSF, FF | 100ml | 16441 | | |
| Cyclizine 50mg/5ml oral suspension | STD, NSF | 100ml | 6850 | | |
| Dantrolene 10mg/5ml oral suspension | STD, SF, LF, CF, NSF, AF, FF | 100ml | 24203 | | |
| Dantrolene 100mg/5ml oral suspension | STD, SF, LF, CF, NSF | 100ml | 6530 | 2 | |
| Dantrolene 25mg/5ml oral suspension | STD, SF, LF, NSF, FF | 100ml | 9471 | | |

| Price for each extra ml/g above minimum volume (p) | Price for minimum volume (p) | Minimum volume | Formulations covered by tariff | Product |
|--|---------------------------------------|-------------------|---|--|
| 8 | 13035 | 30ml | STD, SF, LF, CF, NSF, | Diazoxide 250mg/5ml oral suspension |
| 1 | 17273 | 100ml | FF STD, SF, LF, CF, NSF, FF | Diazoxide 50mg/5ml oral suspension |
| 19 | 6050 | 30g | STD | Diltiazem 2% cream |
| 1 | 3552 | 30g | STD | Diltiazem 2% ointment |
| 3 | 8246 | 100ml | STD, SF, NSF | Diltiazem 60mg/5ml oral suspension |
| 2 | 9031 | 500ml | STD, SF, LF, CF, FF | Dosulepin 25mg/5ml oral solution |
| 2 | 12476 | 150ml | STD, SF, LF, CF, FF | Dosulepin 75mg/5ml oral solution |
| 54 | 8207 | 150ml | STD, SF, LF, CF | Doxazosin 1mg/5ml oral solution |
| 5 | 16120 | 100ml | STD, SF, LF, CF, NSF | Doxazosin 1mg/5ml oral suspension |
| 4 | 8734 | 150ml | STD, SF, LF, CF | Doxazosin 4mg/5ml oral solution |
| 1 | 13760 | 150ml | STD, SF, NSF | Doxazosin 4mg/5ml oral suspension |
| 2 | 24551 | 150ml | STD, SF, AF | Enalapril 1.25mg/5ml oral suspension |
| 6 | 28313 | 100ml | STD, SF, AF | Enalapril 10mg/5ml oral suspension |
| 13 | 8694 | 150ml | STD, SF, LF, CF | Enalapril 5mg/5ml oral solution |
| 3 | 9540 | 75ml | STD, SF, LF, CF, NSF, FF | Enalapril 5mg/5ml oral suspension |
| 13 | 17163 | 100ml | STD | Eosin 2% solution |
| 18 | 11073 | 100ml | STD, SF, LF, CF | Ergocalciferol 1,000units/5ml oral solution |
| 1 | 13409 | 100ml | STD, SF, LF, CF, NSF | Ergocalciferol 10,000units/5ml oral solution |
| 4 | 17250 | 20ml | STD, SF, LF, CF, NSF | Ergocalciferol 100,000units/5ml oral solution |
| 4 | 9827 | 60ml | STD, SF, LF, CF, NSF | Ergocalciferol 3,000units/ml oral solution |
| 9 | 14718 | 100ml | STD, SF, LF, CF, NSF, FF | Ergocalciferol 6,000units/5ml oral solution |
| 2 | 1817 | 100ml | STD, SF, LF, NSF, FF | Ferrous sulfate 60mg/5ml oral solution |
| 13 | 2259 | 100ml | STD, LF | Ferrous sulfate 60mg/5ml oral suspension |
| 2 | 41930 | 100ml | STD, SF, LF, AF | Flecainide 10mg/5ml oral suspension |
| 2 | 15043 | 300ml | STD, SF, LF, CF, NSF, AF, FF | Flecainide 25mg/5ml oral solution |
| 1 | 5689 | 200ml | STD, SF, LF, CF, NSF | Flecainide 25mg/5ml oral suspension |
| 7 | 19635 | 100ml | STD, SF, LF, CF, NSF, AF, FF | Fludrocortisone 100micrograms/5ml oral suspension |
| 2 | 13760 | 100ml | STD, SF, LF, CF, NSF, AF | Fludrocortisone 50micrograms/5ml oral suspension |
| 3 | 7088 6708 | 100ml 150ml | STD, SF, NSF, AF STD, SF, LF, CF, NSF, | Gliclazide 40mg/5ml oral suspension Gliclazide 80mg/5ml oral suspension |

Part VIIIB

| Product | Formulations covered by tariff | Minimum volume | Price for minimum volume (p) | Price for each extr ml/g abov minimut volume (j |
|--|---|-------------------|---------------------------------------|---|
| Glyceryl trinitrate 0.2% ointment | STD | 30g | 2281 | |
| Glycopyrronium bromide 0.05% topical solution | STD | 500ml | 14529 | |
| Glycopyrronium bromide 2% in Cetomacrogol cream (Formula A) | STD | 30g | 39033 | 8 |
| Glycopyrronium bromide 2.5mg/5ml oral solution | nSTD, SF, LF, CF, NSF, AF, FF | 100ml | 29232 | 1 |
| Glycopyrronium bromide 2.5mg/5ml oral suspension | STD, SF, LF, CF, NSF, AF, FF | 200ml | 12279 | |
| Glycopyrronium bromide 200micrograms/5ml oral solution | STD, SF, LF, CF, NSF, AF, FF | 100ml | 10728 | |
| Glycopyrronium bromide 200micrograms/5ml oral suspension | STD, SF, LF, CF, NSF, AF, FF | 100ml | 5609 | |
| Glycopyrronium bromide 5mg/5ml oral solution | AF, FF | 100ml | 8141 | |
| Glycopyrronium bromide 5mg/5ml oral suspension | STD, SF, LF, CF, NSF, AF, FF | 50ml | 3700 | 2 |
| Glycopyrronium bromide 500micrograms/5ml oral solution | STD, SF, LF, CF, NSF, AF, FF | 100ml | 13657 | |
| Glycopyrronium bromide 500micrograms/5ml oral suspension | STD, SF, LF, CF, NSF, AF, FF | 300ml | 13993 | |
| Griseofulvin 125mg/5ml oral suspension | STD, SF, LF, CF, NSF | 100ml | 12007 | 2 |
| Griseofulvin 175mg/5ml oral suspension | STD, SF, LF, CF, NSF, AF | 100ml | 15931 | 2 |
| Hydrocortisone 10mg/5ml oral suspension | STD, SF, LF, CF, NSF, AF, FF | 100ml | 9374 | |
| Hydrocortisone 5mg/5ml oral suspension | STD, SF, LF, CF, NSF | 100ml | 8216 | |
| Hydroquinone 4% cream | STD | 30g | 13825 | 4 |
| Hydroxycarbamide 500mg/5ml oral suspension | STD, SF | 100ml | 16955 | |
| Hydroxychloroquine 200mg/5ml oral suspensior | n STD, SF, CF, NSF, AF, FF | 100ml | 11801 | 2 |
| Hyoscine butylbromide 10mg/5ml oral solution | STD, SF | 100ml | 8978 | |
| Hyoscine butylbromide 10mg/5ml oral suspension | STD, NSF | 100ml | 8964 | |
| Hyoscine hydrobromide 300micrograms/5ml ora solution | | 100ml | 10383 | |
| Hyoscine hydrobromide 300micrograms/5ml ora suspension | | 100ml | 4639 | |
| Hyoscine hydrobromide 500micrograms/5ml ora solution | , , , , , | 100ml | 7590 | |
| Hyoscine hydrobromide 500micrograms/5ml ora suspension | | 100ml | 6330 | |
| Hypromellose 0.25% eye drops | STD, PF | ■10ml | 1508 | |
| Indometacin 25mg/5ml oral suspension | STD, SF, NSF | 100ml | 8207 | |
| Isoniazid 50mg/5ml oral solution Isosorbide mononitrate 20mg/5ml oral | STD, SF, LF, CF STD, SF, LF, CF, NSF | 500ml 100ml | 3241 16127 | |
| suspension | 310, SF, LF, GF, NSF | TUUMI | 1012/ | |

| Product | Formulations covered by tariff | Minimum volume | Price for minimum volume (p) | Price fo each extra ml/g above minimum volume (p |
|--|---------------------------------|-------------------|---------------------------------------|--|
| Ketamine 50mg/5ml oral solution | STD, SF, LF, CF, NSF, FF | 200ml | 13693 | |
| Ketamine 50mg/5ml oral suspension | STD, SF, LF, CF, NSF | 200ml | 12123 | e |
| Lansoprazole 15mg/5ml oral suspension | STD, SF, NSF, AF, FF | 100ml | 9849 | 1 |
| Lansoprazole 30mg/5ml oral suspension | STD, SF, NSF, AF | 100ml | 7304 | 3 |
| Lansoprazole 5mg/5ml oral suspension | STD, SF, LF, CF, NSF | 100ml | 7554 | |
| Levomepromazine 2.5mg/5ml oral suspension | STD, SF, LF, CF, NSF, AF, FF | 100ml | 18394 | 6 |
| Lidocaine 2% gel | STD | 15ml | 8760 | Ę |
| Lisinopril 20mg/5ml oral solution | STD, SF, LF, CF, NSF, AF, FF | 100ml | 20541 | 3 |
| isinopril 20mg/5ml oral suspension | STD, SF, LF, CF, NSF, AF, FF | 100ml | 8672 | 8 |
| Loperamide 25mg/5ml oral solution | STD, SF, FF | 100ml | 12967 | |
| Loperamide 25mg/5ml oral suspension | STD, SF, LF, CF, NSF, AF, FF | 100ml | 9846 | 13 |
| _orazepam 1mg/5ml oral solution | STD, SF, LF, CF, NSF | 150ml | 3445 | 10 |
| Lorazepam 1mg/5ml oral suspension | STD, SF, LF, CF, NSF | 100ml | 7315 | |
| Lorazepam 500micrograms/5ml oral solution | STD, SF, LF, CF | 150ml | 3620 | |
| Lorazepam 500micrograms/5ml oral suspension | n STD, SF, LF, CF, NSF, FF | 100ml | 6100 | |
| Losartan 50mg/5ml oral suspension | STD, SF, LF, CF, NSF | 150ml | 8808 | 1 |
| Magnesium glycerophosphate (magnesium 97.2mg/5ml (4mmol/5ml)) oral solution | STD, SF | 200ml | 14926 | |
| Magnesium glycerophosphate (magnesium 97.2mg/5ml (4mmol/5ml)) oral suspension | STD, SF, LF, NSF, AF | 100ml | 11562 | |
| Melatonin 10mg/5ml oral solution | STD, SF, LF, CF, NSF | 100ml | 8886 | 1 |
| Melatonin 10mg/5ml oral suspension | STD, SF, LF, CF, NSF | 100ml | 9926 | |
| Melatonin 2mg/5ml oral solution | STD, SF, LF, CF, NSF, AF, FF | 100ml | 5073 | |
| Melatonin 2mg/5ml oral suspension | STD, SF, LF, CF, NSF, AF | 100ml | 8165 | : |
| Melatonin 2.5mg/5ml oral solution | STD, SF, LF, CF, NSF, AF, FF | 100ml | 7336 | : |
| Melatonin 2.5mg/5ml oral suspension | STD, SF, LF, CF, NSF, AF, FF | 100ml | 11721 | |
| Melatonin 3mg/5ml oral solution | STD, SF, LF, CF, NSF, FF | 100ml | 6115 | 9 |
| Melatonin 3mg/5ml oral suspension | STD, SF, LF, NSF | 100ml | 9593 | 1 |
| Melatonin 5mg/5ml oral solution | STD, SF, LF, CF, NSF, FF | 200ml | 5240 | (|
| Melatonin 5mg/5ml oral suspension | STD, SF, LF, CF, NSF, AF, FF | 100ml | 5621 | |
| Menadiol 5mg/5ml oral suspension | STD, SF, LF, CF, NSF, AF, FF | 30ml | 7828 | : |

| Product | Formulations covered by tariff | Minimum volume | Price for minimum volume (p) | Price fo each extra ml/g above minimun volume (p |
|--|---------------------------------|-------------------|---------------------------------------|--|
| Mercaptamine hydrochloride 0.55% eye drops | PF | ∎10ml | 21756 | |
| preservative free Methylphenidate 5mg/5ml oral suspension | STD, SF, LF, CF, NSF, AF, FF | 150ml | 17543 | |
| Metoprolol 12.5mg/5ml oral solution | STD, SF, LF, CF | 150ml | 3750 | 2 |
| Metoprolol 12.5mg/5ml oral suspension | STD, SF, AF | 100ml | 4477 | : |
| Metoprolol 50mg/5ml oral solution | STD, SF, LF, CF, AF | 150ml | 6954 | 4 |
| Metoprolol 50mg/5ml oral suspension | STD, SF, LF, CF, NSF, AF, FF | 100ml | 14477 | 4 |
| Modafinil 100mg/5ml oral suspension | STD, SF, NSF, AF, FF | 100ml | 38932 | |
| Nadolol 20mg/5ml oral suspension | STD, SF, LF, CF, NSF, AF | 100ml | 15050 | 1 |
| Nadolol 30mg/5ml oral suspension | STD, SF, LF, AF, FF | 100ml | 20245 | |
| Nadolol 40mg/5ml oral suspension | STD, SF, NSF | 100ml | 15612 | 1 |
| Naltrexone 5mg/5ml oral solution | STD, SF, LF, CF, NSF, AF, FF | 100ml | 13262 | |
| Naltrexone 5mg/5ml oral suspension | STD, SF, LF, CF, NSF | 100ml | 18505 | |
| Naproxen 200mg/5ml oral suspension | STD, SF, LF, CF, NSF, AF, FF | 100ml | 8356 | |
| Nifedipine 10mg/5ml oral suspension | STD, SF, LF, CF, NSF, AF, FF | 100ml | 9705 | |
| Nifedipine 5mg/5ml oral suspension | STD, SF, LF, CF, NSF, AF, FF | 100ml | 17179 | 1 |
| Nortriptyline 10mg/5ml oral suspension | STD | 100ml | 23553 | 5 |
| Olanzapine 2.5mg/5ml oral suspension | STD, SF, LF, CF, NSF | 70ml | 7577 | 1 |
| Omeprazole 10mg/5ml oral suspension | STD, SF, LF, CF, NSF, FF | 75ml | 6480 | |
| Omeprazole 20mg/5ml oral suspension | STD, SF, LF, CF, NSF, FF | 150ml | 8323 | |
| Omeprazole 40mg/5ml oral suspension | STD, SF, LF, CF, NSF | 100ml | 9024 | |
| Omeprazole 5mg/5ml oral suspension | STD, SF, LF, CF, NSF, FF | 70ml | 6074 | |
| Paraldehyde 50% in Olive oil rectal solution | STD | 10ml | 11111 | 9 |
| Perindopril erbumine 4mg/5ml oral solution | STD, SF, LF, CF | 150ml | 4848 | 3 |
| Perindopril erbumine 4mg/5ml oral suspension | STD, SF, LF, CF, NSF | 100ml | 7341 | |
| Phenytoin 90mg/5ml oral suspension | STD, SF, LF, CF, NSF, AF, FF | 500ml | 7827 | 1 |
| Phosphate 0.98mmol/ml / Sodium 0.78mmol/ml oral solution | | 100ml | 4727 | 2 |
| Pilocarpine hydrochloride 2% eye drops preservative free | PF | ■10ml | 10137 | |
| Pilocarpine hydrochloride 4% eye drops preservative free | PF | ∎10ml | 9050 | |
| Pizotifen 250micrograms/5ml oral solution | STD, SF | 100ml | 27603 | 6 |

| MEDICINES | | | | | | |
|--|--|-------------------|---------------------------------------|--|--|--|
| Product | Formulations covered by tariff | Minimum volume | Price for minimum volume (p) | Price fo each extra ml/g above minimun volume (p | | |
| Pizotifen 250micrograms/5ml oral suspension | STD, SF, NSF | 100ml | 23141 | 10 | | |
| Prednisolone sodium phosphate 0.03% eye drops | STD, PF | ■10ml | 3328 | | | |
| Prednisolone sodium phosphate 0.05% eye drops | STD, PF | ■10ml | 9387 | | | |
| Prednisolone sodium phosphate 0.1% eye drop | , | ■10ml | 3118 | | | |
| Prednisolone sodium phosphate 0.3% eye drop | sSTD, PF | ∎10ml | 2261 | | | |
| Prednisolone sodium phosphate 1% eye drops preservative free | | ■10ml | 4426 | | | |
| Primidone 50mg/5ml oral suspension | STD, SF, LF, CF, NSF, AF, FF | 150ml | 5957 | | | |
| Primidone 62.5mg/5ml oral suspension | STD, SF, LF, CF, NSF | 100ml | 8043 | | | |
| Pyridostigmine bromide 20mg/5ml oral suspension Pyridostigmine bromide 30mg/5ml oral | STD, SF, LF, CF, NSF, AF, FF STD, SF, LF, CF, NSF, | 100ml 50ml | 19726 14162 | • | | |
| suspension | AF, FF | SOUL | 14162 | | | |
| Pyridostigmine bromide 50mg/5ml oral suspension | STD, SF, AF | 100ml | 17092 | 34 | | |
| Pyridostigmine bromide 60mg/5ml oral suspension | STD, SF, LF, NSF, AF | 200ml | 27100 | | | |
| Pyridoxine 100mg/5ml oral solution | STD, SF, LF, CF, AF | 100ml | 11326 | 1 | | |
| Pyridoxine 100mg/5ml oral suspension | STD, SF, LF, CF, NSF, AF, FF | 50ml | 23431 | l l | | |
| Quetiapine 12.5mg/5ml oral suspension | STD, SF, LF, CF, NSF | 100ml | 4233 | | | |
| Quetiapine 25mg/5ml oral suspension | STD, SF, LF, CF, NSF, AF | 150ml | 5181 | 1: | | |
| Quetiapine 50mg/5ml oral suspension | STD, SF, LF, CF, NSF | 100ml | 9943 | 4 | | |
| Quinine sulfate 200mg/5ml oral suspension | STD, SF, AF | 100ml | 15096 | 2 | | |
| Quinine sulfate 300mg/5ml oral suspension | STD, SF, LF, CF, NSF | 150ml | 9465 | 3 | | |
| Ranitidine 5mg/5ml oral solution | STD, SF, LF, CF, NSF, AF, FF | 100ml | 8369 | | | |
| Ranitidine 5mg/5ml oral suspension | STD, SF, LF, CF, NSF | 100ml | 6488 | : | | |
| Riboflavin 120mg/5ml oral suspension | STD, SF, LF, NSF | 100ml | 27843 | 8 | | |
| Salicylic acid 10% in Aqueous cream BP | STD | 100g | 10709 | | | |
| Salicylic acid 10% ointment | STD, All bases | 100g | 8066 | | | |
| Salicylic acid 20% ointment | All bases | 100g | 14322 | | | |
| Salicylic acid 5% cream | STD | 100g | 11285 | | | |
| Salicylic acid 5% ointment | All bases | 100g | 16366 | | | |
| Salicylic acid 2% in Aqueous cream BP | STD | 100g | 12131 | | | |
| Salicylic acid 2% / sulfur 2% in Aqueous cream | STD | 100g | 13209 | | | |
| Sertraline 100mg/5ml oral suspension | STD, SF, LF, CF, NSF | 100ml | 12999 | | | |
| Sertraline 50mg/5ml oral suspension | STD, SF, LF, CF, NSF | 150ml | 4793 | : | | |

| Product | Formulations covered by tariff | Minimum volume | Price for minimum volume | Price for each extr ml/g abov |
|---|---------------------------------|-------------------|--------------------------------|-------------------------------------|
| | | | (p) | minimu volume (j |
| Sildenafil 10mg/5ml oral suspension | STD, SF, NSF, AF | 100ml | 11686 | |
| Sildenafil 25mg/5ml oral suspension | STD, SF, NSF, AF | 100ml | 11816 | 6 |
| Sodium benzoate 500mg/5ml oral solution | STD, SF, LF, CF, NSF, AF | 100ml | 5180 | 2 |
| Sodium chloride 1.17g/5ml (4mmol/ml) oral solution | STD, SF, LF | 100ml | 10484 | |
| Sodium chloride 1.5g/5ml (5.13mmol/ml) oral solution | STD, SF, LF, CF, AF, FF, PF | 100ml | 3548 | |
| Sodium chloride 5% eye ointment | STD | ∎5g | 2748 | |
| Sodium dihydrogen phosphate dihydrate 780m Sml oral solution | g/STD, SF, LF | 100ml | 5420 | |
| Sotalol 25mg/5ml oral suspension | STD, SF, LF, CF, NSF, AF, FF | 200ml | 10998 | |
| Spironolactone 100mg/5ml oral suspension | STD, SF, LF, CF, NSF, FF | 125ml | 12431 | |
| Spironolactone 10mg/5ml oral suspension | STD, SF, LF, CF, NSF, FF | 125ml | 5177 | |
| Spironolactone 25mg/5ml oral suspension | STD, SF, LF, NSF, FF | 125ml | 3462 | |
| Spironolactone 50mg/5ml oral suspension | STD, SF, LF, CF, NSF, AF, FF | 125ml | 5656 | |
| Spironolactone 5mg/5ml oral suspension | STD, SF, LF, CF, NSF, FF | 125ml | 4509 | |
| lamsulosin 400micrograms/5ml oral suspensio | | 100ml | 27365 | ; |
| Ferbinafine 250mg/5ml oral suspension | STD, SF, LF, CF, NSF | 50ml | 6985 | |
| Fetrabenazine 12.5mg/5ml oral suspension | STD, SF, LF, CF, NSF | 100ml | 11788 | |
| Fetrabenazine 25mg/5ml oral suspension | STD, SF, LF, CF, NSF | 140ml | 10258 | : |
| Fhiamine 100mg/5ml oral solution | STD, SF, LF, AF | 100ml | 10759 | |
| Thiamine 100mg/5ml oral suspension | STD, SF, LF, CF, NSF | 100ml | 6729 | |
| Thiamine 50mg/5ml oral suspension | STD, SF, LF, CF, NSF, AF, FF | 100ml | 9703 | : |
| Fizanidine 2mg/5ml oral solution | STD, SF, LF, CF, NSF, AF, FF | 100ml | 3807 | |
| Fizanidine 2mg/5ml oral suspension | STD, SF, LF, CF, NSF, FF | 100ml | 7062 | |
| Tolterodine 2mg/5ml oral suspension | STD, SF, NSF, AF | 100ml | 7633 | |
| Fopiramate 100mg/5ml oral suspension | STD, SF, LF, CF, NSF, AF, FF | 200ml | 20633 | |
| Fopiramate 25mg/5ml oral suspension | STD, SF, LF, CF, NSF, AF, FF | 100ml | 9749 | |
| Fopiramate 50mg/5ml oral suspension | STD, SF, LF, CF, NSF, AF, FF | 100ml | 11396 | |
| Franexamic acid 250mg/5ml oral suspension | STD, LF, SF, AF | 60ml | 25924 | |
| Franexamic acid 5% mouthwash | STD, SF, LF, CF, NSF, AF, FF | 100ml | 13589 | |

Part VIIIB

| _ | | | | | | | | |
|---|--|--------------------------------|-------------------|---------------------------------------|--|--|--|--|
| | Product | Formulations covered by tariff | Minimum volume | Price for minimum volume (p) | Price for each extra ml/g above minimum volume (p) | | | |
| | Tranexamic acid 500mg/5ml oral suspension | STD, SF, NSF, AF | 100ml | 10506 | 1 | | | |
| | Triamcinolone 0.1% oromucosal paste | STD | 5g | 9341 | 112 | | | |
| | Venlafaxine 37.5mg/5ml oral solution | STD, SF, LF, CF, AF | 150ml | 11741 | 34 | | | |
| | Venlafaxine 37.5mg/5ml oral suspension | STD, SF, NSF, AF | 100ml | 9002 | 19 | | | |
| | Venlafaxine 75mg/5ml oral solution | STD, SF, LF, CF | 150ml | 6187 | 25 | | | |
| | Venlafaxine 75mg/5ml oral suspension | STD, SF, LF, CF, NSF | 100ml | 9578 | 15 | | | |
| | Zinc and Salicylic acid paste BP | | 100g | 15803 | 1 | | | |
| | Zinc oxide 15% and ichthammol 1% in yellow soft paraffin | STD | 200g | 29864 | 28 | | | |
| | Zonisamide 50mg/5ml oral suspension | STD, SF, LF, CF, NSF | 200ml | 19322 | 1 | | | |
| | Zopiclone 3.75mg/5ml oral solution | STD, SF, LF, CF | 150ml | 4121 | 6 | | | |
| | Zopiclone 3.75mg/5ml oral suspension | STD, SF, LF, CF, NSF | 100ml | 8002 | 4 | | | |
| | Zopiclone 7.5mg/5ml oral solution | STD, SF, LF, CF | 100ml | 8027 | 6 | | | |
| | Zopiclone 7.5mg/5ml oral suspension | STD, SF, LF, CF, NSF | 100ml | 7363 | 18 | | | |
| | | | | | | | | |