



# Medicines Optimisation Comparators Version: March 2018

**Comparator Descriptions and Specifications** 

NHSBSA Copyright 2018

# Contents

Introduction	4
Reporting Level	4
NHSBSA Data: Data quality assurance	4
Changes to comparators for March 2018	5
CCG Comparators	6
ANTIBIOTICS: Antibacterial items per STAR-PU	6
ANTIBIOTICS: Co-amoxiclav, Cephalosporins and Quinolones % items	8
COMMUNITY SUPPORT: % EPS items	10
COMMUNITY SUPPORT: % of Practices enabled for EPS	11
COMMUNITY SUPPORT: % of Practices submitting EPS	12
COMMUNITY SUPPORT: % of Repeat Dispensing	13
COMMUNITY SUPPORT: % of EPS Repeat Dispensing	14
COMMUNITY SUPPORT: % of Pharmacies conducting MUR	15
COMMUNITY SUPPORT: Number of MUR per 1,000 dispensed items	16
COMMUNITY SUPPORT: % of Pharmacies conducting NMS	17
COMMUNITY SUPPORT: Number of NMS per 1,000 dispensed items	18
CVD/CHD: Atrial fibrillation (AF007) % achieving upper threshold or above	19
CVD/CHD: Atrial fibrillation (AF007) % underlying achievement	20
CVD/CHD: Heart failure (HF003) % achieving upper threshold or above	21
CVD/CHD: Heart failure (HF003) % underlying achievement	22
CVD/CHD: Heart failure (HF004) % achieving upper threshold or above	23
CVD/CHD: Heart failure (HF004) % underlying achievement	24
CVD/CHD: NSAIDS: Ibuprofen & Naproxen % items	25
CVD/CHD: Oral Anticoagulants % items	26
DIABETES: Diabetes Mellitus (DM009) % achieving upper threshold or above	28
DIABETES: Diabetes Mellitus (DM009) % underlying achievement	29
DIABETES: Emergency Diabetes Admissions	30
MENTAL HEALTH: Antidepressants (selected): ADQ/STAR PU (ADQ based)	31
MENTAL HEALTH: Antidepressants: First choice % items (2015)	33
MENTAL HEALTH: Depression (DEP003) % achieving upper threshold or above	35
MENTAL HEALTH: Depression (DEP003) % underlying achievement	36
MENTAL HEALTH: Hypnotics: ADQ/STAR PU (ADQ based)	37
MENTAL HEALTH: Mental Health (MH010) % achieving upper threshold or above Page <b>2</b> of <b>61</b> NHSBSA Copyright 20	

MENTAL HEALTH: Mental Health (MH010) % underlying achievement	0
OSTEOPOROSIS: Osteoporosis (OST005) % achieving upper threshold or above 4	1
OSTEOPOROSIS: Osteoporosis (OST005) % underlying achievement	2
PATIENT EXPERIENCE: Awareness of the on-line ordering of repeat prescriptions service4	3
PATIENT EXPERIENCE: Use of the on-line ordering of repeat prescriptions service 44	4
PATIENT SAFETY: Summary Care Records Availability4	5
RESPIRATORY: Asthma (AST003) % achieving upper threshold or above	6
RESPIRATORY: Asthma (AST003) % underlying achievement48	8
RESPIRATORY: Emergency Asthma Admissions 4	9
RESPIRATORY: Chronic Obstructive Pulmonary Disease (COPD003) % achieving upper threshold or above	
RESPIRATORY: Chronic Obstructive Pulmonary Disease (COPD003) % underlying achievement	1
RESPIRATORY: Emergency COPD Admissions	2
Hospital Trust Comparators	3
BIOSIMILARS: % of Etanercept biosimilars uptake53	3
BIOSIMILARS: % of Etanercept biosimilars uptake	
	4
BIOSIMILARS: % of Infliximab biosimilars uptake	4 5
BIOSIMILARS: % of Infliximab biosimilars uptake	4 5 6
BIOSIMILARS: % of Infliximab biosimilars uptake	4 5 6 8
BIOSIMILARS: % of Infliximab biosimilars uptake       54         BIOSIMILARS: % of Rituximab biosimilars uptake       54         PATIENT EXPERIENCE: CQC In-patient Survey       56         PATIENT SAFETY: Medicines Reconciliation       58	4 5 6 8

# Introduction

The Medicines Optimisation dashboard is managed by the Medicines Optimisation Intelligence Group which is chaired by Bruce Warner, Deputy Chief Pharmacist, NHS England. This dashboard is part of the wider PPRS/Medicines Optimisation Programme, a joint programme of action by NHS England and the ABPI with the full support of Government through the Ministerial Industry Strategy Group.

Medicines Optimisation is about improving patient outcomes, quality and value from medicines use, guided by the principles of medicines optimisation, and to create a clinical pull to accelerate the optimal use of innovative, clinical and cost effective medicines which maximises the benefits of the PPRS Agreement.

This dashboard brings together a range of data relating to variation in medicines use and prescribing to inform the strategic medicines optimisation plans of CCGs and Trusts. It helps support NHS organisations in highlighting variation and facilitates discussion on how they compare with others across a range of comparators. It is not intended as a performance measurement tool and there are no targets.

Further information regarding medicines optimisation can be found on the NHS England website <a href="https://www.england.nhs.uk/?s=Medicines+Optimisation&search="https://www.england.nhs.uk/?s=Medicines+Optimisation&search="https://www.england.nhs.uk/?s=Medicines+Optimisation&search="https://www.england.nhs.uk/?s=Medicines+Optimisation&search="https://www.england.nhs.uk/?s=Medicines+Optimisation">https://www.england.nhs.uk/?s=Medicines+Optimisation&search=</a>

This document provides descriptions and specifications for the December 2017 Medicines Optimisation dashboard. Also included are details of any withdrawn comparators as well as additions and changes to the previous comparators published June 2017.

Practice level data is refreshed monthly within the NHSBSA Information Services Portal <u>https://apps.nhsbsa.nhs.uk/infosystems/welcome</u> Further work will be progressed to make accessibility to practice level data easier.

# **Reporting Level**

- CCG comparators show data at CCG level (aggregated to NHS England Area, Local Office, AHSN, STP, CCG demographic clusters, Region and England level)
- CCG similar 10 is available in InstantAtlas only.
- Hospital Trust comparators show data at Hospital Trust level (aggregated to NHS England Area, Local Office, AHSN, STP, Trust cluster, Region and England level) except CQC Inpatient Survey which is not aggregated

# NHSBSA Data: Data quality assurance

NHS Prescription Services have their own internal quality process to assure the data they provide matches what was originally submitted as part of the prescription processing activity. Some processes are complex and manual therefore there may be random inaccuracies in capturing prescription information which are then reflected in the data but checks are in place to reduce the chance of issues occurring. The processes operate to a number of key performance indicators, one of which is the percentage Prescription Information Accuracy, the target being 99.30% and as at December 2017 processed prescriptions the accuracy level achieved over the latest 12 month rolling period was 99.63%.

# Changes to comparators for March 2018

The following table lists additional comparators or those comparators that have changed or had data refreshed since the December 2017 published version of the Medicines Optimisation dashboard (data has not been refreshed for the other remaining comparators).

Comparator Name: CCG	Comments
Antibacterial items per STAR PU	Yearly data now available for January 2017 – December 2017
Co-amoxiclav, Cephalosporins and	Yearly data now available for January 2017 – December 2017
Quinolones % items	
% EPS items	Quarterly data now available up to December 2017
% of Practices enabled for EPS	Data now available as at end of December 2017
% of Practices submitting EPS	Quarterly data now available up to December 2017
% of Repeat Dispensing	Yearly data now available for January 2017 – December 2017
% of EPS Repeat Dispensing	Yearly data now available for January 2017 – December 2017
% of Pharmacies conducting MUR	Yearly data now available for January 2017 – December 2017
Number of MUR per 1,000 dispensed items	Yearly data now available for January 2017 – December 2017
% of Pharmacies conducting NMS	Yearly data now available for January 2017 – December 2017
Number of NMS per 1,000 dispensed	Yearly data now available for January 2017 – December 2017
items	
NSAIDS: Ibuprofen & Naproxen % items	Quarterly data now available up to December 2017
Oral Anticoagulants % items	Quarterly data now available up to December 2017
Antidepressants (selected): ADQ/STAR PU (ADQ based)	Quarterly data now available up to December 2017
Antidepressants: First choice % items (2015)	Quarterly data now available up to December 2017
Hypnotics: ADQ/STAR PU (ADQ based)	Quarterly data now available up to December 2017
Summary Care Records Availability	Data now available as of 20 February 2018
Comparator Name: Hospital Trust	Comments
Biosimilar: % of Etanercept biosimilars uptake	Monthly data now available for January 2017 – January 2018
Biosimilar: % of Infliximab biosimilars uptake	Monthly data now available for January 2017 – January 2018
Biosimilar: % of Rituximab biosimilars	Monthly data now available for July 2017 – January 2018
uptake	
Medicines Reconciliation	Yearly data now available for February 2017 – January 2018
NRLS % of harmful incidents	Six monthly data now available for April 2017 – September 2017
NRLS reported medication incidents	Six monthly data now available for April 2017 – September 2017
Summary Care Records Utilisation	Data now available as at December 2017

# CCG Comparators

# ANTIBIOTICS: Antibacterial items per STAR-PU

Secti	on 1: Introduction /		STAR-PU	
1.1	Title	Antibacterial items	per STAR PU	
1.2	MO Theme	ANTIBIOTICS		
1.3	Definition	Number of prescription items for antibacterial drugs (BNF 5.1) per oral antibacterial (BNF 5.1 sub-set) ITEM based STAR-PU		
1.4	Reporting Level	CCG level		
1.5	Numerator		ms for antibacterial d	rugs (BNF 5 1)
1.0	i uno uto.			
		BNF Name	BNF Co	ode
		Antibacterial Drugs	s 0501	
1.6	Denominator	Total number of or	al antibacterials (BNF	5.1 sub-set) ITEM based STAR-PU
		Oral antibacterial	(BNF 5.1 sub-set) IT	EM based STAR PU (2013 weighting)
		Age Bend	Male	Female
		Age Band		
		5-14	0.8	0.8 0.4
			0.3	-
		15-24	0.3	0.6
		25-34	0.2	0.6
		35-44	0.3	0.6
		45-54	0.3	0.6
		55-64	0.4	0.7
		65-74	0.7	1.0
· _		75+	1.0	1.3
1.7	Methodology	Numerator divided	by the denominator	
		Represented as number of antibacterial items per STAR PU ITEM based STAR PU values specific to the numerator are not available. Oral antibacterials (BNF 5.1 sub-set) ITEM based STAR PU values have been used as the denominator since items for non-oral antibacterials accounted for only 0.17% of all items for BNF 5.1 in 2014/15 (Source: ePACT). STAR PUs are weightings devised by NHS Digital and the following link provides further information regarding Prescribing Measures http://content.digital.nhs.uk/media/10027/Prescribing-measures-booklet/pdf/pres-meas-book- v7.pdf NHSBSA update list size information throughout a financial quarter and these patient list sizes are only fully refreshed at the end of that financial quarter; therefore STAR PU values used in this comparator are based on the latest available complete patient list size. (Other time periods and practice level data are available through NHSBSA Information Services Portal: https://apps.nhsbsa.nhs.uk/infosystems/welcome). catalogued under the MOKTT reports		
Secti	on 2: Rationale			
2.1	Purpose	The purpose of the prescribing comparator is to support the evidence and messages included in the 'Key therapeutic topics – Medicines management options for local implementation' publication by highlighting variation in prescribing across organisations, with the aim of reducing variation and a movement of the mean in the appropriate direction over time. The comparator is intended to support organisations and prescribers in reviewing the appropriateness of current prescribing, revise prescribing where appropriate and monitor implementation.		
2.2	Evidence and Policy Base	Antibiotic resistance poses a significant threat to public health, especially because antibiotics underpin routine medical practice. To help prevent the development of resistance it is important to only prescribe antibiotics when they are necessary, and not for self-limiting mild infections such as colds and most coughs, sinusitis, earache and sore throats. See the NICE website for the latest update of the Medicines and Prescribing Centre		

NHSBSA Copyright 2018

		publication.         http://www.nice.org.uk/mpc/keytherapeutictopics/keyTherapeuticTopics.jsp         This comparator is taken from the Medicines Optimisation Key Therapeutic Topics (MO KTT)         Comparators 2015/16 developed by NHS Digital.         http://content.digital.nhs.uk/media/18422/Descriptions-and-Specifications-         201516/pdf/Descriptions and Specifications 2015 16.pdf
Secti	on 3: Data	
3.1	Data source	NHS Business Services Authority
3.2	Data owner & contact details	nhsbsa.help@nhs.net
3.3	Time Frame	Refreshed quarterly with 12 months accumulated data Data available from January 2014
3.4	Data quality assurance	Please see data quality assurance statement pertaining to NHSBSA accuracy NHSBSA Data: Data quality assurance

# ANTIBIOTICS: Co-amoxiclav, Cephalosporins and Quinolones % items

Section	on 1: Introduction /	Overview	
1.1	Title	Co-amoxiclav, Cephalosporins and Quin	olones % items
1.2	MO Theme	ANTIBIOTICS	
1.3	Definition	percentage of the total number of prescri BNF 5.1)	kiclav, cephalosporins and quinolones as a ption items for selected antibacterial drugs (sub-set of
1.4	Reporting Level	CCG level	
1.5	Numerator	Number of prescription items for co-amo	kiclav, cephalosporins and quinolones
		BNF Name	BNF Code
		Co-amoxiclav	0501013K0
		Cephalosporins	0501021
		Quinolones	050112
1.6	Denominator	Number of prescription items for BNF 5.1	.1; 5.1.2.1; 5.1.3; 5.1.5; 5.1.8; 5.1.11; 5.1.12; 5.1.13
		BNF Name	BNF Code
		Cephalosporins	0501021
		Macrolides	050105
		Metronidazole, Tinidazole & Ornidazole	050111
		Penicillins	050101
		Quinolones	050112
		Sulphonamides & Trimethoprim	050108
		Tetracyclines	050103
1.7	Methodology	Urinary-Tract Infections Numerator divided by denominator	050113
1.7	wethodology		
		Represented as percentage of items for o	co-amoxiclav, cephalosporins and quinolones
		amoxiclav, cephalosporins or quinolones (Other time periods and practice level da	tibiotics that do not provide a suitable alternative to co- and/or are specialist antibiotics i.e. ta are available through NHSBSA Information <u>uk/infosystems/welcome</u> ) catalogued under the
Section	on 2: Rationale		
2.1	Purpose	in the 'Key therapeutic topics – Medicine publication by highlighting variation in pre reducing variation and a movement of the comparator is intended to support organi	or is to support the evidence and messages included s management options for local implementation' escribing across organisations, with the aim of e mean in the appropriate direction over time. The sations and prescribers in reviewing the evise prescribing where appropriate and monitor
2.2	Evidence and Policy Base	Antibiotic resistance poses a significant threat to public health, especially because antibiotics underpin routine medical practice. To help prevent the development of resistance it is important to only prescribe antibiotics when they are necessary, and not for self-limiting mild infections such as colds and most coughs, sinusitis, earache and sore throats. HPA guidance recommends that simple generic antibiotics should be used if possible when antibiotics are necessary. Broad-spectrum antibiotics (for example, co-amoxiclav, quinolones and cephalosporins) should be avoided when narrow-spectrum antibiotics remain effective because they increase the risk of methicillin-resistant Staphylococcus aureus (MRSA), Clostridium difficile and resistant urinary tract infections. See the NICE website for the latest update of the Medicines and Prescribing Centre publication <u>http://www.nice.org.uk/mpc/keytherapeutictopics/keyTherapeuticTopics.jsp</u> This comparator is taken from the Medicines Optimisation Key Therapeutic Topics (MO KTT) Comparators 2015/16 developed by NHS Digital	
		http://content.digital.nhs.uk/media/18422 201516/pdf/Descriptions and Specificati	
	on 3: Data		
3.1	Data source	NHS Business Services Authority	

3.2	Data owner &	nhsbsa.help@nhs.net
	contact details	
3.3	Time Frame	Refreshed quarterly with 12 months accumulated data
		Data available from January 2014
3.4	Data quality assurance	Please see data quality assurance statement pertaining to NHSBSA accuracy NHSBSA Data: Data quality assurance

#### COMMUNITY SUPPORT: % EPS items

Secti	Section 1: Introduction / Overview			
1.1	Title	% EPS items		
1.2	MO Theme	COMMUNITY SUPPORT		
1.3	Definition	Percentage of all items supplied via electronic prescriptions service (EPS)		
1.4	Reporting Level	CCG level		
1.5	Numerator	Number of items prescribed and dispensed via EPS during the reporting period		
1.6	Denominator	The total number of items prescribed and dispensed during the reporting period		
1.7	Methodology	Numerator divided by denominator		
		Represented as percentage of all items supplied electronically		
		(Other time periods and practice level data are available through NHSBSA Information		
		Services Portal: https://apps.nhsbsa.nhs.uk/infosystems/welcome)		
		catalogued under the Prescribing Monitoring reports		
Secti	on 2: Rationale			
2.1	Purpose	Almost all community pharmacies are Electronic Prescription Service (EPS) enabled but many GP practices are not. This comparator aims to allow a CCG to explore how EPS could be deployed locally to derive the greatest benefit for patients and efficient prescription services.		
2.2	Evidence and Policy Base	EPS enables prescribers such as GPs and practice nurses to send prescriptions electronically to a dispenser (such as a pharmacy) of the patient's choice. The prescription is then sent on to NHS Business Services Authority for payment. This makes the prescribing and dispensing process more efficient and convenient for patients and staff.		
Secti	on 3: Data			
3.1	Data source	NHS Business Services Authority		
3.2	Data owner & contact details	nhsbsa.help@nhs.net		
3.3	Time Frame	Refreshed quarterly with quarterly data Data available from October 2014		
3.4	Data quality assurance	Please see data quality assurance statement pertaining to NHSBSA accuracy NHSBSA Data: Data quality assurance		

## COMMUNITY SUPPORT: % of Practices enabled for EPS

	Section 1: Introduction / Overview			
1.1	Title	% of Practices enabled for EPS		
1.2	MO Theme	COMMUNITY SUPPORT		
1.3	Definition	Percentage of practices enabled for electronic prescriptions (EPS)		
1.4	Reporting Level	CCG level		
1.5	Numerator	Number of practices that have submitted at least one live prescription up to the end of the reporting period		
1.6	Denominator	Number of practices at the end of the reporting period		
1.7	Methodology	Numerator divided by denominator		
		Represented as percentage of practices enabled for EPS		
		A practice is determined as enabled when a claim has been received by the NHSBA		
		Data is for GP practices active at any time during the reporting period		
Secti	on 2: Rationale			
2.1	Purpose	This comparator aims to allow a CCG to explore how EPS could be deployed locally to derive the greatest benefit for patients and efficient prescription services.		
2.2	Evidence and Policy Base	EPS enables prescribers such as GPs and practice nurses to send prescriptions electronically to a dispenser (such as a pharmacy) of the patient's choice. The prescription is then sent on to NHS Business Services Authority for payment. This makes the prescribing and dispensing process more efficient and convenient for patients and staff.		
Secti	on 3: Data			
3.1	Data source	NHS Business Services Authority		
3.2	Data owner & contact details	nhsbsa.help@nhs.net		
3.3	Time Frame	Refreshed quarterly with month end data Data available as at end of December 2014		
3.4	Data quality	Please see data quality assurance statement pertaining to NHSBSA accuracy		
	assurance	NHSBSA Data: Data quality assurance		

# COMMUNITY SUPPORT: % of Practices submitting EPS

1.1       Title       % of Practices submitting EPS         1.2       MO Theme       COMMUNITY SUPPORT         1.3       Definition       Percentage of practices undertaking electronic prescriptions (EPS)         1.4       Reporting Level       CCG level         1.5       Numerator       Number of practices who submitted EPS messages during the reporting period         1.6       Denominator       The total number of practices during the reporting period         1.7       Methodology       Numerator divided by denominator         1.7       Methodology       Numerator divided by denominator         Represented as percentage of practices undertaking EPS       Data is for GP practices active at any time during the reporting period         2.1       Purpose       This comparator aims to allow a CCG to explore how EPS could be deployed local the greatest benefit for patients and efficient prescription services.         2.2       Evidence and Policy Base       EPS enables prescribers such as GPs and practice nurses to send prescriptions et to a dispenser (such as a pharmacy) of the patient's choice. The prescription is the	
1.3       Definition       Percentage of practices undertaking electronic prescriptions (EPS)         1.4       Reporting Level       CCG level         1.5       Numerator       Number of practices who submitted EPS messages during the reporting period         1.6       Denominator       The total number of practices during the reporting period         1.7       Methodology       Numerator divided by denominator         1.7       Methodology       Numerator divided by denominator         2.1       Purpose       This comparator aims to allow a CCG to explore how EPS could be deployed local the greatest benefit for patients and efficient prescription services.         2.2       Evidence and       EPS enables prescribers such as GPs and practice nurses to send prescriptions e	
1.4       Reporting Level       CCG level         1.5       Numerator       Number of practices who submitted EPS messages during the reporting period         1.6       Denominator       The total number of practices during the reporting period         1.7       Methodology       Numerator divided by denominator         1.7       Methodology       Numerator divided by denominator         2.1       Purpose       This comparator aims to allow a CCG to explore how EPS could be deployed local the greatest benefit for patients and efficient prescription services.         2.2       Evidence and       EPS enables prescribers such as GPs and practice nurses to send prescriptions e	
1.5       Numerator       Number of practices who submitted EPS messages during the reporting period         1.6       Denominator       The total number of practices during the reporting period         1.7       Methodology       Numerator divided by denominator         1.7       Methodology       Numerator divided by denominator         Represented as percentage of practices undertaking EPS       Data is for GP practices active at any time during the reporting period         Section 2: Rationale       This comparator aims to allow a CCG to explore how EPS could be deployed local the greatest benefit for patients and efficient prescription services.         2.1       Evidence and       EPS enables prescribers such as GPs and practice nurses to send prescriptions e	
1.6       Denominator       The total number of practices during the reporting period         1.7       Methodology       Numerator divided by denominator         1.7       Methodology       Represented as percentage of practices undertaking EPS         Data is for GP practices active at any time during the reporting period         Section 2: Rationale         2.1       Purpose         This comparator aims to allow a CCG to explore how EPS could be deployed local the greatest benefit for patients and efficient prescription services.         2.2       Evidence and	
1.7       Methodology       Numerator divided by denominator         Represented as percentage of practices undertaking EPS       Data is for GP practices active at any time during the reporting period         Section 2: Rationale       2.1       Purpose         2.1       Purpose       This comparator aims to allow a CCG to explore how EPS could be deployed local the greatest benefit for patients and efficient prescription services.         2.2       Evidence and       EPS enables prescribers such as GPs and practice nurses to send prescriptions e	
Represented as percentage of practices undertaking EPS         Data is for GP practices active at any time during the reporting period         Section 2: Rationale         2.1       Purpose         This comparator aims to allow a CCG to explore how EPS could be deployed local the greatest benefit for patients and efficient prescription services.         2.2       Evidence and	
Section 2: Rationale         2.1       Purpose         This comparator aims to allow a CCG to explore how EPS could be deployed local the greatest benefit for patients and efficient prescription services.         2.2       Evidence and	
Section 2: Rationale         2.1       Purpose         This comparator aims to allow a CCG to explore how EPS could be deployed local the greatest benefit for patients and efficient prescription services.         2.2       Evidence and         EPS enables prescribers such as GPs and practice nurses to send prescriptions e	
Purpose         This comparator aims to allow a CCG to explore how EPS could be deployed local the greatest benefit for patients and efficient prescription services.           2.2         Evidence and         EPS enables prescribers such as GPs and practice nurses to send prescriptions e	
Evidence and         the greatest benefit for patients and efficient prescription services.           2.2         Evidence and         EPS enables prescribers such as GPs and practice nurses to send prescriptions e	
	ly to derive
Policy Base to a dispenser (such as a pharmacy) of the patient's choice. The prescription is the	
NHS Business Services Authority for payment. This makes the prescribing and dis	
process more efficient and convenient for patients and staff.	, C
Section 3: Data	
3.1 Data source NHS Business Services Authority	
3.2 Data owner & <u>nhsbsa.help@nhs.net</u>	
contact details	
3.3 Time Frame Refreshed quarterly with quarterly data	
Data available from October 2014	
3.4 Data quality Please see data quality assurance statement pertaining to NHSBSA accuracy	
assurance NHSBSA Data: Data quality assurance	

# COMMUNITY SUPPORT: % of Repeat Dispensing

	Section 1: Introduction / Overview			
1.1	Title % of Repeat Dispensing			
1.1				
1.2	MO Theme	COMMUNITY SUPPORT		
1.3	Definition	Percentage of repeat dispensing items compared to all prescribing		
1.4	Reporting Level	CCG level		
1.5	Numerator	Number of repeat dispensing items prescribed and dispensed during the reporting period		
1.6	Denominator	Total number of NHS prescribed and dispensed items during the reporting period		
1.7	Methodology	Numerator divided by denominator		
		Represented as percentage of repeat dispensing items		
		(Other time periods and practice level data are available through NHSBSA Information Services Portal: <u>https://apps.nhsbsa.nhs.uk/infosystems/welcome</u> ). catalogued under the Prescribing Monitoring reports		
Secti	on 2: Rationale			
2.1	Purpose	There is significant variation in the proportion of prescriptions managed in this way with some GP practices not making this service available to their patients. The use of this comparator aims to increase the proportion of items provided this way and to ultimately free up GP and practice time.		
2.2	Evidence and Policy Base	In 2002 it was estimated that up to 80% of all repeat prescriptions could be replaced with repeat dispensing over time, "yielding savings of up to 2.7 million hours of GP and practice time". Feedback from areas that have implemented repeat dispensing is that patients find the system more convenient. This opportunity was highlighted in the Transforming Primary care document published by DH		
		and NHS England. https://www.gov.uk/government/uploads/system/uploads/attachment_data/file/304139/Transfor		
		ming_primary_care.pdf		
		Repeat dispensing enables GPs to issue a single prescription for up to a year, which pharmacists are then able to dispense in instalments. It provides pharmacists with a number of opportunities to have a discussion with the patient to determine if they still require the medicine and whether the patient is experiencing any problems with taking it.		
Secti	on 3: Data			
3.1	Data source	NHS Business Services Authority		
3.2	Data owner & contact details	nhsbsa.help@nhs.net		
3.3	Time Frame	Refreshed quarterly with 12 months accumulated data Data available from January 2014		
3.4	Data quality assurance	Please see data quality assurance statement pertaining to NHSBSA accuracy NHSBSA Data: Data quality assurance		

## COMMUNITY SUPPORT: % of EPS Repeat Dispensing

Section 1: Introduction / Overview					
1.1	Title	% of EPS Repeat Dispensing			
1.2	MO Theme	COMMUNITY SUPPORT			
1.3	Definition	Percentage of all items prescribed as electronic repeat dispensing as a proportion of all electronic prescriptions			
1.4	Reporting Level	CCG level			
1.5	Numerator	Number of repeat dispensing items submitted via EPS during the reporting period			
1.6	Denominator	The total number of items prescribed and dispensed via EPS during the reporting period			
1.7	Methodology	Numerator divided by denominator			
		Represented as percentage of EPS repeat dispensing items			
		(Other time periods and practice level data are available through NHSBSA Information Services Portal: <u>https://apps.nhsbsa.nhs.uk/infosystems/welcome</u> ).			
		catalogued under the Prescribing Monitoring reports			
	on 2: Rationale				
2.1	Purpose	Measure of the uptake and utilisation of repeat dispensing via EPS This comparator aims to allow a CCG to explore how repeat dispensing via EPS could be deployed locally to derive the greatest benefit for patients and efficient prescription services			
2.2	Evidence and Policy Base	In 2002, it was estimated that up to 80% of all repeat prescriptions could be replaced with repeat dispensing over time, "yielding savings of up to 2.7 million hours of GP and practice time". Feedback from areas that have implemented repeat dispensing is that patients find the system more convenient. Repeat dispensing enables GPs to issue a single prescription for up to a year, which pharmacists are then able to dispense in instalments. It provides pharmacists with a number of opportunities to have a discussion with the patient to determine if they still require the medicine and whether the patient is experiencing any problems with taking it.			
Secti	Section 3: Data				
3.1	Data source	NHS Business Services Authority			
3.2	Data owner & contact details	nhsbsa.help@nhs.net			
3.3	Time Frame	Refreshed quarterly with 12 months accumulated data Data available from January 2014			
3.4	Data quality assurance	Please see data quality assurance statement pertaining to NHSBSA accuracy NHSBSA Data: Data quality assurance			

#### COMMUNITY SUPPORT: % of Pharmacies conducting MUR

	Section 1: Introduction / Overview		
1.1	Title	% of Pharmacies conducting MUR	
1.2	MO Theme	COMMUNITY SUPPORT	
1.3	Definition	Percentage of pharmacies conducting MUR	
1.4	Reporting Level	CCG level	
1.5	Numerator	Number of pharmacies claiming for one or more MURs during the reporting period	
1.6	Denominator	Total number of pharmacies submitting reimbursement claims during the reporting period	
1.7	Methodology	Numerator divided by denominator (The average (i.e. the mean) number of pharmacies claiming for one or more MUR in the 12 month reporting period divided by the average number of pharmacies submitting reimbursement claims in the same 12 months. This provides a view of what is taking place on a monthly basis and the proportion of pharmacies undertaking the service regularly. This will be different to actual figures available in other publications). Represented as percentage of pharmacies conducting MUR Dispensing doctors and appliance contractors are not included From time period July 2015 to June 2016 onwards Local Pharmaceutical Services Pharmacies and Late Accounts (late submissions of prescriptions which do not pertain to the month they were submitted in) are included in the data	
		NHSBSA use NHS geographical locations based on pharmacy postcodes in order to map pharmacies to a CCG	
	Section 2: Rationale		
2.1	Purpose	Ensure that patients receive support via MUR services to take their medicines as intended. Between 30% and 50% of medicines are not taken as intended.	
2.2	Evidence and Policy Base	The MUR service is an Advanced service within the NHS community pharmacy contractual framework. It is a structured review that is undertaken by a pharmacist to help patients to manage their medicines more effectively. Part VIC of the NHS Drug Tariff (DT) for England and Wales explains the arrangements for MURs and states Payment will be made up to a maximum of 400 MURs per pharmacy for the period commencing on 1 April and ending on 31 March in any year. The DT is available through the link below. http://www.nhsbsa.nhs.uk/PrescriptionServices/4940.aspx	
Secti	on 3: Data		
3.1	Data source	NHS Business Services Authority	
3.2	Data owner & contact details	nhsbsa.help@nhs.net	
3.3	Time Frame	Refreshed quarterly with 12 months accumulated data Data available from January 2014	
3.4	Data quality assurance	Please see data quality assurance statement pertaining to NHSBSA accuracy NHSBSA Data: Data quality assurance	

## COMMUNITY SUPPORT: Number of MUR per 1,000 dispensed items

Secti	Section 1: Introduction / Overview		
1.1	Title	Number of MUR per 1,000 dispensed items	
1.2	MO Theme	COMMUNITY SUPPORT	
1.3	Definition	Number of MUR per 1,000 prescription items dispensed	
1.4	Reporting Level	CCG level	
1.5	Numerator	Number of MUR claimed by pharmacies during the reporting period	
1.6	Denominator	Number of items dispensed, taken from the pharmacy submission to NHSBSA for the reporting period divided by 1,000	
1.7	Methodology	Numerator divided by denominator	
		Represented as number of MUR per 1,000 prescription items dispensed	
		Dispensing doctors and appliance contractors are not included	
		From time period July 2015 to June 2016 onwards Local Pharmaceutical Services Pharmacies and Late Accounts (late submissions of prescriptions which do not pertain to the month they were submitted in) are included in the data.	
		NHSBSA use NHS geographical locations based on pharmacy postcodes in order to map pharmacies to a CCG	
Secti	on 2: Rationale		
2.1	Purpose	Ensure that patients receive support via MUR services to take their medicines as intended. Between 30% and 50% of medicines are not taken as intended.	
2.2	Evidence and Policy Base	The MUR service is an Advanced service within the NHS community pharmacy contractual framework. It is a structured review that is undertaken by a pharmacist to help patients to manage their medicines more effectively. Part VIC of the NHS Drug Tariff (DT) for England and Wales explains the arrangements for MURs and states payment will be made up to a maximum of 400 MURs per pharmacy for the period commencing on 1 April and ending on 31 March in any year The DT is available through the link below. http://www.nhsbsa.nhs.uk/PrescriptionServices/4940.aspx	
Secti	on 3: Data		
3.1	Data source	NHS Business Services Authority	
3.2	Data owner & contact details	nhsbsa.help@nhs.net	
3.3	Time Frame	Refreshed quarterly with 12 months accumulated data Data available from January 2014	
3.4	Data quality assurance	Please see data quality assurance statement pertaining to NHSBSA accuracy NHSBSA Data: Data quality assurance	

#### **COMMUNITY SUPPORT: % of Pharmacies conducting NMS**

	COMMUNITY SUPPORT: % of Pharmacies conducting NMS Section 1: Introduction / Overview		
1.1	Title	% of Pharmacies conducting NMS	
1.2	MO Theme	COMMUNITY SUPPORT	
1.3	Definition	Percentage of pharmacies conducting NMS	
1.4	Reporting Level	CCG level	
1.5	Numerator	Number of pharmacies claiming for one or more NMS during the reporting period	
1.6	Denominator	Total number of pharmacies submitting reimbursement claims during the reporting period	
1.7	Methodology	Numerator divided by denominator (The average (i.e. the mean) number of pharmacies claiming for one or more NMS in the 12 month reporting period divided by the average number of pharmacies submitting reimbursement claims in the same 12 months. This provides a view of what is taking place on a monthly basis and the proportion of pharmacies undertaking the service regularly. This will be different to actual figures available in other publications). Represented as percentage of pharmacies conducting NMS Dispensing doctors and appliance contractors are not included From time period July 2015 to June 2016 onwards Local Pharmaceutical Services Pharmacies and Late Accounts (late submissions of prescriptions which do not pertain to the month they were submitted in) are included in the data. NHSBSA use NHS geographical locations based on pharmacy postcodes in order to map	
0		pharmacies to a CCG	
	on 2: Rationale		
2.1	Purpose	Ensure that patients receive support via NMS to take their medicines as intended. Between 30% and 50% of medicines are not taken as intended.	
2.2	Evidence and Policy Base	The New Medicine Service (NMS) was the fourth Advanced Service to be added to the NHS community pharmacy contract; it commenced on 1st October 2011. The service provides support for people with long-term conditions newly prescribed a medicine to help improve medicines adherence; it is initially focused on particular patient groups and conditions. The NMS service is designed to provide early support to patients to maximise the benefits of the medicine they have been prescribed. Part VIC of the NHS Drug Tariff (DT) for England and Wales explains the arrangements for NMS The DT is available through the link below. http://www.nhsbsa.nhs.uk/PrescriptionServices/4940.aspx	
Secti	on 3: Data		
3.1	Data source	NHS Business Services Authority	
3.2	Data owner & contact details	nhsbsa.help@nhs.net	
3.3	Time Frame	Refreshed quarterly with 12 months accumulated data Data available from January 2014	
3.4	Data quality assurance	Please see data quality assurance statement pertaining to NHSBSA accuracy NHSBSA Data: Data quality assurance	

## COMMUNITY SUPPORT: Number of NMS per 1,000 dispensed items

	Section 1: Introduction / Overview		
1.1	Title	Number of NMS per 1,000 dispensed items	
1.1	THE		
1.2	MO Theme	COMMUNITY SUPPORT	
1.3	Definition	Number of NMS per 1,000 prescription items dispensed	
1.4	Reporting Level	CCG level	
1.5	Numerator	Number of NMS claimed by pharmacies during the reporting period	
1.6	Denominator	Number of items dispensed, taken from the pharmacy submission to NHSBSA for the reporting period divided by 1,000	
1.7	Methodology	Numerator divided by denominator	
		Represented as number of NMS per 1,000 prescription items dispensed	
		Dispensing doctors and appliance contractors are not included	
		From time period July 2015 to June 2016 onwards Local Pharmaceutical Services Pharmacies and Late Accounts (late submissions of prescriptions which do not pertain to the month they were submitted in) are included in the data.	
		NHSBSA use NHS geographical locations based on pharmacy postcodes in order to map pharmacies to a CCG	
Secti	on 2: Rationale		
2.1	Purpose	Ensure that patients receive support via NMS to take their medicines as intended. Between 30% and 50% of medicines are not taken as intended.	
2.2	Evidence and Policy Base	The New Medicine Service (NMS) was the fourth Advanced Service to be added to the NHS community pharmacy contract; it commenced on 1st October 2011. The service provides support for people with long-term conditions newly prescribed a medicine to help improve medicines adherence; it is initially focused on particular patient groups and conditions. The NMS service is designed to provide early support to patients to maximise the benefits of the medicine they have been prescribed. Part VIC of the NHS Drug Tariff (DT) for England and Wales explains the arrangements for NMS. The DT is available through the link below. http://www.nhsbsa.nhs.uk/PrescriptionServices/4940.aspx	
Secti	on 3: Data		
3.1	Data source	NHS Business Services Authority	
3.2	Data owner & contact details	nhsbsa.help@nhs.net	
3.3	Time Frame	Refreshed quarterly with 12 months accumulated data Data available from January 2014	
3.4	Data quality assurance	Please see data quality assurance statement pertaining to NHSBSA accuracy NHSBSA Data: Data quality assurance	

CVD/CHD: Atrial fibrillation (AF007) % achieving upper threshold or above
---

Secti	on 1: Introduction /	Overview		
1.1	Title	Atrial fibrillation (AF007) % achieving upper threshold or above		
1.0	MO Thoma	CVD/CHD		
1.2 1.3	MO Theme Definition	The percentage of practices in a CCG that achieve upper threshold or above (70% or more		
1.5	Demition	inclusive of exceptions) for QOF indicator AF007		
1.4	Reporting Level	CCG level		
1.5	Numerator	Number of practices in a CCG that achieve upper threshold or above for QOF indicator AF007 (achievement of 70% or more inclusive of exceptions)		
1.6	Denominator	Total number of practices in a CCG with eligible patients for QOF indicator AF007		
1.7	Methodology	Numerator divided by denominator		
		Represented as the percentage of practices achieving upper threshold or above inclusive of exceptions		
		The comparator is inclusive of exceptions. In other words, it includes all the patients who satisfy the denominator criteria, even if some have been "excepted". "Exceptions" relate to registered patients who are on the relevant disease register or in the target population group and would ordinarily be included in the indicator denominator, but who are excepted by the contractor on the basis of one or more of the exception criteria. Although patients may be excepted from the denominator, they should still be the recipients of best clinical care and practice. See 2016/17 General Medical Services (GMS) contract Quality and Outcomes Framework		
		(QOF): Guidance for GMS contract 2016/17(NHS Employers) <u>http://www.nhsemployers.org/~/media/Employers/Documents/Primary%20care%20contracts/QOF/2016-17/2016-17%20QOF%20guidance%20documents.pdf</u>		
Secti	Section 2: Rationale			
2.1	Purpose	The Quality and Outcomes Framework (QOF) rewards contractors for the provision of quality care and helps to standardise improvements in the delivery of primary medical services. Contractor participation in QOF is voluntary.		
		Within the QOF there are a number of indicators that are associated with the effective and/or appropriate use of medicines.		
		NB: For 2016/17 QOF, points are awarded for AF007.		
		http://www.nhsemployers.org/~/media/Employers/Documents/Primary%20care%20contracts/Q OF/2016-17/2016-17%20QOF%20guidance%20documents.pdf		
2.2	Evidence and Policy Base	Atrial fibrillation is the most common sustained cardiac arrhythmia and if left untreated is a significant risk factor for stroke and other morbidities. Existing evidence suggests that many patients with AF remain untreated or treated inappropriately. CCGs with a comparatively higher score may be deploying systematic process to identify and treat patients with AF.		
	on 3: Data			
3.1	Data source	NHS Digital		
3.2	Data owner & contact details	QOF CCG level table. NHS Digital website <u>http://qof.digital.nhs.uk/</u> <u>https://digital.nhs.uk/catalogue/PUB30124</u>		
3.3	Time Frame	2016/17 (NB: Refreshed yearly with latest annual data) Data available from April 2015		
3.4	Data quality assurance	None provided		

# CVD/CHD: Atrial fibrillation (AF007) % underlying achievement

Section 1: Introduction / Overview

Secti	on 1: Introduction /	Overview
1.1	Title	Atrial fibrillation (AF007) % underlying achievement
1.2	MO Theme	CVD/CHD
1.3	Definition	Percentage underlying achievement at CCG level for QOF indicator AF007( inclusive of exceptions)
1.4	Reporting Level	CCG level
1.5	Numerator	Number of patients with atrial fibrillation with a record of a CHA2DS2-VASc score of 2 or more who are currently treated with anti-coagulation drug therapy
1.6	Denominator	Number of patients with atrial fibrillation with a record of a CHA2DS2-VASc score of 2 or more inclusive of exceptions
1.7	Methodology	Numerator divided by denominator
		Represented as a percentage underlying achievement level inclusive of exceptions
		The denominator is inclusive of exceptions. In other words, it includes all the patients who satisfy the denominator criteria, even if some have been "excepted". "Exceptions" relate to registered patients who are on the relevant disease register or in the target population group and would ordinarily be included in the indicator denominator, but who are excepted by the contractor on the basis of one or more of the exception criteria. Although patients may be excepted from the denominator, they should still be the recipients of best clinical care and practice.
		See 2016/17 General Medical Services (GMS) contract Quality and Outcomes Framework
		(QOF): Guidance for GMS contract 2016/17 (NHS Employers)
		http://www.nhsemployers.org/~/media/Employers/Documents/Primary%20care%20contracts/Q
		OF/2016-17/2016-17%20QOF%20guidance%20documents.pdf
Secti	on 2: Rationale	
2.1	Purpose	The Quality and Outcomes Framework (QOF) rewards contractors for the provision of quality care and helps to standardise improvements in the delivery of primary medical services. Contractor participation in QOF is voluntary. Within the QOF there are a number of indicators that are associated with the effective and/or appropriate use of medicines. NB: For 2016/17 QOF, points are awarded for AF007. http://www.nhsemployers.org/~/media/Employers/Documents/Primary%20care%20contracts/Q OF/2016-17/2016-17%20QOF%20guidance%20documents.pdf
2.2	Evidence and Policy Base	Atrial fibrillation is the most common sustained cardiac arrhythmia and if left untreated is a significant risk factor for stroke and other morbidities. Existing evidence suggests that many patients with AF remain untreated or treated inappropriately. CCGs with a comparatively higher score may be deploying systematic process to identify and treat patients with AF.
Secti	on 3: Data	
3.1	Data source	NHS Digital
3.2	Data owner & contact details	QOF CCG level table. NHS Digital website <u>http://qof.digital.nhs.uk/</u> <u>https://digital.nhs.uk/catalogue/PUB30124</u>
3.3	Time Frame	2016/17 (NB: Refreshed yearly with latest annual data) Data available from April 2015
3.4	Data quality assurance	None provided

# CVD/CHD: Heart failure (HF003) % achieving upper threshold or above

Section	on 1: Introduction /	Overview
1.1	Title	Heart failure (HF003) % achieving upper threshold or above
1.2	MO Theme	CVD/CHD
1.3	Definition	The percentage of practices in a CCG that achieve upper threshold or above (100% inclusive of exceptions) for QOF indicator HF003
1.4	Reporting Level	CCG level
1.5	Numerator	Number of practices in a CCG that achieve upper threshold or above for QOF indicator HF003 (achievement of 100% inclusive of exceptions)
1.6	Denominator	Total number of practices in a CCG with eligible patients for QOF indicator HF003
1.7	Methodology	Numerator divided by denominator Represented as a percentage of practices achieving upper threshold or above inclusive of
		exceptions
		The comparator is inclusive of exceptions. In other words, it includes all the patients who satisfy the denominator criteria, even if some have been "excepted". "Exceptions" relate to registered patients who are on the relevant disease register or in the target population group and would ordinarily be included in the indicator denominator, but who are excepted by the contractor on the basis of one or more of the exception criteria. Although patients may be excepted from the denominator, they should still be the recipients of best clinical care and practice.
		See 2016/17 General Medical Services (GMS) contract Quality and Outcomes Framework (QOF): Guidance for GMS contract 2016/17 (NHS Employers) http://www.nhsemployers.org/~/media/Employers/Documents/Primary%20care%20contracts/Q OF/2016-17/2016-17%20QOF%20guidance%20documents.pdf
Section	on 2: Rationale	
2.1	Purpose	The Quality and Outcomes Framework (QOF) rewards contractors for the provision of quality care and helps to standardise improvements in the delivery of primary medical services. Contractor participation in QOF is voluntary.
		Within the QOF there are a number of indicators that are associated with the effective and/or appropriate use of medicines.
		NB: For 2016/17 QOF, points are awarded for HF003. <u>http://www.nhsemployers.org/~/media/Employers/Documents/Primary%20care%20contracts/Q</u> <u>OF/2016-17/2016-17%20QOF%20guidance%20documents.pdf</u>
2.2	Evidence and Policy Base	In most cases, heart failure is a lifelong condition that cannot be cured. Treatment therefore aims to find a combination of measures, including lifestyle changes, medicines, devices or surgery that will improve heart function or help the body get rid of excess water. Effective treatment for heart failure can have the following benefits: •it helps make the heart stronger •it improves your symptoms •it reduces the risk of a flare-up •it allows people with the condition to live longer and fuller lives
		This indicator was chosen because existing evidence suggests that many patients with HF remain untreated or treated inappropriately. CCGs with a comparatively higher score may be deploying systematic process to identify and treat patients with HF.
	on 3: Data	
3.1	Data source	NHS Digital
3.2	Data owner & contact details	QOF CCG level table. NHS Digital website <u>http://qof.digital.nhs.uk/</u> <u>https://digital.nhs.uk/catalogue/PUB30124</u>
3.3	Time Frame	2016/17 (NB: Refreshed yearly with latest annual data) Data available from April 2013
3.4	Data quality assurance	None provided

## CVD/CHD: Heart failure (HF003) % underlying achievement

	on 1: Introduction / (	ire (HF003) % underlying achievement
1.1	Title	Heart failure (HF003) % underlying achievement
1.2	MO Theme	
1.3	Definition	Percentage underlying achievement at CCG level for QOF indicator HF003 (inclusive of exceptions)
1.4	Reporting Level	CCG level
1.5	Numerator	Number of patients with a current diagnosis of heart failure due to left ventricular systolic dysfunction who are currently treated with an ACE-I or ARB
1.6	Denominator	Number of patients with a current diagnosis of heart failure due to left ventricular systolic dysfunction inclusive of exceptions
1.7	Methodology	Numerator divided by denominator
		Represented as the percentage underlying achievement level inclusive of exceptions
		The denominator is inclusive of exceptions. In other words, it includes all the patients who satisfy the denominator criteria, even if some have been "excepted". "Exceptions" relate to registered patients who are on the relevant disease register or in the target population group and would ordinarily be included in the indicator denominator, but who are excepted by the contractor on the basis of one or more of the exception criteria. Although patients may be excepted from the denominator, they should still be the recipients of best clinical care and practice.
		See 2016/17 General Medical Services (GMS) contract Quality and Outcomes Framework (QOF): Guidance for GMS contract 2016/17 (NHS Employers) <u>http://www.nhsemployers.org/~/media/Employers/Documents/Primary%20care%20contracts/Q</u> <u>OF/2016-17/2016-17%20QOF%20guidance%20documents.pdf</u>
Section	on 2: Rationale	
2.1	Purpose	The Quality and Outcomes Framework (QOF) rewards contractors for the provision of quality care and helps to standardise improvements in the delivery of primary medical services. Contractor participation in QOF is voluntary. Within the QOF there are a number of indicators that are associated with the effective and/or appropriate use of medicines.
		NB: For 2016/17 QOF, points are awarded for HF003. http://www.nhsemployers.org/~/media/Employers/Documents/Primary%20care%20contracts/Q OF/2016-17/2016-17%20QOF%20guidance%20documents.pdf
2.2	Evidence and Policy Base	In most cases, heart failure is a lifelong condition that cannot be cured. Treatment therefore aims to find a combination of measures, including lifestyle changes, medicines, devices or surgery that will improve heart function or help the body get rid of excess water. Effective treatment for heart failure can have the following benefits: •it helps make the heart stronger •it improves your symptoms •it reduces the risk of a flare-up •it allows people with the condition to live longer and fuller lives
		This indicator was chosen because existing evidence suggests that many patients with HF remain untreated or treated inappropriately. CCGs with a comparatively higher score may be deploying systematic process to identify and treat patients with HF.
	on 3: Data	
3.1	Data source	NHS Digital
3.2	Data owner & contact details	QOF CCG level table. NHS Digital website <u>http://qof.digital.nhs.uk/</u> <u>https://digital.nhs.uk/catalogue/PUB30124</u>
3.3	Time Frame	2016/17 (NB: Refreshed yearly with latest annual data) Data available from April 2013
3.4	Data quality assurance	None provided

# CVD/CHD: Heart failure (HF004) % achieving upper threshold or above

	on 1: Introduction / (	Ire (HF004) % achieving upper threshold or above Overview
1.1	Title	Heart failure (HF004) % achieving upper threshold or above
1.2	MO Theme	CVD/CHD
1.3	Definition	The percentage of practices in a CCG that achieve upper threshold or above (65% or more inclusive of exceptions) for QOF indicator HF004
1.4	Reporting Level	CCG level
1.5	Numerator	Number of practices in a CCG that achieve upper threshold or above for QOF indicator HF004 (achievement of 65% or more inclusive of exceptions)
1.6	Denominator	Total number of practices in a CCG with eligible patients for QOF indicator HF004
1.7	Methodology	Numerator divided by denominator
		Represented as the percentage of practices achieving upper threshold or above inclusive of exceptions
		The comparator is inclusive of exceptions. In other words, it includes all the patients who satisfy the denominator criteria, even if some have been "excepted". "Exceptions" relate to registered patients who are on the relevant disease register or in the target population group and would ordinarily be included in the indicator denominator, but who are excepted by the contractor on the basis of one or more of the exception criteria. Although patients may be excepted from the denominator, they should still be the recipients of best clinical care and practice. See 2016/17 General Medical Services (GMS) contract Quality and Outcomes Framework (QOF): Guidance for GMS contract 2016/17 (NHS Employers) http://www.nhsemployers.org/~/media/Employers/Documents/Primary%20care%20contracts/Q
Sectio	on 2: Rationale	
2.1	Purpose	The Quality and Outcomes Framework (QOF) rewards contractors for the provision of quality care and helps to standardise improvements in the delivery of primary medical services. Contractor participation in QOF is voluntary. Within the QOF there are a number of indicators that are associated with the effective and/or appropriate use of medicines. NB: For 2016/17 QOF, points are awarded for HF004. <a href="http://www.nhsemployers.org/~/media/Employers/Documents/Primary%20care%20contracts/Q">http://www.nhsemployers.org/~/media/Employers/Documents/Primary%20care%20contracts/Q</a> OF/2016-17/2016-17%20QOF%20guidance%20documents.pdf
2.2	Evidence and Policy Base	In most cases, heart failure is a lifelong condition that cannot be cured. Treatment therefore aims to find a combination of measures, including lifestyle changes, medicines, devices or surgery that will improve heart function or help the body get rid of excess water. Effective treatment for heart failure can have the following benefits: •it helps make the heart stronger •it improves your symptoms •it reduces the risk of a flare-up •it allows people with the condition to live longer and fuller lives This indicator was chosen because existing evidence suggests that many patients with HF remain untreated or treated inappropriately. CCGs with a comparatively higher score may be deploying systematic process to identify and treat patients with HF.
	on 3: Data	
3.1	Data source	NHS Digital
3.2	Data owner & contact details	QOF CCG level table. NHS Digital website <u>http://qof.digital.nhs.uk/</u> <u>https://digital.nhs.uk/catalogue/PUB30124</u>
3.3	Time Frame	2016/17 (NB: Refreshed yearly with latest annual data) Data available from April 2013
3.4	Data quality assurance	None provided

#### CVD/CHD: Heart failure (HF004) % underlying achievement

		ure (HF004) % underlying achievement
	on 1: Introduction /	
1.1	Title MO Thoma	Heart failure (HF004) % underlying achievement
1.2	MO Theme	
1.3	Definition	Percentage underlying achievement at CCG level for QOF indicator HF004 (inclusive of exceptions)
1.4	Reporting Level	CCG level
1.5	Numerator	Number of patients with a current diagnosis of heart failure due to left ventricular systolic
		dysfunction who are currently treated with an ACE-I or ARB who are additionally currently
		treated with a beta-blocker licensed for heart failure
1.6	Denominator	Number of patients with a current diagnosis of heart failure due to left ventricular systolic dysfunction who are currently treated with an ACE-I or ARB inclusive of exceptions
1.7	Methodology	Numerator divided by denominator
		Represented as the percentage underlying achievement level inclusive of exceptions
		The denominator is inclusive of exceptions. In other words, it includes all the patients who satisfy the denominator criteria, even if some have been "excepted". "Exceptions" relate to registered patients who are on the relevant disease register or in the target population group and would ordinarily be included in the indicator denominator, but who are excepted by the contractor on the basis of one or more of the exception criteria. Although patients may be excepted from the denominator, they should still be the recipients of best clinical care and practice.
		See 2016/17 General Medical Services (GMS) contract Quality and Outcomes Framework (QOF): Guidance for GMS contract 2016/17 (NHS Employers)
		http://www.nhsemployers.org/~/media/Employers/Documents/Primary%20care%20contracts/Q
		OF/2016-17/2016-17%20QOF%20guidance%20documents.pdf
2.1	on 2: Rationale	
	Purpose	The Quality and Outcomes Framework (QOF) rewards contractors for the provision of quality care and helps to standardise improvements in the delivery of primary medical services. Contractor participation in QOF is voluntary. Within the QOF there are a number of indicators that are associated with the effective and/or appropriate use of medicines. NB: For 2016/17 QOF, points are awarded for HF004. <a href="http://www.nhsemployers.org/~/media/Employers/Documents/Primary%20care%20contracts/Q">http://www.nhsemployers.org/~/media/Employers/Documents/Primary%20care%20contracts/Q</a> OF/2016-17/2016-17%20QOF%20quidance%20documents.pdf
2.2	Evidence and Policy Base	In most cases, heart failure is a lifelong condition that cannot be cured. Treatment therefore aims to find a combination of measures, including lifestyle changes, medicines, devices or surgery that will improve heart function or help the body get rid of excess water. Effective treatment for heart failure can have the following benefits: •it helps make the heart stronger •it improves your symptoms •it reduces the risk of a flare-up •it allows people with the condition to live longer and fuller lives This indicator was chosen because existing evidence suggests that many patients with HF remain untreated or treated inappropriately. CCGs with a comparatively higher score may be deploying systematic process to identify and treat patients with HF.
	on 3: Data	
3.1	Data source	NHS Digital
3.2	Data owner &	QOF CCG level table. NHS Digital website
	contact details	http://qof.digital.nhs.uk/ https://digital.nhs.uk/catalogue/PUB30124
3.3	Time Frame	2016/17 (NB: Refreshed yearly with latest annual data) Data available from April 2013
3.4	Data quality assurance	None provided
		-

# CVD/CHD: NSAIDS: Ibuprofen & Naproxen % items

1.2 1.3 1.4	Title MO Theme Definition Reporting Level	NSAIDS: Ibuprofen & Naproxen % items CVD/CHD Number of prescription items for ibuprofen and naproxen as a percentage of the total number of prescription items for all NSAIDs
1.3 1.4	Definition Reporting Level	Number of prescription items for ibuprofen and naproxen as a percentage of the total number
1.4	Reporting Level	
1.5	NI	CCG level
	Numerator	Number of prescription items for ibuprofen and naproxen (sub-set of BNF section 10.1.1)
		BNF NameBNF CodeIbuprofen1001010J0Ibuprofen Lysine1001010ADNaproxen1001010P0Naproxen Sodium100101070
1.6	Denominator	Naproxen Sodium         100101070           Number of prescription items for BNF section 10.1.1 (non-steroidal anti-inflammatory drugs)
	Denominator	BNF Name     BNF Code       Non-Steroidal Anti-Inflammatory Drugs     100101
1.7	Methodology	Numerator divided by denominator
		Represented as percentage of ibuprofen and naproxen items
		(Other time periods and practice level data are available through NHSBSA Information Services Portal: <u>https://apps.nhsbsa.nhs.uk/infosystems/welcome</u> ) catalogued under the MOKTT reports
Sectio	on 2: Rationale	
		in the 'Key therapeutic topics – Medicines management options for local implementation' publication by highlighting variation in prescribing across organisations, with the aim of reducing variation and a movement of the mean in the appropriate direction over time. The comparator is intended to support organisations and prescribers in reviewing the appropriateness of current prescribing, revise prescribing where appropriate and monitor implementation.
	Evidence and Policy Base	There are long-standing and well-recognised gastrointestinal and renal safety concerns with all NSAIDs. There is also an increased risk of cardiovascular events with many NSAIDs, including COX-2 inhibitors and some traditional NSAIDs. The MHRA recommends that the lowest effective dose of NSAID should be prescribed for the shortest time necessary for control of symptoms. In 2005, a review by the European Medicines Agency identified an increased risk of thrombotic events, such as heart attack and stroke, with COX-2 inhibitors. In 2006, they also concluded that a small increased risk of thrombotic events could not be excluded with non-selective NSAIDs, including diclofenac, particularly when they are used at high doses for long-term treatment. This risk does not appear to be shared by ibuprofen at 1200 mg per day or less, or naproxen at 1000 mg per day. See the NICE website for the latest update of the Medicines and Prescribing Centre publication <a href="http://www.nice.org.uk/mpc/keytherapeutictopics/keyTherapeuticTopics.jsp">http://www.nice.org.uk/mpc/keytherapeutictopics/keyTherapeuticTopics.jsp</a> This comparator is taken from the Medicines Optimisation Key Therapeutic Topics (MO KTT) Comparators 2015/16 developed by NHS Digital <a href="http://content.digital.nhs.uk/media/18422/Descriptions-and-Specifications-201516/pdf/Descriptions-and-Specifications-2015_16.pdf">http://content.digital.nhs.uk/media/18422/Descriptions-and-Specifications-2015_16.pdf</a>
Sactio	on 3: Data	
	Data source	NHS Business Services Authority
3.2	Data owner & contact details	nhsbsa.help@nhs.net
	Time Frame	Refreshed quarterly with quarterly data Data available from October 2014
3.4	Data quality assurance	Please see data quality assurance statement pertaining to NHSBSA accuracy NHSBSA Data: Data quality assurance

# CVD/CHD: Oral Anticoagulants % items

Secti	Section 1: Introduction / Overview				
1.1	Title	Oral Anticoagulants % items			
1.2	MO Theme	CVD/CHD			
1.3	Definition	Number of prescription items for apixaban, dabigatran etexilate, edoxaban and rivaroxaban as a percentage of the total number of prescription items for apixaban, dabigatran etexilate, edoxaban, rivaroxaban and warfarin sodium			
1.4	Reporting Level	CCG level			
1.5	Numerator	Number of prescription items	s for apixaban, dabigatran etexilate, edoxaban and rivaroxaban		
		BNF Name	BNF Code		
		Apixaban Dabigatran etexilate	0208020Z0 0208020X0		
		Edoxaban	0208020A0 0208020AA		
		Rivaroxaban	0208020Y0		
1.6	Denominator	Number of prescription items warfarin sodium	s for apixaban, dabigatran etexilate, edoxaban, rivaroxaban and		
		BNF Name	BNF Code		
		Apixaban	0208020Z0		
		Dabigatran etexilate	0208020X0		
		Edoxaban	0208020AA		
		Rivaroxaban Warfarin sodium	0208020Y0 0208020V0		
1.7	Methodology	Numerator divided by denon			
		Represented as percentage of apixaban, dabigatran etexilate, edoxaban and rivaroxaban items			
Secti	on 2: Rationale				
2.1	Purpose	appraised by NICE and allow	ariation in uptake of newer and alternative anticoagulants vs for the monitoring of uptake over time. highlight uptake of medicines appraised by NICE.		
2.2	Evidence and Policy Base	Most patients with atrial fibrillation (AF) will require anticoagulation therapy to reduce their risk of stroke. Increasing the range of treatment options available will support a patient-centred approach to treatment and improve outcomes by increasing the proportion of patients regularly taking anticoagulants. The four oral anticoagulant medicines (OACs) have recently been appraised by NICE and are an option, alongside warfarin, for the management of patients with Atrial Fibrillation (AF). In time, we would hope to highlight how many patients with a diagnosis of AF are not receiving any anticoagulation (e.g. via the NHS IQ GRASP-AF tool (http://www.nottingham.ac.uk/primis/) For a variety of reasons, evidence suggests that there are a number of patients that have a diagnosis of Atrial Fibrillation but are not receiving any anticoagulant medication. Patients should have the range of medicines made available to them and a shared decision reached between the prescriber and the patient as to which meets their individual needs and which medicines they are most likely to be able to adhere to. Dabigatran etexilate (www.nice.org.uk/TA249) and rivaroxaban (www.nice.org.uk/TA256) were appraised by NICE in 2012, apixaban (www.nice.org.uk/TA275) was appraised by NICE in 2013 and edoxaban (www.nice/TA355) was appraised by NICE in 2015 for the prevention of stroke and systemic embolism in people with nonvalvular atrial fibrillation. This comparator adopts a "per cent use" approach for prescription items of apixiban, dabigatran etexilate, edoxaban and rivaroxaban. These medicines are recommended by NICE as an option in the management of AF and therefore this comparator measures the variation in the uptake of these drugs in comparison with Warfarin. These medicines are also recommended by NICE for the prevention of thromboembolism following hip or knee replacement. Dabigatran (TA 327), rivaroxaban (TA 261), apixaban (TA 341) and edoxaban (TA 354) have also been appraised by NICE for the treatment and prevention of deep-vein th			

for treatment. The comparator is likely to highlight prescribing of OACs for atrial fibrillation, and possibly treatment and prevention of DVT/PE in primary care. Use of OACs for prevention of venous			
3.1       Data source       NHS Business Services Authority         3.2       Data owner & contact details       nhsbsa.help@nhs.net         3.3       Time Frame       Refreshed quarterly with quarterly data Data available from October 2014         3.4       Data quality       Please see data quality assurance statement pertaining to NHSBSA accuracy			by the Prime Minister alongside the Strategy for UK Life Sciences (December 2011). The document highlights eight areas where it makes recommendations; one of which is that we should reduce variation in the NHS, and drive greater compliance with guidance from the National Institute for Health and Clinical Excellence. This indicator has been chosen to show the variation in the uptake of OACs and therefore highlight where CCGs are not making these anticoagulant medicines available to patients in their area. It should be noted that NICE have positively appraised these medicines as options for treatment. The comparator is likely to highlight prescribing of OACs for atrial fibrillation, and possibly treatment and prevention of DVT/PE in primary care. Use of OACs for prevention of venous thromboembolism post hip or knee surgery will be mostly or entirely within secondary care and
3.2       Data owner & contact details       nhsbsa.help@nhs.net         3.3       Time Frame       Refreshed quarterly with quarterly data Data available from October 2014         3.4       Data quality       Please see data quality assurance statement pertaining to NHSBSA accuracy	Secti	on 3: Data	
contact details       3.3     Time Frame       Refreshed quarterly with quarterly data Data available from October 2014       3.4     Data quality       Please see data quality assurance statement pertaining to NHSBSA accuracy	3.1	Data source	NHS Business Services Authority
Data available from October 2014           3.4         Data quality           Please see data quality assurance statement pertaining to NHSBSA accuracy	3.2		nhsbsa.help@nhs.net
	3.3	Time Frame	
	3.4		

Secti	on 1: Introduction /	Overview	
1.1	Title	Diabetes Mellitus (DM009) % achieving upper threshold or above	
1.2	MO Theme	DIABETES	
1.3	Definition	The percentage of practices in a CCG that achieve upper threshold or above (92% or more inclusive of exceptions) for QOF indicator DM009	
1.4	Reporting Level	CCG level	
1.5	Numerator	Number of practices in a CCG that achieve upper threshold or above for QOF indicator DM009 (achievement of 92% or more inclusive of exceptions)	
1.6	Denominator	Total number of practices in a CCG with eligible patients for QOF indicator DM009	
1.7	Methodology	Numerator divided by denominator	
		Represented as the percentage of practices achieving upper threshold or above	
		The comparator is inclusive of exceptions. In other words, it includes all the patients who satisfy the denominator criteria, even if some have been "excepted". "Exceptions" relate to registered patients who are on the relevant disease register or in the target population group and would ordinarily be included in the indicator denominator, but who are excepted by the contractor on the basis of one or more of the exception criteria. Although patients may be excepted from the denominator, they should still be the recipients of best clinical care and practice. See 2016/17 General Medical Services (GMS) contract Quality and Outcomes Framework (QOF): Guidance for GMS contract 2016/17 (NHS Employers) http://www.nhsemployers.org/~/media/Employers/Documents/Primary%20care%20contracts/Q	
Secti	on 2: Rationale		
2.1	Purpose	The Quality and Outcomes Framework (QOF) rewards contractors for the provision of quality care and helps to standardise improvements in the delivery of primary medical services. Contractor participation in QOF is voluntary. Within the QOF there are a number of indicators that are associated with the effective and/or appropriate use of medicines. NB: For 2016/17 QOF, points are awarded for DM009. http://www.nhsemployers.org/~/media/Employers/Documents/Primary%20care%20contracts/Q OF/2016-17/2016-17%20QOF%20guidance%20documents.pdf	
2.2	Evidence and Policy Base	<ul> <li>Diabetes is a lifelong condition that causes a person's blood sugar level to become too high.</li> <li>There are two main types of diabetes – type 1 diabetes and type 2 diabetes.</li> <li>There are 3.5 million people diagnosed with diabetes in the UK and an estimated 549,000 people who have the condition, but don't know it (Diabetes UK).</li> <li>Uncontrolled diabetes can result in devastating complications and reduced quality of life for patients and increased mortality. In addition it places great strain on NHS resources.</li> <li>This indicator was chosen because existing evidence suggests that many patients with diabetes remain untreated or treated inappropriately. CCGs with a comparatively higher score may be deploying systematic process to identify and treat patients with diabetes.</li> </ul>	
Secti	on 3: Data		
3.1	Data source	NHS Digital	
3.2	Data owner & contact details	QOF CCG level table. NHS Digital website <u>http://qof.digital.nhs.uk/</u> <u>https://digital.nhs.uk/catalogue/PUB30124</u>	
3.3	Time Frame	2016/17 (NB: Refreshed yearly with latest annual data) Data available from April 2013	
3.4	Data quality assurance	None provided	

Sooti	DIABETES: Diabetes Mellitus (DM009) % underlying achievement Section 1: Introduction / Overview			
1.1				
1.2	MO Theme	DIABETES		
1.3	Definition	Percentage underlying achievement at CCG level for QOF indicator DM009 (inclusive of exceptions)		
1.4	Reporting Level	CCG level		
1.5	Numerator	Number of patients with diabetes, on the register, in whom the last IFCC-HbA1c is 75 mmol/mol or less in the preceding 12 months		
1.6	Denominator	Number of patients with diabetes on the register (inclusive of exceptions)		
1.7	Methodology	Numerator divided by denominator		
		Represented as the percentage underlying achievement level inclusive of exceptions		
		The denominator is inclusive of exceptions. In other words, it includes all the patients who satisfy the denominator criteria, even if some have been "excepted". "Exceptions" relate to registered patients who are on the relevant disease register or in the target population group and would ordinarily be included in the indicator denominator, but who are excepted by the contractor on the basis of one or more of the exception criteria. Although patients may be excepted from the denominator, they should still be the recipients of best clinical care and practice. See 2016/17 General Medical Services (GMS) contract Quality and Outcomes Framework (QOF): Guidance for GMS contract 2016/17 (NHS Employers) http://www.nhsemployers.org/~/media/Employers/Documents/Primary%20care%20contracts/Q		
Secti	on 2: Rationale			
2.1	Purpose	The Quality and Outcomes Framework (QOF) rewards contractors for the provision of quality care and helps to standardise improvements in the delivery of primary medical services. Contractor participation in QOF is voluntary. Within the QOF there are a number of indicators that are associated with the effective and/or appropriate use of medicines. NB: For 2016/17 QOF, points are awarded for DM009. http://www.nhsemployers.org/~/media/Employers/Documents/Primary%20care%20contracts/Q OF/2016-17/2016-17%20QOF%20guidance%20documents.pdf		
2.2	Evidence and Policy Base	Diabetes is a lifelong condition that causes a person's blood sugar level to become too high. There are two main types of diabetes – type 1 diabetes and type 2 diabetes.		
		There are 3.5 million people diagnosed with diabetes in the UK and an estimated 549,000 people who have the condition, but don't know it (Diabetes UK).		
		Uncontrolled diabetes can result in devastating complications and reduced quality of life for patients and increased mortality. In addition it places great strain on NHS resources.		
		This indicator was chosen because existing evidence suggests that many patients with diabetes remain untreated or treated inappropriately. CCGs with a comparatively higher score may be deploying systematic process to identify and treat patients with diabetes.		
Secti	on 3: Data			
3.1	Data source	NHS Digital		
3.2	Data owner & contact details	QOF CCG level table. NHS Digital website <u>http://qof.digital.nhs.uk/</u> <u>https://digital.nhs.uk/catalogue/PUB30124</u>		
3.3	Time Frame	2016/17 (NB: Refreshed yearly with latest annual data) Data available from April 2013		
3.4	Data quality assurance	None provided		

## **DIABETES: Emergency Diabetes Admissions**

Section	Section 1: Introduction / Overview				
1.1					
1.1	THU				
1.2	MO Theme	DIABETES			
1.3	Definition	The number of emergency attendances for diabetes per 100 patients on the practice QOF diabetes disease register			
1.4	Reporting Level	CCG level			
1.5	Numerator	Count of completed spells and sum of PBR tariff where a) admission method is emergency (21, 22, 23, 24, 28); b) patient classification is inpatient (1); c) ICD10 primary diagnosis code is in range E10-E14			
1.6	Denominator	Number of patients (17+) on practice QOF diabetes disease register as of 31 March 2016			
1.7	Methodology	Numerator divided by denominator			
		Represented as emergency diabetes admissions per 100 patients on practice QOF diabetes disease register			
Section	on 2: Rationale				
2.1	Purpose	To highlight and compare the rate of hospital emergency admissions due to complications associated with diabetes as a proxy for the effective management of the condition.			
2.2	Evidence and Policy Base	Diabetes is a lifelong condition that causes a person's blood sugar level to become too high. There are two main types of diabetes – type 1 diabetes and type 2 diabetes.			
		There are 3.5 million people diagnosed with diabetes in the UK and an estimated 549,000 people who have the condition, but don't know it (Diabetes UK).			
		Uncontrolled diabetes can result in complications and reduced quality of life for patients and increased mortality. In addition it places a burden on NHS resources.			
		If diabetes is uncontrolled this can lead to fluctuations in blood sugar levels potentially resulting in hospital admission. Emergency admissions due to diabetes can therefore be used to an extent as a proxy for the quality of management of the condition, including the optimal use of medicines.			
Section	on 3: Data				
3.1	Data source	NHS Digital			
3.2	Data owner & contact details	NHS Digital			
3.3	Time Frame	Refreshed periodically with 12 months accumulated data Data available from April 2013			
3.4	Data quality assurance	None provided			

# MENTAL HEALTH: Antidepressants (selected): ADQ/STAR PU (ADQ based)

Secti	on 1: Introduction /	Overview	•	-	
1.1	Title	Antidepressants (sele	cted): ADQ/STAR	PU (ADQ base	ed)
1.2	MO Theme	MENTAL HEALTH			
1.3	Definition	Number of average daily quantities (ADQs) for selected antidepressant prescribing per antidepressants (BNF 4.3 sub-set) ADQ based STAR-PU			
1.4	Reporting Level	CCG level			
1.5	Numerator	Total average daily qu	antities (ADQ) usa	ge for selected	d antidepressants (BNF 4.3 sub-set)
		BNF Name Antidepressant Drugs		<b>BNF Code</b> 0403	
		excluding: BNF Name Amitriptyline Hydrochl Clomipramine Hydroc Imipramine Hydrochlo Nortriptyline Trimipramine Monoamine-Oxidase I Flupentixol Hydrochlo	hloride ride Inhibitors (MAOIs)	<b>BNF Code</b> 0403010B0 0403010F0 0403010N0 0403010V0 0403010Y0 040302 0403040F0	
1.6	Denominator	Number of antidepres	sant (BNF 4.3 sub-	set) ADQ base	ed STAR-PU
		Antidepressant (BNF	- 4.3 sub-set) ADG	a based STAR	R-PU (2013 weighting)
		Age band	Male		Female
		0-4	0.0		0.0
		5-14	0.1		0.1
		15-24	4.7		11.4
		25-34	12.9		27.1
		35-44	19.8		42.6
		45-54	22.7		49.8
		55-64	23.7		44.9
		65-74	18.1		35.4
		75+	18.7		33.4
1.7	Methodology	Numerator divided by	denominator		
		Represented as antide	epressants ADQ / S	STAR-PU	
		information regarding http://content.digital.nl v7.pdf NHSBSA update list s	Prescribing Measu	res /Prescribing-m bughout a finar	the following link provides further neasures-booklet/pdf/pres-meas-book- ncial quarter and these patient list sizes
		this comparator are ba	ased on the latest a	available comp	
		Other time periods ar Services Portal: <u>https:</u> catalogued under the	//apps.nhsbsa.nhs		e through NHSBSA Information s/welcome).
Secti	on 2: Rationale	•			

2.1	Purpose Evidence and Policy Base	The purpose of the prescribing comparator is to support the evidence and messages included in the 'Key therapeutic topics – Medicines management options for local implementation' publication by highlighting variation in prescribing across organisations, with the aim of reducing variation and a movement of the mean in the appropriate direction over time. The comparator is intended to support organisations and prescribers in reviewing the appropriateness of current prescribing, revise prescribing where appropriate and monitor implementation. Depression affects people in different ways and can cause a wide variety of symptoms. They range from lasting feelings of sadness and hopelessness, to losing interest in the things patients used to enjoy and feeling very tearful. Many people with depression also have symptoms of anxiety. Depression is quite common and affects about 1 in 10 of us at some point. It affects men and women, young and old. Depression can also strike children. Studies have shown that about 4% of children aged 5 to 16 in the UK are anxious or depressed. Treatment for depression involves either medication or talking treatments, or usually a combination of the two. The prevalence of depression and the devastating symptoms and outcomes it can have for patients, aligned with the NHS resources required to treat depression make it valid for inclusion in this dashboard. Mental Health is also a priority in the NHS England business plan. This comparator is taken from the Medicines Optimisation Key Therapeutic Topics (MO KTT) Comparators 2015/16 developed by NHS Digital
		http://content.digital.nhs.uk/media/18422/Descriptions-and-Specifications- 201516/pdf/Descriptions_and_Specifications_2015_16.pdf
Section	on 3: Data	
3.1	Data source	NHS Business Services Authority
3.2	Data owner & contact details	nhsbsa.help@nhs.net
3.3	Time Frame	Refreshed quarterly with quarterly data Data available from April 2013
3.4	Data quality assurance	Please see data quality assurance statement pertaining to NHSBSA accuracy NHSBSA Data: Data quality assurance

# MENTAL HEALTH: Antidepressants: First choice % items (2015)

	on 1: Introduction /	ntidepressants: First choice % item Overview		
1.1	Title	Antidepressants: First choice % items (20	)15)	
			,	
1.2	MO Theme	MENTAL HEALTH		
1.3	Definition		e Serotonin Re-uptake Inhibitors (SSRIs) (sub-set of	
			e as a percentage of the total number of prescription	
	<b>D</b>	items for 'selected' antidepressants (sub-set of BNF 4.3)		
1.4	Reporting Level	CCG level		
1.5	Numerator		e Serotonin Re-uptake Inhibitors (SSRIs) (sub-set of	
		BNF 4.3.3) prescribed by approved name	)	
		BNF Name	DNE Cada	
			BNF Code 0403030Z0AA	
		Citalopram HCI Citalopram Hydrob	0403030D0AA	
		Escitalopram	0403030X0AA	
		Fluoxetine HCl	0403030E0AA	
		Fluvoxamine Mal	0403030L0AA	
		Paroxetine HCI	0403030P0AA	
		Sertraline HCI	0403030Q0AA	
1.6	Denominator	Number of prescription items for selected		
		BNF Name	BNF Code	
		Antidepressant Drugs	0403	
		excluding:		
		BNF Name	BNF Code	
		Amitriptyline Hydrochloride	0403010B0	
		Clomipramine Hydrochloride 0403010F0		
		Imipramine Hydrochloride 0403010N0		
		Nortriptyline 0403010V0		
		Trimipramine 0403010Y0 Monoamine-Oxidase Inhibitors (MAOIs) 040302		
		Flupentixol Hydrochloride	0403040F0	
		For full details see Medicines Optimisation	n Key Therapeutic Comparators Descriptions and	
		Specifications on the NHS Digital website – Link in Evidence and Policy base section.		
1.7	Methodology	Numerator divided by denominator		
		Represented as percentage of items for first choice generic SSRIs		
		(Other time periods and practice level data are available through NHSBSA Information		
		Services Portal: https://apps.nhsbsa.nhs.uk/infosystems/welcome)		
		Services Portal: <u>https://apps.nhsbsa.nhs.uk/infosystems/welcome</u> ) catalogued under the MOKTT reports		
Section	on 2: Rationale			
2.1	Purpose		or is to support the evidence and messages included	
			s management options for local implementation'	
			scribing across organisations, with the aim of	
			e mean in the appropriate direction over time. The	
		comparator is intended to support organi		
		appropriateness of current prescribing, revise prescribing where appropriate and monitor		
2.2	Evidence and	implementation.	ys and can cause a wide variety of symptoms. They	
2.2	Policy Base		d hopelessness, to losing interest in the things	
	T Oncy Dase		arful. Many people with depression also have	
			common and affects about 1 in 10 of us at some	
		point. It affects men and women, young and old. Depression can also strike children. Studies have shown that about 4% of children aged 5 to 16 in the UK are anxious or depressed.		
		Treatment for depression involves either medication or talking treatments, or usually a		
		combination of the two.		
		The prevalence of depression and the devastating symptoms and outcomes it can have for		
		patients, aligned with the NHS resources required to treat depression make it valid for inclusion		
			priority in the NHS England business plan.	
			- ·	

Page **33** of **61** NHSBSA Copyright 2018

		This comparator is taken from the Medicines Optimisation Key Therapeutic Topics (MO KTT) Comparators 2015/16 developed by NHS Digital <u>http://content.digital.nhs.uk/media/18422/Descriptions-and-Specifications-</u> <u>201516/pdf/Descriptions_and_Specifications_2015_16.pdf</u>
Section	on 3: Data	
3.1	Data source	NHS Business Services Authority
3.2	Data owner & contact details	nhsbsa.help@nhs.net
3.3	Time Frame	Refreshed quarterly with quarterly data Data available from October 2014
3.4	Data quality assurance	Please see data quality assurance statement pertaining to NHSBSA accuracy NHSBSA Data: Data quality assurance

# MENTAL HEALTH: Depression (DEP003) % achieving upper threshold or above

Castia		epression (DEP003) % achieving upper threshold or above
	n 1: Introduction /	
1.1	Title MO Thoma	Depression (DEP003) % achieving upper threshold or above
1.2	MO Theme Definition	MENTAL HEALTH
1.3		The percentage of practices in a CCG that achieve upper threshold or above (80% or more inclusive of exceptions) for QOF indicator DEP003
1.4	Reporting Level	CCG level
1.5	Numerator	Number of practices in a CCG that achieve upper threshold or above for QOF indicator DEP003 (achievement of 80% or more inclusive of exceptions)
1.6	Denominator	Total number of practices in a CCG with eligible patients for QOF indicator DEP003
1.7	Methodology	Numerator divided by denominator
		Represented as the percentage of practices achieving upper threshold or above inclusive of exceptions
		The comparator is inclusive of exceptions. In other words, it includes all the patients who satisfy the denominator criteria, even if some have been "excepted". "Exceptions" relate to registered patients who are on the relevant disease register or in the target population group and would ordinarily be included in the indicator denominator, but who are excepted by the contractor on the basis of one or more of the exception criteria. Although patients may be excepted from the denominator, they should still be the recipients of best clinical care and practice. See 2016/17 General Medical Services (GMS) contract Quality and Outcomes Framework
		(QOF): Guidance for GMS contract 2016/17 (NHS Employers) http://www.nhsemployers.org/~/media/Employers/Documents/Primary%20care%20contracts/Q OF/2016-17/2016-17%20QOF%20guidance%20documents.pdf
Sectio	n 2: Rationale	
2.1	Purpose	The Quality and Outcomes Framework (QOF) rewards contractors for the provision of quality care and helps to standardise improvements in the delivery of primary medical services. Contractor participation in QOF is voluntary. Within the QOF there are a number of indicators that are associated with the effective and/or appropriate use of medicines.
		NB: For 2016/17 QOF, points are awarded for DEP003.
		http://www.nhsemployers.org/~/media/Employers/Documents/Primary%20care%20contracts/Q
		OF/2016-17/2016-17%20QOF%20guidance%20documents.pdf
2.2	Evidence and Policy Base	Depression affects people in different ways and can cause a wide variety of symptoms. They range from lasting feelings of sadness and hopelessness, to losing interest in the things patients used to enjoy and feeling very tearful. Many people with depression also have symptoms of anxiety. Depression is quite common and affects about 1 in 10 of us at some point. It affects men and women, young and old. Depression can also strike children. Studies have shown that about 4% of children aged 5 to 16 in the UK are anxious or depressed. Treatment for depression involves either medication or talking treatments, or usually a combination of the two.
		The prevalence of depression and the devastating symptoms and outcomes it can have for patients, aligned with the NHS resources required to treat depression make it valid for inclusion in this dashboard. Mental Health is also a priority in the NHS England business plan. This indicator was chosen because existing evidence suggests that many patients with depression remain untreated or treated inappropriately. CCGs with a comparatively higher score may be deploying systematic process to identify and treat patients with depression.
Sectio	n 3: Data	
3.1	Data source	NHS Digital
3.2	Data owner & contact details	QOF CCG level table. NHS Digital website <u>http://qof.digital.nhs.uk/</u> <u>https://digital.nhs.uk/catalogue/PUB30124</u>
3.3	Time Frame	2016/17 (NB: Refreshed yearly with latest annual data) Data available from April 2013
3.4	Data quality assurance	None provided

## MENTAL HEALTH: Depression (DEP003) % underlying achievement

MENTAL HEALTH: Depression (DEP003) % underlying achievement Section 1: Introduction / Overview		
1.1	Title	Depression (DEP003) % underlying achievement
1.1	MO Theme	MENTAL HEALTH
1.2	Definition	Percentage underlying achievement at CCG level for QOF indicator DEP003 (inclusive of
		exceptions)
1.4	Reporting Level	CCG level
1.5	Numerator	Number of patients aged 18 or over with a new diagnosis of depression in the preceding 1 April to 31 March, who have been reviewed not earlier than 10 days after and not later than 56 days after the date of diagnosis
1.6	Denominator	Number of patients aged 18 or over with a new diagnosis of depression in the preceding 1 April to 31 March inclusive of exceptions
1.7	Methodology	Numerator divided by denominator
		Represented as the percentage underlying achievement level inclusive of exceptions
		The denominator is inclusive of exceptions. In other words, it includes all the patients who satisfy the denominator criteria, even if some have been "excepted". "Exceptions" relate to registered patients who are on the relevant disease register or in the target population group and would ordinarily be included in the indicator denominator, but who are excepted by the contractor on the basis of one or more of the exception criteria. Although patients may be excepted from the denominator, they should still be the recipients of best clinical care and practice. See 2016/17 General Medical Services (GMS) contract Quality and Outcomes Framework (QOF): Guidance for GMS contract 2016/17 (NHS Employers) http://www.nhsemployers.org/~/media/Employers/Documents/Primary%20care%20contracts/QOF/2016-17/2016-17%20QOF%20guidance%20documents.pdf
Sectio	on 2: Rationale	
2.1	Purpose	The Quality and Outcomes Framework (QOF) rewards contractors for the provision of quality care and helps to standardise improvements in the delivery of primary medical services. Contractor participation in QOF is voluntary. Within the QOF there are a number of indicators that are associated with the effective and/or appropriate use of medicines. NB: For 2016/17 QOF, points are awarded for DEP003.
		http://www.nhsemployers.org/~/media/Employers/Documents/Primary%20care%20contracts/ QOF/2016-17/2016-17%20QOF%20guidance%20documents.pdf
2.2	Evidence and Policy Base	Depression affects people in different ways and can cause a wide variety of symptoms. They range from lasting feelings of sadness and hopelessness, to losing interest in the things patients used to enjoy and feeling very tearful. Many people with depression also have symptoms of anxiety. Depression is quite common and affects about 1 in 10 of us at some point. It affects men and women, young and old. Depression can also strike children. Studies have shown that about 4% of children aged 5 to 16 in the UK are anxious or depressed. Treatment for depression involves either medication or talking treatments, or usually a combination of the two.
		patients, aligned with the NHS resources required to treat depression make it valid for inclusion in this dashboard. Mental Health is also a priority in the NHS England business plan. This indicator was chosen because existing evidence suggests that many patients with depression remain untreated or treated inappropriately. CCGs with a comparatively higher score may be deploying systematic process to identify and treat patients with depression.
Section 3: Data		
3.1	Data source	NHS Digital
3.2	Data owner & contact details	QOF CCG       level table. NHS Digital website <u>http://qof.digital.nhs.uk/</u> <u>https://digital.nhs.uk/catalogue/PUB30124</u>
3.3	Time Frame	2016/17 (NB: Refreshed yearly with latest annual data) Data available from April 2013
3.4	Data quality assurance	None provided

### MENTAL HEALTH: Hypnotics: ADQ/STAR PU (ADQ based)

Secti	on 1: Introduction /	Overview			
1.1	Title	Hypnotics: ADQ/STAR PL	J (ADQ based	1)	
1.2	MO Theme	MENTAL HEALTH			
1.3	Definition	Number of average daily quantities (ADQs) for benzodiazepines (indicated for use as			
	D		per hypnotics	(BNF 4.1.1 sub-set) ADQ based STAR-PL	)
1.4	Reporting Level	CCG level			
1.5	Numerator			ge for benzodiazepines and "Z" drugs (zol	oidem,
		zopiclone and zaleplon) ir	n BNF 4.1.1		
		BNF Name		BNF Code	
		Flunitrazepam	0	0401010I0 0401010L0	
		Loprazolam Mesilate	e	0401010L0	
		Lormetazepam		0401010P0	
		Nitrazepam		0401010R0	
		Temazepam		0401010T0	
		Triazolam		0401010V0	
		Zaleplon		0401010W0	
		Zolpidem Tartrate		0401010Y0	
		Zopiclone		0401010Z0	
1.6	Denominator	Total number of hypnotics	s (BNF 4.1.1 s	ub-set) ADQ based STAR-PU	
			,	,	
		Hypnotics (BNF 4.1.1 su	ib-set) ADQ b	based STAR-PU (2013 weighting)	
		Age Band	Male	Female	
		0 to 4	0.0	0.0	
		5 to 14	0.0	0.0	
		15 to 24	0.1	0.2	
		25 to 34	0.6	0.9	
		35 to 44	1.6	1.9	
		45 to 54	2.4	3.6	
		55 to 64 65 to 74	3.0 4.4	5.0 7.6	
		75+	6.7	11.9	
			0.1	110	
1.7	Methodology	Numerator divided by der	ominator		
		Represented as hypnotics	s ADQ / STAR	R-PU	
					for a state of the
		information regarding Pre		NHS Digital and the following link provides	lutiner
				7/Prescribing-measures-booklet/pdf/pres-r	meas-book-
		v7.pdf			
				roughout a financial quarter and these pat	
				l of that financial quarter; therefore STAR-F	
				ne latest available complete patient list size lata are available through NHSBSA Inform	
				s.uk/infosystems/welcome)	allon
		catalogued under the MO		<u>s.ak/iniosystems/welcome</u> /	
Secti	on 2: Rationale				
2.1	Purpose			ator is to support the evidence and message	
				- Medicines management options for local	
				ting variation in prescribing across organisa	
				vement of the mean in the appropriate dire- oport organisations and prescribers in revie	
				revise prescribing where appropriate and i	
		implementation.	r prosonoing,	revise presenting where appropriate and i	
			w the number	of hypnotics used within a given population	n.
2.2	Evidence and			age sleep. They may be considered:	
	Policy Base	<ul> <li>if insomnia symptoms ar</li> </ul>	re very severe		

		<ul> <li>to help ease short-term insomnia</li> <li>if the good sleep hygiene and cognitive and behavioural treatments mentioned above prove ineffective</li> <li>More recently evidence has come to light that overuse of these medicines may lead to dependency and do more harm than good. It is generally considered good practice to treat the underlying cause of insomnia rather than the symptoms.</li> <li>This comparator is taken from the Medicines Optimisation Key Therapeutic Topics (MO KTT) Comparators 2015/16 developed by NHS Digital <a href="http://content.digital.nhs.uk/media/18422/Descriptions-and-Specifications-201516/pdf/Descriptions-and-Specifications-2015_16.pdf">http://content.digital.nhs.uk/media/18422/Descriptions-and-Specifications-2015_16.pdf</a></li> </ul>
Section	on 3: Data	
3.1	Data source	NHS Business Services Authority
3.2	Data owner & contact details	nhsbsa.help@nhs.net
3.3	Time Frame	Refreshed quarterly with quarterly data Data available from October 2014
3.4	Data quality assurance	Please see data quality assurance statement pertaining to NHSBSA accuracy NHSBSA Data: Data quality assurance

### MENTAL HEALTH: Mental Health (MH010) % achieving upper threshold or above

Section	MENTAL HEALTH: Mental Health (MH010) % achieving upper threshold or above Section 1: Introduction / Overview				
1.1	Title	Mental Health (MH010) % achieving upper threshold or above			
1.2	MO Theme	MENTAL HEALTH			
1.3	Definition	The percentage of practices in a CCG that achieve upper threshold or above (90% or more			
	<b>.</b>	inclusive of exceptions) for QOF indicator MH010			
1.4	Reporting Level	CCG level			
1.5	Numerator	Number of practices in a CCG that achieve upper threshold or above for QOF indicator			
1.6	Denominator	MH010 (achievement of 90% or more inclusive of exceptions) Total number of practices in a CCG with eligible patients for QOF indicator MH010			
1.7	Methodology	Numerator divided by denominator			
		Represented as the percentage of practices achieving upper threshold or above			
		The comparator is inclusive of exceptions. In other words, it includes all the patients who satisfy the denominator criteria, even if some have been "excepted". "Exceptions" relate to registered patients who are on the relevant disease register or in the target population group and would ordinarily be included in the indicator denominator, but who are excepted by the contractor on the basis of one or more of the exception criteria. Although patients may be excepted from the denominator, they should still be the recipients of best clinical care and practice. See 2016/17 General Medical Services (GMS) contract Quality and Outcomes Framework (QOF): Guidance for GMS contract 2016/17 (NHS Employers) http://www.nhsemployers.org/~/media/Employers/Documents/Primary%20care%20contracts/QOF/2016-17/2016-17%20QOF%20guidance%20documents.pdf			
Section	on 2: Rationale				
2.1	Purpose	The Quality and Outcomes Framework (QOF) rewards contractors for the provision of quality care and helps to standardise improvements in the delivery of primary medical services. Contractor participation in QOF is voluntary. Within the QOF there are a number of indicators that are associated with the effective and/or appropriate use of medicines. NB: For 2016/17 QOF, points are awarded for MH010. http://www.nhsemployers.org/~/media/Employers/Documents/Primary%20care%20contracts/ QOF/2016-17/2016-17%20QOF%20guidance%20documents.pdf			
2.2	Evidence and Policy Base	Lithium monitoring is essential due to the narrow therapeutic range of serum lithium and the potential toxicity from intercurrent illness, declining renal function or co-prescription of drugs, for example thiazide diuretics or non-steroidal anti-inflammatory drugs (NSAIDS), which may reduce lithium excretion This particular indicator was chosen as a proxy marker to demonstrate good adherence to medication regimes. The assumption is that in order to stay within therapeutic range, the prescriber, patient and pharmacist must work collaboratively to support the patients to achieve this aim. The higher the proportion of patients who are within range could indicate a CCG with good practices in place.			
	on 3: Data				
3.1	Data source	NHS Digital			
3.2	Data owner & contact details	QOF CCG level table. NHS Digital website <u>http://qof.digital.nhs.uk/</u> <u>https://digital.nhs.uk/catalogue/PUB30124</u>			
3.3	Time Frame	2016/17 (NB: Refreshed yearly with latest annual data) Data available from April 2013			
3.4	Data quality assurance	None provided			

Section	on 1: Introduction /	Overview	
1.1	Title	Mental Health (MH010) % underlying achievement	
1.2	MO Theme	MENTAL HEALTH	
1.3	Definition	Percentage underlying achievement at CCG level for QOF indicator MH010 (inclusive of exceptions)	
1.4	Reporting Level	CCG level	
1.5	Numerator	Number of patients on lithium therapy with a record of lithium levels in the therapeutic range in the preceding 4 months	
1.6	Denominator	Number of patients on lithium therapy inclusive of exceptions	
1.7	Methodology	Numerator divided by denominator	
		Represented as the percentage underlying achievement level inclusive of exceptions	
		The denominator is inclusive of exceptions. In other words, it includes all the patients who satisfy the denominator criteria, even if some have been "excepted". "Exceptions" relate to registered patients who are on the relevant disease register or in the target population group and would ordinarily be included in the indicator denominator, but who are excepted by the contractor on the basis of one or more of the exception criteria. Although patients may be excepted from the denominator, they should still be the recipients of best clinical care and practice. See 2016/17 General Medical Services (GMS) contract Quality and Outcomes Framework (QOF): Guidance for GMS contract 2016/17 (NHS Employers) http://www.nhsemployers.org/~/media/Employers/Documents/Primary%20care%20contracts/QOF/2016-17/2016-17%20QOF%20guidance%20documents.pdf	
Secti	on 2: Rationale		
2.1	Purpose	The Quality and Outcomes Framework (QOF) rewards contractors for the provision of quality care and helps to standardise improvements in the delivery of primary medical services. Contractor participation in QOF is voluntary. Within the QOF there are a number of indicators that are associated with the effective and/or appropriate use of medicines.	
		NB: For 2016/17 QOF, points are awarded for MH010. http://www.nhsemployers.org/~/media/Employers/Documents/Primary%20care%20contracts/ QOF/2016-17/2016-17%20QOF%20guidance%20documents.pdf	
2.2	Evidence and Policy Base	Lithium monitoring is essential due to the narrow therapeutic range of serum lithium and the potential toxicity from intercurrent illness, declining renal function or co-prescription of drugs, for example thiazide diuretics or non-steroidal anti-inflammatory drugs (NSAIDS), which may reduce lithium excretion This particular indicator was chosen as a proxy marker to demonstrate good adherence to medication regimes. The assumption is that in order to stay within therapeutic range, the prescriber, patient and pharmacist must work collaboratively to support the patients to achieve this aim. The higher the proportion of patients who are within range could indicate a CCG with good practices in place.	
Secti	on 3: Data		
3.1	Data source	NHS Digital	
3.2	Data owner & contact details	QOF CCG level table. NHS Digital website <u>http://qof.digital.nhs.uk/</u> <u>https://digital.nhs.uk/catalogue/PUB30124</u>	
3.3	Time Frame	2016/17 (NB: Refreshed yearly with latest annual data) Data available from April 2013	
3.4	Data quality assurance	None provided	

### MENTAL HEALTH: Mental Health (MH010) % underlying achievement

Sectio	on 1: Introduction /	Overview
1.1	Title	Osteoporosis (OST005) % achieving upper threshold or above
1.2	MO Theme	OSTEOPOROSIS
1.3	Definition	The percentage of practices in a CCG that achieve upper threshold or above (60% or more
		inclusive of exceptions) for QOF indicator OST005
1.4	Reporting Level	CCG level
1.5	Numerator	Number of practices in a CCG that achieve upper threshold or above for QOF indicator
		OST005 (achievement of 60% or more inclusive of exceptions)
1.6	Denominator	Total number of practices in a CCG with eligible patients for QOF indicator OST005
1.7	Methodology	Numerator divided by denominator
		Represented as the percentage of practices achieving upper threshold or above inclusive of
		exceptions
		exceptions
		The comparator is inclusive of exceptions. In other words, it includes all the patients who
		satisfy the denominator criteria, even if some have been "excepted". "Exceptions" relate to
		registered patients who are on the relevant disease register or in the target population group
		and would ordinarily be included in the indicator denominator, but who are excepted by the
		contractor on the basis of one or more of the exception criteria. Although patients may be
		excepted from the denominator, they should still be the recipients of best clinical care and
		practice.
		See 2016/17 General Medical Services (GMS) contract Quality and Outcomes Framework
		(QOF): Guidance for GMS contract 2016/17 (NHS Employers) http://www.nhsemployers.org/~/media/Employers/Documents/Primary%20care%20contracts/
		QOF/2016-17/2016-17%20QOF%20guidance%20documents.pdf
		<u>Q0172010-1172010-117820Q017820guidance7820d0cuments.put</u>
Sectio	on 2: Rationale	
2.1	Purpose	The Quality and Outcomes Framework (QOF) rewards contractors for the provision of quality
		care and helps to standardise improvements in the delivery of primary medical services.
		Contractor participation in QOF is voluntary.
		Within the QOF there are a number of indicators that are associated with the effective and/or
		appropriate use of medicines.
		NP: For 2016/17 OOF, points are awarded for OST005
		NB: For 2016/17 QOF, points are awarded for OST005. http://www.nhsemployers.org/~/media/Employers/Documents/Primary%20care%20contracts/
		QOF/2016-17/2016-17%20QOF%20guidance%20documents.pdf
2.2	Evidence and	Interventions for secondary prevention of fractures in patients who have had an osteoporotic
	Policy Base	fragility fracture include pharmacological intervention.
Sectio	on 3: Data	
3.1	Data source	NHS Digital
3.2	Data owner &	QOF CCG level table. NHS Digital website
	contact details	http://qof.digital.nhs.uk/
		https://digital.nhs.uk/catalogue/PUB30124
2.0	Time From a	2040(47 (ND) Define had very with letest annual data)
3.3	Time Frame	2016/17 (NB: Refreshed yearly with latest annual data)
31	Data quality	Data available from April 2013
3.4	Data quality	None provided
	assurance	

### OSTEOPOROSIS: Osteoporosis (OST005) % achieving upper threshold or above

#### Section 1: Introduction / Overview Title Osteoporosis (OST005) % underlying achievement 1.1 1.2 **MO** Theme **OSTEOPOROSIS** 1.3 Definition Percentage underlying achievement at CCG level for QOF indicator OST005 (inclusive of exceptions) **Reporting Level** CCG level 1.4 Numerator 1.5 Number of patients aged 75 or over with a record of a fragility fracture on or after 1 April 2014 and a diagnosis of osteoporosis, who are currently treated with an appropriate bonesparing agent 1.6 Denominator Number of patients aged 75 or over with a record of a fragility fracture on or after 1 April 2014 and a diagnosis of osteoporosis inclusive of exceptions 1.7 Methodology Numerator divided by denominator Represented as the percentage underlying achievement level inclusive of exceptions The denominator is inclusive of exceptions. In other words, it includes all the patients who satisfy the denominator criteria, even if some have been "excepted". "Exceptions" relate to registered patients who are on the relevant disease register or in the target population group and would ordinarily be included in the indicator denominator, but who are excepted by the contractor on the basis of one or more of the exception criteria. Although patients may be excepted from the denominator, they should still be the recipients of best clinical care and practice. See 2016/17 General Medical Services (GMS) contract Quality and Outcomes Framework (QOF): Guidance for GMS contract 2016/17 (NHS Employers) http://www.nhsemployers.org/~/media/Employers/Documents/Primary%20care%20contracts/ QOF/2016-17/2016-17%20QOF%20guidance%20documents.pdf Section 2: Rationale Purpose The Quality and Outcomes Framework (QOF) rewards contractors for the provision of quality 2.1 care and helps to standardise improvements in the delivery of primary medical services. Contractor participation in QOF is voluntary. Within the QOF there are a number of indicators that are associated with the effective and/or appropriate use of medicines. NB: For 2016/17 QOF, points are awarded for OST005. http://www.nhsemployers.org/~/media/Employers/Documents/Primary%20care%20contracts/ QOF/2016-17/2016-17%20QOF%20guidance%20documents.pdf Evidence and Interventions for secondary prevention of fractures in patients who have had an osteoporotic 2.2 **Policy Base** fragility fracture include pharmacological intervention. Section 3: Data Data source 3.1 **NHS** Digital 3.2 Data owner & QOF CCG level table. NHS Digital website contact details http://gof.digital.nhs.uk/ https://digital.nhs.uk/catalogue/PUB30124 3.3 Time Frame 2016/17 (NB: Refreshed yearly with latest annual data) Data available from April 2013 3.4 None provided **Data quality** assurance

### OSTEOPOROSIS: Osteoporosis (OST005) % underlying achievement

### PATIENT EXPERIENCE: Awareness of the on-line ordering of repeat prescriptions service

Section	on 1: Introduction / (	Overview
1.1	Title	Awareness of the on-line ordering of repeat prescriptions service
1.2	MO Theme	PATIENT EXPERIENCE
1.3	Definition	Percentage of patients who responded to the section "Awareness of online services offered by GP surgery" who were aware of the on-line repeat prescription ordering service offered by their GP practice
1.4	Reporting Level	CCG level
1.5	Numerator	Number of patients aware of on-line repeat prescription ordering service
1.6	Denominator	Number of patients who responded to the section "Awareness of online services offered by GP surgery"
1.7	Methodology	Numerator divided by denominator
		Represented as the percentage of patients aware of on-line repeat prescription ordering service
		Responses include all those completing a questionnaire Results of the survey are weighted. For further details see: <u>https://gp-patient.co.uk/faq/weighted-data</u>
		The following link enables you to access the GP Patient Survey Questionnaire. https://gp-patient.co.uk/SurveysAndReports
Section	on 2: Rationale	
2.1	Purpose	A measure of patient awareness to an on-line service for ordering repeat prescriptions provided by their GP.
2.2	Evidence and Policy Base	An evaluation was undertaken by Monmouth Partners to provide NHS England with a better understanding of the value of its Medicines Optimisation (MO) Dashboard to patients. A recommendation from the evaluation was 'Patient experience data for medicines is being collated nationally and should be included in the current MO Dashboard for NHS stakeholders. 'Understanding the patient experience' is the first principle of medicines optimisation and this should be echoed through future reiterations of the MO Dashboard' . The NHS's ambition is to embrace technology as part of its drive to offer modern, convenient and responsive services to patients, their families and carers. GP practices are leading the way. Today, the majority of GP practices already offer online services, including appointment booking, ordering of repeat prescription, and access to summary information in records. GP practices will increasingly expand online services over the next year. From April 2016, online patient records should include coded information on medication, allergies, illnesses, immunisations and test results. Patients have been telling NHS England that they are ready and want to take more control of their own health and wellbeing. Digital technology has the power to change the relationship between patients and their GP practice. On-line ordering of repeat prescriptions is safer, more efficient and more convenient to patients and also services https://www.england.nhs.uk/patient-online/ https://www.england.nhs.uk/wp-content/uploads/2015/11/po-support-resources-guide.pdf
	on 3: Data	
3.1	Data source	NHS England <u>https://gp-patient.co.uk/surveys-and-reports</u>
3.2	Data owner & contact details	https://gp-patient.co.uk/
3.3	Time Frame	Refreshed periodically with varying number of months of survey being undertaken. Data available from July 2015
3.4	Data quality assurance	See GP Survey – Technical annex <u>https://gp-</u> <u>patient.co.uk/downloads/archive/2017/GPPS%202017%20Technical%20Annex%20PUBLIC.</u> <u>pdf</u>

### PATIENT EXPERIENCE: Use of the on-line ordering of repeat prescriptions service

	PATIENT EXPERIENCE: Use of the on-line ordering of repeat prescriptions service Section 1: Introduction / Overview				
1.1	Title	Use of the on-line ordering of repeat prescriptions service			
1.1		Use of the on-line ordening of repeat prescriptions service			
1.2	MO Theme	PATIENT EXPERIENCE			
1.3	Definition	Percentage of patients who responded to the section "Use of online services offered by GP			
		surgery" who in the reporting period used the on-line repeat prescription ordering service			
		offered by their GP practice			
1.4	Reporting Level	CCG level			
1.5	Numerator	Number of patients who used the on-line repeat prescription ordering service in the reporting			
		period			
1.6	Denominator	Number of patients who responded to the section "Use of on-line services offered by GP			
		surgery"			
1.7	Methodology	Numerator divided by denominator			
1.7	Methodology				
		Performented on the percentage of petients using on line repeat properties ordering convice			
		Represented as the percentage of patients using on-line repeat prescription ordering service			
		Responses include all those completing a questionnaire			
		Results of the survey are weighted. For further details see:			
		https://gp-patient.co.uk/faq/weighted-data			
		The following link enables you to access the GP Patient Survey Questionnaire.			
		https://gp-patient.co.uk/SurveysAndReports			
	on 2: Rationale				
2.1	Purpose	A measure of patient use of on-line services for ordering repeat prescriptions provided by			
		their GP.			
2.2	Evidence and	An evaluation was undertaken by Monmouth Partners to provide NHS England with a better			
	Policy Base	understanding of the value of its Medicines Optimisation (MO) Dashboard to patients. A			
		recommendation from the evaluation was 'Patient experience data for medicines is being			
		collated nationally and should be included in the current MO Dashboard for NHS			
		stakeholders. 'Understanding the patient experience' is the first principle of medicines			
		optimisation and this should be echoed through future reiterations of the MO Dashboard'.			
		The NHS's ambition is to embrace technology as part of its drive to offer modern, convenient			
		and responsive services to patients, their families and carers. GP practices are leading the			
		way.			
		Today, the majority of GP practices already offer online services, including appointment			
		booking, ordering of repeat prescription, and access to summary information in records. GP			
		practices will increasingly expand online services over the next year. From April 2016, online			
		patient records should include coded information on medication, allergies, illnesses,			
		immunisations and test results.			
		Patients have been telling NHS England that they are ready and want to take more control of			
		their own health and wellbeing. Digital technology has the power to change the relationship			
		between patients and their GP practice.			
		On-line ordering of repeat prescriptions is safer, more efficient and more convenient to			
		patients and also services			
		https://www.england.nhs.uk/patient-online/			
		https://www.england.nhs.uk/wp-content/uploads/2015/11/po-support-resources-guide.pdf			
Secti	on 3: Data				
3.1	Data source	NHS England			
		https://gp-patient.co.uk/surveys-and-reports			
3.2	Data owner &	https://gp-patient.co.uk/			
0.2	contact details	intering partitional			
3.3	Time Frame	Refreshed periodically with varying number of months of survey being undertaken			
5.5	rine Frame				
2.4	Data suality	Data available from July 2015			
3.4	Data quality	See GP Survey – Technical annex			
	assurance	https://gp-			
		patient.co.uk/downloads/archive/2017/GPPS%202017%20Technical%20Annex%20PUBLIC.			
		<u>pdf</u>			

### PATIENT SAFETY: Summary Care Records Availability

Secti	Section 1: Introduction / Overview				
1.1	Title	Summary Care Records Availability			
1.2	MO Theme	PATIENT SAFETY			
1.3	Definition	Proportion of practices who are live with the Summary Care Record (SCR) and therefore able to upload patient records onto the SCR			
1.4	Reporting Level	CCG level			
1.5	Numerator	Number of Practices live with the SCR			
1.6	Denominator	Total number of practices			
1.7	Methodology	Numerator divided by denominator			
		Represented as the percentage of practices live with the SCR			
Section	on 2: Rationale				
2.1	Purpose	Allow for the uploading of Summary Care Records by Practices to facilitate safe and effective medicines optimisation in other care settings			
2.2	Evidence and Policy Base	<ul> <li>SCRs have many benefits for patients and healthcare staff in urgent and emergency care settings (such as out-of-hours GP services and Emergency Departments). SCRs provide access to health information that has previously been unavailable, enabling authorised healthcare staff to make informed clinical decisions.</li> <li>Benefits to patients</li> <li>SCRs are accessible to authorised healthcare staff treating patients in an emergency in England. This will be particularly useful when a patient cannot give information (for example if they are unconscious) or when they are away from home and are unable to see their own GP.</li> <li>Patient care can be supported by healthcare staff having faster access to their medical information and patients may not be required to repeat information to different NHS staff treating them. For example, in a hospital setting, healthcare staff will be able to access a patient's SCRs immediately enabling faster assessment.</li> <li>SCRs will enable vulnerable patient groups and those patients that are unable to communicate well with healthcare staff. For example, a non-English speaking patient that could struggle to communicate their condition would no longer be disadvantaged as their SCR would be available to the treating clinician.</li> <li>Additional information, such as end of life care plans and relevant diagnoses, may be available to inform clinical care where it is appropriate.</li> <li>Benefits to NHS healthcare staff</li> <li>Important patient information will be available to authorised healthcare staff treating patients in an emergency where they had previously not had access to it. This will be particularly useful to NHS staff treating patients in an emergency, when a patient needs treatment out of hours or away from their local area.</li> <li>SCRs contain details of a patient's key health information including medications, allergies and adverse reaccions. This enables clinicians to feel more confident to treat patients.</li> </ul>			
-		Further information on the SCR is available on the NHS Digital website.			
	on 3: Data				
3.1	Data source	NHS Digital			
3.2	Data owner & contact details	http://digital.nhs.uk http://systems.digital.nhs.uk/scr			
3.3	Time Frame	Refreshed quarterly with most up to date data available Data available from as at 17 April 2015			
3.4	Data quality assurance	Summary Care Record has their own internal quality process to assure the data they receive from various sources that contributes to SCR availability at CCG level. Best endeavours are made to ensure this data is accurate but due to the complex nature there may be some errors at times.			

#### Section 1: Introduction / Overview Title Asthma (AST003) % achieving upper threshold or above 1.1 1.2 **MO Theme** RESPIRATORY Definition 1.3 The percentage of practices in a CCG that achieve upper threshold or above (70% or more inclusive of exceptions) for QOF indicator AST003 Reporting Level 1.4 CCG level 1.5 Numerator Number of practices in a CCG that achieve upper threshold or above for QOF indicator AST003 (achievement of 70% or more inclusive of exceptions) Total number of practices in a CCG with eligible patients for QOF indicator AST003 1.6 Denominator Methodology Numerator divided by denominator 1.7 Represented as the percentage of practices achieving upper threshold or above inclusive of exceptions The comparator is inclusive of exceptions. In other words, it includes all the patients who satisfy the denominator criteria, even if some have been "excepted". "Exceptions" relate to registered patients who are on the relevant disease register or in the target population group and would ordinarily be included in the indicator denominator, but who are excepted by the contractor on the basis of one or more of the exception criteria. Although patients may be excepted from the denominator, they should still be the recipients of best clinical care and practice. See 2016/17 General Medical Services (GMS) contract Quality and Outcomes Framework (QOF): Guidance for GMS contract 2016/17 (NHS Employers) http://www.nhsemployers.org/~/media/Employers/Documents/Primary%20care%20contracts/ QOF/2016-17/2016-17%20QOF%20guidance%20documents.pdf **Section 2: Rationale** 2.1 Purpose The Quality and Outcomes Framework (QOF) rewards contractors for the provision of quality care and helps to standardise improvements in the delivery of primary medical services. Contractor participation in QOF is voluntary. Within the QOF there are a number of indicators that are associated with the effective and/or appropriate use of medicines. NB: For 2016/17 QOF, points are awarded for AST003. http://www.nhsemployers.org/~/media/Employers/Documents/Primary%20care%20contracts/ QOF/2016-17/2016-17%20QOF%20guidance%20documents.pdf 2.2 Evidence and Asthma is a common long-term condition that can cause coughing, wheezing, chest **Policy Base** tightness and breathlessness. The severity of these symptoms varies from person to person. Asthma can be controlled well in most people most of the time, although some people may have more persistent problems. Occasionally, asthma symptoms can get gradually or suddenly worse. While there is no cure for asthma, there are a number of treatments that can help control the condition. Treatment is based on two important goals, which are: relieving symptoms •preventing future symptoms and attacks For most people, treatment will involve the occasional - or, more commonly, daily - use of medications, usually taken using an inhaler. However, identifying and avoiding possible triggers is also important. Severe attacks may require hospital treatment and can be life threatening, although this is unusual. Appropriate treatment in terms of prevention and alleviation of symptoms is critical to avoid emergency admissions and enhanced quality of life, hence its inclusion in this dashboard. This indicator was chosen because existing evidence suggests that many patients with asthma remain untreated or treated inappropriately. CCGs with a comparatively higher score may be deploying systematic process to identify and treat patients with asthma. Section 3: Data

### RESPIRATORY: Asthma (AST003) % achieving upper threshold or above

3.1	Data source	NHS Digital
3.2	Data owner &	QOF CCG level table. NHS Digital website
	contact details	http://qof.digital.nhs.uk/
		https://digital.nhs.uk/catalogue/PUB30124
3.3	Time Frame	2016/17 (NB: Refreshed yearly with latest annual data)
		Data available from April 2013
3.4	Data quality	None provided
	assurance	

### RESPIRATORY: Asthma (AST003) % underlying achievement

Soctio	n 1: Introduction / (	ima (AST003) % underlying achievement	
1.1	Title	Asthma (AST003) % underlying achievement	
1.1	MO Theme	RESPIRATORY	
1.2	Definition	Percentage underlying achievement at CCG level for QOF indicator AST003 (inclusive of	
		exceptions)	
1.4	Reporting Level	CCG level	
1.5	Numerator	Number of patients with asthma, on the register, who have had an asthma review in the	
		preceding 12 months that includes an assessment of asthma control using the 3 RCP	
		questions	
1.6	Denominator	Number of patients with asthma on the register inclusive of exceptions	
1.7	Methodology	Numerator divided by denominator	
		Represented as the percentage underlying achievement level inclusive of exceptions	
		The denominator is inclusive of exceptions. In other words, it includes all the patients who satisfy the denominator criteria, even if some have been "excepted". "Exceptions" relate to registered patients who are on the relevant disease register or in the target population group and would ordinarily be included in the indicator denominator, but who are excepted by the contractor on the basis of one or more of the exception criteria. Although patients may be excepted from the denominator, they should still be the recipients of best clinical care and practice.	
		practice. See 2016/17 General Medical Services (GMS) contract Quality and Outcomes Framework (QOF): Guidance for GMS contract 2016/17 (NHS Employers) http://www.nhsemployers.org/~/media/Employers/Documents/Primary%20care%20contracts/	
Santia	n 2: Rationale	QOF/2016-17/2016-17%20QOF%20guidance%20documents.pdf	
2.1	Purpose	The Quality and Outcomes Framework (QOF) rewards contractors for the provision of quality	
2.2	Evidence and	care and helps to standardise improvements in the delivery of primary medical services. Contractor participation in QOF is voluntary. Within the QOF there are a number of indicators that are associated with the effective and/or appropriate use of medicines. NB: For 2016/17 QOF, points are awarded for AST003. <u>http://www.nhsemployers.org/~/media/Employers/Documents/Primary%20care%20contracts/ QOF/2016-17/2016-17%20QOF%20guidance%20documents.pdf</u> Asthma is a common long-term condition that can cause coughing, wheezing, chest	
2.2	Policy Base	<ul> <li>Astima is a common long-term conductor that can cause coughing, wheezing, chest tightness and breathlessness.</li> <li>The severity of these symptoms varies from person to person. Asthma can be controlled well in most people most of the time, although some people may have more persistent problems. Occasionally, asthma symptoms can get gradually or suddenly worse.</li> <li>While there is no cure for asthma, there are a number of treatments that can help control the condition.</li> <li>Treatment is based on two important goals, which are:</li> <li>•relieving symptoms</li> <li>•preventing future symptoms and attacks</li> <li>For most people, treatment will involve the occasional – or, more commonly, daily – use of medications, usually taken using an inhaler. However, identifying and avoiding possible triggers is also important.</li> <li>Severe attacks may require hospital treatment and can be life threatening, although this is unusual.</li> <li>Appropriate treatment in terms of prevention and alleviation of symptoms is critical to avoid emergency admissions and enhanced quality of life, hence its inclusion in this dashboard.</li> </ul>	
Sectio	n 3: Data		
3.1	Data source	NHS Digital	
3.2	Data owner &	QOF CCG level table. NHS Digital website	
	contact details	http://qof.digital.nhs.uk/	
		https://digital.nhs.uk/catalogue/PUB30124	
3.3	Time Frame	2016/17 (NB: Refreshed yearly with latest annual data)	
0.0	inne i raine	Data available from April 2013	
3.4	Data quality	None provided	
	assurance	·	

## **RESPIRATORY: Emergency Asthma Admissions**

Secti	Section 1: Introduction / Overview				
1.1	Title	Emergency Asthma Admissions			
1.2	MO Theme	RESPIRATORY			
1.3	Definition	The number of emergency attendances for asthma per 100 patients on the practice asthma disease register			
1.4	Reporting Level	CCG level			
1.5	Numerator	Count of completed spells and sum of PBR tariff where a) admission method is emergency (21, 22, 23, 24, 28); b) patient classification is inpatient (1); c) ICD10 primary diagnosis code is in range J45- J46			
1.6	Denominator	Number of patients on practice disease register for asthma as of 31 March 2016			
1.7	Methodology	Numerator divided by denominator			
		Represented as emergency asthma admissions per 100 patients on asthma disease register			
	on 2: Rationale				
2.1	Purpose	To highlight and compare the rate of hospital emergency admissions due to complications associated with asthma as a proxy for the effective management of the condition.			
2.2	Evidence and Policy Base	Asthma is a common long-term condition that can cause coughing, wheezing, chest tightness and breathlessness. The severity of these symptoms varies from person to person. Asthma can be controlled well in most people most of the time, although some people may have more persistent problems. Occasionally, asthma symptoms can get gradually or suddenly worse. While there is no cure for asthma, there are a number of treatments that can help control the condition. Treatment is based on two important goals, which are: •relieving symptoms •preventing future symptoms and attacks			
		For most people, treatment will involve the occasional – or, more commonly, daily – use of medications, usually taken using an inhaler. However, identifying and avoiding possible triggers is also important. Severe attacks may require hospital treatment and can be life threatening, although this is unusual. Appropriate treatment in terms of prevention and alleviation of symptoms is critical to avoid emergency admissions and enhanced quality of life, hence its inclusion in this dashboard. Emergency admissions due to asthma can often be avoidable if prevention and alleviation of symptoms are managed effectively and appropriately. Emergency admissions due to asthma can therefore be used to an extent as a proxy for the quality of management of the condition, including the optimal use of medicines.			
Secti	on 3: Data				
3.1	Data source	NHS Digital			
3.2	Data owner & contact details	NHS Digital			
3.3	Time Frame	Refreshed periodically with 12 months accumulated data Data available from April 2013			
3.4	Data quality assurance	None provided			

# **RESPIRATORY:** Chronic Obstructive Pulmonary Disease (COPD003) % achieving upper threshold or above

Section	on 1: Introduction /	Overview	
1.1	Title	Chronic Obstructive Pulmonary Disease (COPD003) % achieving upper threshold or above	
1.2	MO Theme	RESPIRATORY	
1.3	Definition	The percentage of practices in a CCG that achieve upper threshold or above (90% or more inclusive of exceptions) for QOF indicator COPD003	
1.4	Reporting Level	CCG level	
1.5	Numerator	Number of practices in a CCG that achieve upper threshold or above for QOF indicator COPD003 (achievement of 90% or more inclusive of exceptions)	
1.6	Denominator	Total number of practices in a CCG with eligible patients for QOF indicator COPD003	
1.7	Methodology	Numerator divided by denominator Represented as the percentage of practices achieving upper threshold or above inclusive of exceptions	
		The comparator is inclusive of exceptions. In other words, it includes all the patients who satisfy the denominator criteria, even if some have been "excepted". "Exceptions" relate to registered patients who are on the relevant disease register or in the target population group and would ordinarily be included in the indicator denominator, but who are excepted by the contractor on the basis of one or more of the exception criteria. Although patients may be excepted from the denominator, they should still be the recipients of best clinical care and practice. See 2016/17 General Medical Services (GMS) contract Quality and Outcomes Framework	
		(QOF): Guidance for GMS contract 2016/17 (NHS Employers)	
		http://www.nhsemployers.org/~/media/Employers/Documents/Primary%20care%20contracts/ QOF/2016-17/2016-17%20QOF%20guidance%20documents.pdf	
	on 2: Rationale		
2.1	Purpose	The Quality and Outcomes Framework (QOF) rewards contractors for the provision of quality care and helps to standardise improvements in the delivery of primary medical services. Contractor participation in QOF is voluntary.	
		Within the QOF there are a number of indicators that are associated with the effective and/or appropriate use of medicines. NB: For 2016/17 QOF, points are awarded for COPD003. http://www.nhsemployers.org/~/media/Employers/Documents/Primary%20care%20contracts/	
	<b>_</b>	QOF/2016-17/2016-17%20QOF%20guidance%20documents.pdf	
2.2	Evidence and Policy Base	COPD is one of the most common respiratory diseases in the UK. It usually only starts to affect people over the age of 35, although most people are not diagnosed until they are in their 50s. It is thought there are more than 3 million people living with the disease in the UK, of which only about 900,000 have been diagnosed. This is because many people who develop symptoms of COPD do not get medical help because they often dismiss their symptoms as a 'smoker's cough'. COPD affects more men than women, although rates in women are increasing. Good treatment of COPD can make a dramatic difference to quality of life and reduce emergency hospital admissions. Appropriate treatment in terms of prevention and alleviation of symptoms is critical to avoid emergency admissions and enhanced quality of life, hence its inclusion in this dashboard.	
		This indicator was chosen because existing evidence suggests that many patients with COPD remain untreated or treated inappropriately. CCGs with a comparatively higher score may be deploying systematic process to identify and treat patients with COPD.	
Section	on 3: Data		
3.1	Data source	NHS Digital	
3.2	Data owner & contact details	QOF CCG level table. NHS Digital website <u>http://qof.digital.nhs.uk/</u> <u>https://digital.nhs.uk/catalogue/PUB30124</u>	
3.3	Time Frame	2016/17 (NB: Refreshed yearly with latest annual data) Data available from April 2013	
3.4	Data quality assurance	None provided	

# **RESPIRATORY:** Chronic Obstructive Pulmonary Disease (COPD003) % underlying achievement

Section	n 1. Introduction /	Overview		
1.1	on 1: Introduction / ( Title	Chronic Obstructive Pulmonary Disease (COPD003) % underlying achievement		
1.2	MO Theme	RESPIRATORY		
1.3	Definition	Percentage underlying achievement at CCG level for QOF indicator COPD003 (inclusive of exceptions)		
1.4	Reporting Level	CCG level		
1.5	Numerator	Number of patients with COPD who have had a review, undertaken by a healthcare professional, including an assessment of breathlessness using the Medical Research Council dyspnoea scale in the preceding 12 months		
1.6	Denominator	Number of patients with COPD inclusive of exceptions		
1.7	Methodology	Numerator divided by denominator		
		Represented as the percentage underlying achievement level inclusive of exceptions		
		The denominator is inclusive of exceptions. In other words, it includes all the patients who satisfy the denominator criteria, even if some have been "excepted". "Exceptions" relate to registered patients who are on the relevant disease register or in the target population group and would ordinarily be included in the indicator denominator, but who are excepted by the contractor on the basis of one or more of the exception criteria. Although patients may be excepted from the denominator, they should still be the recipients of best clinical care and practice. See 2016/17 General Medical Services (GMS) contract Quality and Outcomes Framework (QOF): Guidance for GMS contract 2016/17 (NHS Employers) http://www.nhsemployers.org/~/media/Employers/Documents/Primary%20care%20contracts/QOF/2016-17/2016-17%20QOF%20guidance%20documents.pdf		
2.1	on 2: Rationale Purpose	The Quality and Outcomes Framework (QOF) rewards contractors for the provision of quality		
		care and helps to standardise improvements in the delivery of primary medical services. Contractor participation in QOF is voluntary. Within the QOF there are a number of indicators that are associated with the effective and/or appropriate use of medicines. NB: For 2016/17 QOF, points are awarded for COPD003. http://www.nhsemployers.org/~/media/Employers/Documents/Primary%20care%20contracts/		
		QOF/2016-17/2016-17%20QOF%20guidance%20documents.pdf		
2.2	Evidence and Policy Base	COPD is one of the most common respiratory diseases in the UK. It usually only starts to affect people over the age of 35, although most people are not diagnosed until they are in their 50s. It is thought there are more than 3 million people living with the disease in the UK, of which only about 900,000 have been diagnosed. This is because many people who develop symptoms of COPD do not get medical help because they often dismiss their symptoms as a 'smoker's cough'. COPD affects more men than women, although rates in women are increasing. Good treatment of COPD can make a dramatic difference to quality of life and reduce emergency hospital admissions. Appropriate treatment in terms of prevention and alleviation of symptoms is critical to avoid emergency admissions and enhanced quality of life, hence its inclusion in this dashboard. This indicator was chosen because existing evidence suggests that many patients with COPD remain untreated or treated inappropriately. CCGs with a comparatively higher score may be deploying systematic process to identify and treat patients with COPD.		
Sectio	on 3: Data			
3.1	Data source	NHS Digital		
3.2	Data owner & contact details	QOF CCG level table. NHS Digital website <u>http://qof.digital.nhs.uk/</u> <u>https://digital.nhs.uk/catalogue/PUB30124</u>		
3.3	Time Frame	2016/17 (NB: Refreshed yearly with latest annual data) Data available from April 2013		
3.4	Data quality assurance	None provided		
	abouranoe	1		

### **RESPIRATORY: Emergency COPD Admissions**

	Section 1: Introduction / Overview			
1.1				
		Emergency COPD Admissions		
1.2	MO Theme	RESPIRATORY		
1.3	Definition	The number of emergency attendances for chronic obstructive pulmonary disease per 100 patients on the practice COPD disease register		
1.4	Reporting Level	CCG level		
1.5	Numerator	Count of completed spells and sum of PBR tariff where a) admission method is emergency (21, 22, 23, 24, 28); b) patient classification is inpatient (1); c) ICD10 primary diagnosis code is in range J40-J44		
1.6	Denominator	Number of patients on practice disease register for COPD as of 31 March 2016		
1.7	Methodology	Numerator divided by denominator		
		Represented as emergency COPD admissions per 100 patients on COPD disease register		
Secti	on 2: Rationale			
2.1	Purpose	To highlight and compare the rate of hospital emergency admissions due to complications associated with COPD as a proxy for the effective management of the condition.		
2.2	Evidence and Policy Base	COPD is one of the most common respiratory diseases in the UK. It usually only starts to affect people over the age of 35, although most people are not diagnosed until they are in their 50s. It is thought there are more than 3 million people living with the disease in the UK, of which only about 900,000 have been diagnosed. This is because many people who develop symptoms of COPD do not get medical help because they often dismiss their symptoms as a 'smoker's cough'. COPD affects more men than women, although rates in women are increasing. Good treatment of COPD can make a dramatic difference to quality of life and reduce emergency hospital admissions. Emergency admissions due to exacerbations of COPD can often be avoidable if treatment is carried out well and appropriately. Emergency admissions due to exacerbations of COPD can therefore be used to an extent as a proxy for the quality of management of the condition, including the optimal use of medicines.		
Secti	on 3: Data			
3.1	Data source	NHS Digital		
3.2	Data owner & contact details	NHS Digital		
3.3	Time Frame	Refreshed periodically with 12 months accumulated data Data available from April 2013		
3.4	Data quality assurance	None provided		

## Hospital Trust Comparators

### BIOSIMILARS: % of Etanercept biosimilars uptake

Secti	on 1: Introduction / (	Overview		
1.1				
1.2	MO Theme	BIOSIMILARS		
1.3	Definition	The percentage of defined daily doses for the biosimilar versions of etanercept		
1.4	Reporting Level	Hospital Trust		
1.5	Numerator	The number of defined daily doses for the biosimilar versions of etanercept		
1.6	Denominator	The total number of defined daily doses for all etanercept (originator and biosimilar)		
1.7	Methodology	The numerator divided by the denominator		
		Represented as the percentage of defined daily doses for the biosimilar versions of etanercept		
		The percentage is calculated using the reported number of defined daily doses for biosimilar versions of etanercept		
Secti	on 2: Rationale			
2.1	Purpose Evidence and Policy Base	Competition between different biological medicines, including biosimilar medicines, creates increased choice for patients and clinicians, and enhanced value propositions for individual medicines. This is particularly relevant in the context of Medicines Value Programme which is looking at how the NHS can be supported to take value based decisions. There are additional benefits, such as further sources of supply. Biosimilar medicines are more challenging and expensive to develop than generic medicines, but there are significant savings associated with increased competition between biological medicines, including biosimilar medicines. Many Trusts have introduced active and successful programmes to implement the use of biosimilar etanercept in gastroenterology & rheumatology patients. This work has been collaborative with clinicians and patients and has resulted in significant savings for the health economies that allows funding to be used for other healthcare. This is in line with the NHS England commissioning policies and the Commissioning Framework for Biosimilar medicines. (https://www.england.nhs.uk/wp-content/uploads/2017/09/biosimilar-medicines-commissioning-framework.pdf Biosimilars have been licensed by the appropriate regulator (MHRA or EMA) and is a biological medicine which is highly similar to another biological medicine already licensed for use which has been shown not to have any clinically meaningful differences from the originator biological medicines, including biosimilar medicines, creates increased choice for patients and clinicians, and efficacy. Continuing development of biological medicines, including biosimilar medicines, creates increased choice for patients and clinicians, and enhanced value propositions for		
Saati	on 3: Data	individual medicines.		
		The data is extracted from the NIUS Improvement Medal Licenital Dephased - Discusses		
3.1	Data source	The data is extracted from the NHS Improvement Model Hospital Dashboard – Pharmacy and Medicines compartment. This data is sourced from the Rx-info Define system which is used by acute trusts		
3.2	Data owner &	Andrew Davies, Professional Lead for Hospital Pharmacy, NHS Improvement		
0.0	contact details	Andrew.davies@nhs.net		
3.3	Time Frame	Refreshed quarterly with monthly data Data available on a 13 month rolling basis		
3.4	Data quality	The data used is the individual trusts own data. In line with the Carter methodology this data		
	assurance	is reflected back to organisations through the model hospital and trusts are required to review and raise any issues through the <u>NHSI.Productivity@nhs.net</u> email address. Individual data		
		points are not validated by NHS Improvement		

### BIOSIMILARS: % of Infliximab biosimilars uptake

Secti	on 1: Introduction /	nfliximad biosimilars uptake Overview		
1.1	Title	% of Infliximab biosimilars uptake		
1.2	MO Theme	BIOSIMILARS		
1.3	Definition	The percentage of defined daily doses for the biosimilar versions of infliximab		
1.4	Reporting Level	Hospital Trust		
1.5	Numerator	The number of defined daily doses for the biosimilar versions of infliximab		
1.6	Denominator	The total number of defined daily doses for all infliximab (originator and biosimilar)		
1.7	Methodology	The numerator divided by the denominator.		
		Represented as the percentage of defined daily doses for the biosimilar versions of infliximab		
		The percentage is calculated using the reported number of defined daily doses for biosimilar versions of infliximab (Inflectra and Remsima)		
Secti	on 2: Rationale			
2.1	Purpose Evidence and Policy Base	Competition between different biological medicines, including biosimilar medicines, creates increased choice for patients and clinicians, and enhanced value propositions for individual medicines. This is particularly relevant in the context of Medicines Value Programme which is looking at how the NHS can be supported to take value based decisions. There are additional benefits, such as further sources of supply. Biosimilar medicines are more challenging and expensive to develop than generic medicines, but there are significant savings associated with increased competition between biological medicines, including biosimilar medicines. Many Trusts have introduced active and successful programmes to implement the use of biosimilar infliximab in gastroenterology & rheumatology patients. This work has been collaborative with clinicians and patients and has resulted in significant savings for the health economies that allows funding to be used for other healthcare. This is in line with the NHS England commissioning policies and the Commissioning Framework for Biosimilar medicines (https://www.england.nhs.uk/wp-content/uploads/2017/09/biosimilar-medicines-commissioning-framework.pdf Biosimilars have been licensed by the appropriate regulator (MHRA or EMA) and is a biological medicine which is highly similar to another biological medicine already licensed for use which has been shown not to have any clinically meaningful differences from the originator biological medicines, including biosimilar medicines, creates increased choice for patients and clinicians, increased commercial competition and enhanced value propositions for individual medicines.		
	on 3: Data	The data is extracted from the NIUC Improvement Medal Lipspitel Deakhaard Discussion		
3.1	Data source	The data is extracted from the NHS Improvement Model Hospital Dashboard – Pharmacy and Medicines compartment. This data is sourced from the Rx-info Define system which is used by acute trusts		
3.2	Data owner & contact details	Andrew Davies, Professional Lead for Hospital Pharmacy, NHS Improvement Andrew.davies@nhs.net		
3.3	Time Frame	Refreshed quarterly with monthly data Data available on a 13 month rolling basis		
3.4	Data quality assurance	The data used is the individual trusts own data. In line with the Carter methodology this data is reflected back to organisations through the model hospital and trusts are required to review and raise any issues through the <u>NHSI.Productivity@nhs.net</u> email address. Individual data points are not validated by NHS Improvement		

### BIOSIMILARS: % of Rituximab biosimilars uptake

Secti	on 1: Introduction /	Overview		
1.1	Title	% of Rituximab biosimilar uptake		
1.2	MO Theme	BIOSIMILARS		
1.3	Definition	The percentage of gram volume for the biosimilar versions of rituximab.		
1.4	Reporting Level			
	Numerator	Hospital Trust		
1.5		The total gram volume for the biosimilar versions of rituximab		
1.6	Denominator	The total gram volume for all rituximab (originator and biosimilar)		
1.7	Methodology	The numerator divided by the denominator		
		Represented as the percentage of grammes for the biosimilar versions of rituximab		
		The percentage is calculated using the reported number of grammes for biosimilar versions of rituximab.		
Secti	on 2: Rationale			
2.1	Purpose	Competition between different biological medicines, including biosimilar medicines, creates increased choice for patients and clinicians, and enhanced value propositions for individual medicines. This is particularly relevant in the context of the Medicines Value Programme which is looking at how the NHS can be supported to take value based decisions. There are additional benefits, such as further sources of supply. Biosimilar medicines are more challenging and expensive to develop than generic medicines, but there are significant savings associated with increased competition between biological medicines, including biosimilar medicines. Many Trusts have introduced active and successful programmes to implement the use of biosimilar Rituximab in cancer patients following innovative work from the Cancer Vanguard. This work has been collaborative with clinicians and patients and has resulted in significant savings for the health economies that allows funding to be used for other healthcare. This is in line with the NHS England commissioning policies and the Commissioning Framework for Biosimilar medicines (https://www.england.nhs.uk/wp-content/uploads/2017/09/biosimilar-medicines- commissioning-framework.pdf)		
2.2	Evidence and Policy Base	Biosimilars have been licensed by the appropriate regulator (MHRA or EMA) and are biological medicine which is highly similar to another biological medicine already licensed for use which has been shown not to have any clinically meaningful differences from the originator biological medicine in terms of quality, safety and efficacy. Continuing development of biological medicines, including biosimilar medicines, creates increased choice for patients and clinicians, increased commercial competition and enhanced value propositions for individual medicines.		
Secti	on 3: Data			
3.1	Data source	The data is extracted from the NHS Improvement Model Hospital Dashboard – Pharmacy and Medicines compartment Top 10 medicines. This data is sourced from the Rx-info Define system which is used by 95% of acute trusts		
3.2	Data owner &	Andrew Davies, Professional Lead for Hospital Pharmacy, NHS Improvement		
	contact details	Andrew.davies@nhs.net		
3.3	Time Frame	Refreshed quarterly with monthly data Building up to a 13 months rolling basis		
3.4	Data quality	The data used is the individual trusts own data. In line with the Carter methodology this data		
0.4	assurance	is reflected back to organisations through the model hospital and trusts are required to review and raise any issues through the <u>NHSI.Productivity@nhs.net</u> email address. Individual data		
		points are not validated by NHS Improvement		

### PATIENT EXPERIENCE: CQC In-patient Survey

Sectio	on 1: Introduction / (	Overview					
1.1	Title	CQC In-patient Survey					
1.2	MO Theme	PATIENT EXPERIENCE					
1.3	Definition	The sum of the mean scores for the responses Commission in-patient survey (2016), express score of 40.					
		Q62 "Did a member of staff explain the purpos a way you could understand"?	se of the r	medicin	ies you	were to	take at home in
		Q63 "Did a member of staff tell you about mee home?"	dication si	ide effe	cts to w	atch fo	r when you went
		Q64 "Were you told how to take your medicati	ion in a w	ay you	could u	Indersta	and?"
		Q65 "Were you given clear written or printed in	nformatio	n about	t your n	nedicine	es"
1.4	Reporting Level	Hospital Trust					
1.5	Numerator	The aggregated mean score for the responses	s to quest	tions 62	2 to 65		
1.6	Denominator	40 (maximum possible score for Q62 to Q65)					
1.7	Methodology	Numerator divided by denominator					
		Represented as the percentage of the maximu	um possik	ole scor	e of 40		
		Scoring system for Q62 to Q65					
		Response	Q62	Q63	Q64	Q65	
		Yes, completely	10	10	10	10	
		Yes, to some extent No	5 0	5 0	5 0	5 0	
		I did not need an explanation	n/a	n/a	0	0	
		I had no medicines	n/a				
		I did not need to be told how to take my medication			n/a		
		I did not need this				n/a	
		Don't know / Can't remember				n/a	
		Mean score for each question is calculated by surveyed and dividing by the number of patien Due to the way NHSBSA receive the data at the or presented for other geographies. See technical document for details of how the applied to analysing and presenting the finding http://www.cqc.org.uk/sites/default/files/20170 Hospital benchmark reports are also available	nts survey rust level survey w gs. <u>531 ip16</u>	red excl this cor ras undo	luding r mparato ertaken <u>ical do</u>	n/a resp or canno and the	onses. ot be calculated e methodologies
Soctiv	on 2: Rationale	http://nhssurveys.org/surveys/1089					
2.1	Purpose	A measure of the information provided to patie effects of their medicines.	ents, on d	ischarg	e from	hospita	I, about the side-
2.2	Evidence and Policy Base	According to <u>NICE's Medicines optimisation guidelines</u> (published in March 2015) relevant information about medicines should be shared with patients and their family members or carers, where appropriate, and between health and social care practitioners when a person moves from one care setting to another, to support high-quality care.					
		An evaluation was undertaken by Monmouth F understanding of the value of its Medicines Op					

NHSBSA Copyright 2018

		recommendation from the evaluation was 'Patient experience data for medicines is being collated nationally and should be included in the current MO Dashboard for NHS stakeholders. ' <i>Understanding the patient experience</i> ' is the first principle of medicines optimisation and this should be echoed through future reiterations of the MO Dashboard'.	
Secti	on 3: Data		
3.1	Data source	CQC - Care Quality Commission Adult Inpatient Survey (September 2015 to January 2016)	
3.2	Data owner &	http://www.cqc.org.uk/publications/surveys/adult-inpatient-survey-2016	
	contact details		
3.3	Time Frame	Refreshed periodically with varying months of data	
		Data available from September 2015	
3.4	Data quality	See 2016 Adult Inpatient Survey: Quality and Methodology Report	
	assurance	http://www.cqc.org.uk/sites/default/files/20170531_ip16_quality_and_methodology_report.pdf	

### PATIENT SAFETY: Medicines Reconciliation

Section	Section 1: Introduction / Overview			
1.1	Title	Medicines Reconciliation		
1.2	MO Theme	PATIENT SAFETY		
1.3	Definition	Percentage of adult inpatients receiving medicines reconciliation within 24 hours of admission		
1.4	Reporting Level	Hospital Trust		
1.4		nospital must		
4.5	Numerator	Tetel work as after the tete of a second as a finite second of the fact of the second state of the second		
1.5	Numerator	Total number of patients who received medicines reconciliation for all medicines undertaken		
		(started) within 24 hours of admission to this care setting		
1.6	Denominator	Total number of patients' records including those that have both received and not received		
		medicines reconciliation		
1.7	Methodology	Numerator divided by denominator		
		Represented as proportion of patients receiving medicines reconciliation (%)		
		ST: The data in the dashboard represents information populated by trusts designated as		
		'Acute'		
Sectio	on 2: Rationale			
2.1	Purpose	The aim of medicines reconciliation on hospital admission is to ensure that medicines		
		prescribed on admission correspond to those that the patient was taking before admission.		
		Details to be recorded include the name of the medicine(s), dosage, frequency, and route of		
		administration. Establishing these details may involve discussion with the patient and/or		
		carers and the use of records from primary care.		
		The NHS has launched the medication safety thermometer which uses medicines		
		reconciliation and some other measures to help trusts improve their medication safety and to		
		focus on the issues of medication error and harm caused from medication error. The NHS		
		Safety Thermometer is a local improvement tool for measuring, monitoring and analysing		
		patient harms and 'harm free' care. Data for the comparator has been sourced from the		
		Safety Thermometer.		
2.2	Evidence and	In 2007, NICE developed a Technical patient safety solution for medicines reconciliation on		
	Policy Base	admission of adults to hospital (PSG001). It recommended that all healthcare organisations		
		that admit adult inpatients should put policies in place for medicines reconciliation on		
		admission. This includes mental health units, and applies to elective and emergency		
		admissions.		
	on 3: Data			
3.1	Data source	Safety Thermometer		
		Please note that data from September 2016 onwards only includes data from the Safety		
		Thermometer.		
3.2	Data owner &	www.safetythermometer.nhs.uk/index.php?option=com_content&view=article&id=3&Itemid=1		
	contact details	<u>07</u>		
3.3	Time Frame	Refreshed quarterly with 12 months of accumulated data		
		Data available from January 2014		
3.4	Data quality	ST: None provided		
	assurance			

### PATIENT SAFETY: NRLS % of harmful incidents

Secti	Section 1: Introduction / Overview				
1.1	Title	NRLS - % of harmful incidents			
1.2	MO Theme	PATIENT SAFETY			
1.3	Definition	Number of medication incidents reported as causing low, moderate or severe harm or death as a proportion of all medication errors as reported to NRLS			
1.4	Reporting Level	Hospital Trust			
1.5	Numerator	Number of reported incidents of harm involving medicines			
1.6	Denominator	Total number of all reported incidents involving medicines			
1.7	Methodology	The number of reported incidents of harm involving medicines (incidents reported as resulting in either ' Low harm', 'Moderate harm', 'Severe harm' or a 'Death') divided by the total number of reported incidents involving medicines. Represented as a percentage of harmful medication incidents			
Secti	on 2: Rationale				
2.1	Purpose	The NRLS was established in 2003. The system enables patient safety incident reports to be submitted to a national database. This data is then analysed to identify hazards, risks and opportunities to improve the safety of patient care. <a href="http://www.nrls.npsa.nhs.uk/report-a-patient-safety-incident/about-reporting-patient-safety-incidents/">http://www.nrls.npsa.nhs.uk/report-a-patient-safety-incident/about-reporting-patient-safety-incidents/</a>			
2.2	Evidence and Policy Base	Organisations with an open and honest reporting culture, where staff believe reporting incidents is worthwhile because preventative action will be taken, are likely to report a higher proportion of 'no harm' incidents than an organisation with a less mature reporting and learning culture Since the NRLS was established, over four million incident reports have been submitted by healthcare staff.			
Secti	on 3: Data				
3.1	Data source	National Reporting & Learning System, NHS Improvement Patient Safety Organisation Patient Safety Incident Reports, NHS England			
3.2	Data owner & contact details	NHSI.NRLSDataRequest@nhs.net			
3.3	Time Frame	Refreshed 6 monthly with 6 months of data Data available from April 2014			
3.4	Data quality assurance	https://improvement.nhs.uk/uploads/documents/Data Handling Notes Sep16 FINAL.pdf			

### PATIENT SAFETY: NRLS reported medication incidents

	Section 1: Introduction / Overview				
1.1					
1.1	THE				
1.2	MO Theme	PATIENT SAFETY			
1.3	Definition	Number of medication incidents reported to NRLS per "activity"			
1.4	Reporting Level	Hospital Trust			
1.5	Numerator	Number of reported incidents involving medicines			
1.6	Denominator	KH03 overnight bed days			
1.7	Methodology	Numerator divided by denominator			
		Represented as the total incidents per 1,000 KH03 overnight bed days			
Section	on 2: Rationale				
2.1	Purpose	Organisations who do not have an open and honest reporting culture, and where staff do not believe reporting incidents is worthwhile, are likely to report fewer medication incidents given their overall activity than an organisation with a more mature reporting and learning culture. Whilst low reporting levels are always a concern, high reporting can be symptomatic of either good reporting or high levels actual problems (including issues of medication supply)			
		This comparator aims to provoke local discussions about how to drive up reporting and ensure a learning culture.			
2.2	Evidence and Policy Base	The NRLS was established in 2003. The system enables patient safety incident reports to be submitted to a national database. This data is then analysed to identify hazards, risks and opportunities to improve the safety of patient care. Since the NRLS was established, over four million incident reports have been submitted by healthcare staff.			
Section	on 3: Data				
3.1	Data source	National Reporting & Learning System, NHS Improvement Patient Safety Organisation Safe Medication Practice Team, NHS England			
3.2	Data owner & contact details	NHSI.NRLSDataRequest@nhs.net			
3.3	Time Frame	Refreshed 6 monthly with 6 months of data Data available from April 2014			
3.4	Data quality assurance	The following link provides a document outlining the quality assurance regarding the numerator data. https://improvement.nhs.uk/uploads/documents/Data_Handling_Notes_Sep16_FINAL.pdf			
		Denominator data – none provided			

### PATIENT SAFETY: Summary Care Records Utilisation

Section	on 1: Introduction / (	Overview	
1.1	Title	Summary Care Records Utilisation	
1.2	MO Theme	PATIENT SAFETY	
1.3	Definition	Number of times the Summary Care Record (SCR) is viewed by NHS Hospital Trusts as a percentage of the number of in-patient non-elective admissions	
1.4	Reporting Level	Hospital Trust	
1.5	Numerator	The number of times the SCR has been viewed at Trust level	
1.6	Denominator	Number of non-elective admissions	
1.7	Methodology	Numerator divided by denominator Represented as the number of times the SCR is viewed as a percentage of in-patient non- elective admissions Providers with utilisation greater than 100% indicates that the SCR would have been viewed by more than one clinician during a patient pathway	
Section	on 2: Rationale		
2.1	Purpose	Access to the SCR facilitates safe and effective medicines optimisation on admission to hospital. In-patient non-elective admissions is used as the denominator as SCR is used within emergency and urgent care settings.	
2.2	Evidence and Policy Base	SCRs have many benefits for patients and healthcare staff in urgent and emergency care settings (such as out-of-hours GP services and Emergency Departments). SCRs provide access to health information that has previously been unavailable, enabling authorised healthcare staff to make informed clinical decisions. Benefits to patients • SCRs are accessible to authorised healthcare staff treating patients in an emergency in	
		<ul> <li>SCRs are accessible to authorised healthcare staff treating patients in an emergency in England. This will be particularly useful when a patient cannot give information (for example if they are unconscious) or when they are away from home and are unable to see their own GP.</li> <li>Patient care can be supported by healthcare staff having faster access to their medical information and patients may not be required to repeat information to different NHS staff treating them. For example, in a hospital setting, healthcare staff will be able to access a patient's SCRs immediately enabling faster assessment.</li> <li>SCRs can support better, safer prescribing of medication for patients by providing up to date information on a patient's allergies, previous adverse reactions and medications.</li> <li>SCRs will enable vulnerable patient groups and those patients that are unable to communicate well with healthcare staff. For example, a non-English speaking patient that could struggle to communicate their condition would no longer be disadvantaged as their SCR would be available to the treating clinician.</li> <li>Additional information, such as end of life care plans and relevant diagnoses, may be available to inform clinical care where it is appropriate. Benefits to NHS healthcare staff</li> <li>Important patient information will be available to authorised healthcare staff treating patients in an emergency where they had previously not had access to it. This will be particularly useful to NHS staff treating patients in an emergency, when a patient needs treatment out of hours or away from their local area.</li> <li>SCRs contain details of a patient's key health information including medications, allergies and adverse reactions. This enables clinicians to feel more confident to treat patients.</li> </ul>	
		pharmacies as pharmacists will be able to immediately refer to the SCR in order to reconcile the medications prescribed to the patient.	
		Further information on the SCR is available on the NHS Digital website.	
Section	on 3: Data		
3.1	Data source	NHS Digital	
3.2	Data owner & contact details	http://digital.nhs.uk http://systems.digital.nhs.uk/scr	
3.3	Time Frame	Refreshed quarterly with month end data Data available from February 2015	
3.4	Data quality assurance	Summary Care Record have their own internal quality process to assure the data they receive from various sources that contributes to SCR availability at Trust level. Best endeavours are made to ensure this data is accurate but due to the complex nature there may be some errors at times.	