

i) Effective date for all parts except those indicated in (ii)	1st day of the month
ii) Effective date for specific provisions in specified parts	N/A
iii) Date of publication	1st day of the month

TO: General Medical Practitioners, Pharmacy Contractors, Appliance Contractors

PREFACE

AMENDMENTS TO THE DRUG TARIFF

November 2019

1. In accordance with regulation 89(3) of the National Health Service (Pharmaceutical and Local Pharmaceutical Services) Regulations 2013 ("the 2013 Regulations"), the Secretary of State for Health as respects England and in accordance with regulation 41(4) of the National Health Service (Pharmaceutical Services) (Wales) Regulations 2013, the Welsh Ministers* as respects Wales have amended the Drug Tariff and determinations made in respect of the amendments to the Drug Tariff shall have effect from 1 August 2015.

For England, by virtue of regulation 91(1) of the 2013 Regulations, the NHS Commissioning Board ("the Board") has been appointed as a determining authority in relation to the pharmaceutical remuneration listed Schedule 8 to the 2013 Regulations (ie types of service remuneration) and remuneration for advanced services. This means that both the Secretary of State and the Board are able to determine remuneration in these areas, although if the Secretary of State determines remuneration in these areas, he is required to notify the Board of his intention to do so before doing so. As part of a phased transfer of responsibilities between the Secretary of State and the Board, the Board will be acting as the lead determining authority in relation to the following Parts:

- Part IIIA
- Part IIIB
- Part VIA
- Part VIB
- Part VIC (up to Pharmaceutical Services (Advanced and Enhanced Services)(England) Directions 2013)

By virtue of Part VIE, the Board is also a determining authority for England for the remuneration for enhanced services and acts as the lead determining authority in that area.

The Secretary of State is the sole determining authority for all other Parts.

Part XI, XIVD, XVIIIID and XXI are rescinded in this edition of the Drug Tariff.

Before the Secretary of State, NHS Commissioning Board and the Welsh Ministers make further determinations they will consult with such organisations as appear to be representative of persons to whose remuneration the determination would relate and such other persons as they consider appropriate in respect of determinations which relate to persons providing pharmaceutical services, or a category of such services in accordance with section 165 of the National Health Service Act 2006 and section 89 of the National Health Service (Wales) Act 2006, regulations made under those sections and under section 164 of the National Health Service Act 2006 and section 88 of the National Health Service (Wales) Act 2006.

PREFACE

2. Please note that you are now being supplied each month with the Drug Tariff which incorporates all amendments to date. All entries showing a change in price are not specifically included in this preface but are indicated in the Drug Tariff by ∇ for price reduction and \triangle for price increase; changes to the text relating to code, product description, or the inclusion of a new product are indicated by a vertical line in the margin.
3. While every effort is made to ensure that each monthly publication of the Drug Tariff includes all amendments made by the Secretary of State and the Welsh Ministers to the price applicable to the relevant period, the need to observe printing deadlines sometimes defeats those efforts. Any omitted amendments will be effective from the date on which they came into force, even if publication of the details is unavoidably delayed.

* Functions of the National Assembly for Wales have transferred to Welsh Ministers in accordance with section 162 of and paragraph 30 of Schedule 11 to the Government of Wales Act 2006.

PREFACE

4. ADVANCE NOTICE**4.1 ADDITIONS TO DECEMBER 2019 DRUG TARIFF****4.1.1 ADDITIONS TO PART VIII A EFFECTIVE FROM 1 DECEMBER 2019****■ Special Container**

Dipyridamole 200mg modified-release / Aspirin 25mg capsules	60	Category C <i>Molita</i>
Measles, Mumps and Rubella vaccine (live) powder and solvent for suspension for injection 0.5ml pre-filled syringes	■ 1	Category C <i>M-M-RVAXPRO</i>

4.2 DELETIONS FROM DECEMBER 2019 DRUG TARIFF**4.2.1 DELETIONS FROM PART VIII A EFFECTIVE FROM 1 DECEMBER 2019**

Bisoprolol 10mg / Aspirin 100mg capsules	30	Category C <i>Aspire Pharma Ltd</i>
Bisoprolol 10mg / Aspirin 75mg capsules	30	Category C <i>Aspire Pharma Ltd</i>
Bisoprolol 5mg / Aspirin 100mg capsules	30	Category C <i>Aspire Pharma Ltd</i>
Bisoprolol 5mg / Aspirin 75mg capsules	30	Category C <i>Aspire Pharma Ltd</i>
Mesalazine 250mg suppositories	20	Category C <i>Asacol</i>
Orange tincture BP 2001	100ml	Category C <i>J M Loveridge Ltd</i>
Salicylic acid 11% / Lactic acid 4% gel	5g	Category C <i>Cuplex Verruca</i>

4.2.2 DELETIONS FROM PART IX EFFECTIVE FROM 1 DECEMBER 2019

See Page: 313, 401, 527, 576, 682, 745, 882, 884.

4.3 OTHER CHANGES TO DECEMBER 2019 DRUG TARIFF**4.3.1 OTHER CHANGES TO PART VIII A EFFECTIVE FROM 1 DECEMBER 2019**

Co-dydramol 20mg/500mg tablets	112	Category C <i>Remedeine</i> will be:
	112	Category A
Co-dydramol 30mg/500mg tablets	56	Category C <i>Remedeine Forte</i> will be:
	56	Category A
Colestyramine 4g oral powder sachets sugar free	50	Category C <i>Questran Light</i> will be:
	50	Category A
Ethinylestradiol 35microgram / Norgestimate 250microgram tablets	63	Category C <i>Cilest</i> will be:
	63	Category C <i>Cilique</i>
Sevelamer 2.4g oral powder sachets sugar free	60	Category A will be:
	60	Category C <i>Renvela</i>

PREFACE

5. CHANGES TO NOVEMBER 2019 DRUG TARIFF**5.1 PART VIE - ENHANCED SERVICES (PHARMACY CONTRACTORS)**

Contractors should note changes made to this Part as regards to Wales.

5.2 PART VIIA - PHARMACY QUALITY SCHEME (ENGLAND)

Contractors should note changes made to Payment for the 2019/20 Pharmacy Quality Scheme.

5.3 PART VIIC - QUALITY AND SAFETY SCHEME (WALES)

Contractors should note changes made to Assessment of Safety Culture.

5.4 PART IXA - PEAK FLOW METERS

Contractors should note changes made to the ISO standard.

5.5 PART IXA - PRESSURE OFFLOADING DEVICE

Contractors should note changes made to the above category.

5.6 ADDITIONS TO NOVEMBER 2019 DRUG TARIFF**5.6.1 PART II - REQUIREMENTS ENABLING PAYMENTS TO BE MADE FOR THE SUPPLY OF DRUGS, APPLIANCES AND CHEMICAL REAGENTS****PAGE 12 - DRUGS FOR WHICH DISCOUNT IS NOT DEDUCTED**

Individual Items
Adempas tablets (ALL)
Alitretinoin capsules (ALL)
Aubagio 14mg tablets

PAGE 13

Buserelin nasal spray (ALL)
Chenodeoxycholic acid 250mg capsules

PAGE 14

Cialis 2.5mg tablets
Cialis 5mg tablets
Cialis 10mg tablets

PAGE 15

Dolutegravir tablets (ALL)
Esbriet 267mg capsules
Esbriet tablets (ALL)

PAGE 16

Exviera 250mg tablets

PAGE 17

Imnovid capsules (ALL)

PAGE 19

Melatonin 1mg/ml oral solution sugar free

PAGE 22

Riociguat tablets (ALL)

PAGE 23

Suprecur 150micrograms/dose nasal spray
Suprefact 100micrograms/dose nasal spray

PAGE 24

Tafinlar capsules (ALL)
Tecfidera gastro-resistant capsules (ALL)
Tivicay tablets (ALL)
Toctino capsules (ALL)
Triumeq 50mg/600mg/300mg tablets

5.6.2 PART VIII A - BASIC PRICES OF DRUGS**■ Special Container****PAGE 167**

Aminosalicilic acid gastro-resistant granules 4g sachets sugar free	30	33100	C	<i>Granupas</i>
---	----	-------	---	-----------------

PAGE 169

Anakinra 100mg/0.67ml solution for injection pre-filled syringes	7	18361	C	<i>Kineret</i>
--	---	-------	---	----------------

PAGE 177

Buprenorphine 128mg/0.36ml prolonged-release solution for injection pre-filled syringes	■	1	23970	C	<i>Buvidal</i>
---	---	---	-------	---	----------------

Buprenorphine 16mg/0.32ml prolonged-release solution for injection pre-filled syringes	■	1	5593	C	<i>Buvidal</i>
--	---	---	------	---	----------------

Buprenorphine 24mg/0.48ml prolonged-release solution for injection pre-filled syringes	■	1	5593	C	<i>Buvidal</i>
--	---	---	------	---	----------------

Buprenorphine 32mg/0.64ml prolonged-release solution for injection pre-filled syringes	■	1	5593	C	<i>Buvidal</i>
--	---	---	------	---	----------------

Buprenorphine 64mg/0.18ml prolonged-release solution for injection pre-filled syringes	■	1	23970	C	<i>Buvidal</i>
--	---	---	-------	---	----------------

PAGE 178

Buprenorphine 8mg/0.16ml prolonged-release solution for injection pre-filled syringes	■	1	5593	C	<i>Buvidal</i>
---	---	---	------	---	----------------

Buprenorphine 96mg/0.27ml prolonged-release solution for injection pre-filled syringes	■	1	23970	C	<i>Buvidal</i>
--	---	---	-------	---	----------------

PREFACE

Buserelin 100micrograms/dose nasal spray	336 (4x■84)	dose	12224	C	<i>Suprefact</i>
Buserelin 150micrograms/dose nasal spray	168 (2x■84)	dose	10516	C	<i>Suprecur</i>

PAGE 182

Chlorhexidine gluconate 0.1% / Cetrimide 0.5% cream	■	15 g	90	C	<i>Savlon</i>
	■	30 g	119	C	<i>Savlon</i>
	■	60 g	191	C	<i>Savlon</i>
	■	100 g	278	C	<i>Savlon</i>

PAGE 185

Clarithromycin 250mg granules sachets	14		1168	C	<i>Klaricid Adult</i>
--	----	--	------	---	-----------------------

PAGE 203

Epoetin zeta 1,000units/0.3ml solution for injection pre-filled syringes	6		2885	C	<i>Retacrit</i>
Epoetin zeta 10,000units/1ml solution for injection pre-filled syringes	6		28848	C	<i>Retacrit</i>
Epoetin zeta 2,000units/0.6ml solution for injection pre-filled syringes	6		5770	C	<i>Retacrit</i>
Epoetin zeta 20,000units/0.5ml solution for injection pre-filled syringes	■	1	9616	C	<i>Retacrit</i>
Epoetin zeta 3,000units/0.9ml solution for injection pre-filled syringes	6		8655	C	<i>Retacrit</i>

PAGE 204

Epoetin zeta 30,000units/0.75ml solution for injection pre-filled syringes	■	1	14425	C	<i>Retacrit</i>
Epoetin zeta 4,000units/0.4ml solution for injection pre-filled syringes	6		11540	C	<i>Retacrit</i>
Epoetin zeta 40,000units/1ml solution for injection pre-filled syringes	■	1	19332	C	<i>Retacrit</i>

PREFACE

Epoetin zeta 5,000units/0.5ml solution for injection pre-filled syringes	6	14425	C	<i>Retacrit</i>
Epoetin zeta 6,000units/0.6ml solution for injection pre-filled syringes	6	17309	C	<i>Retacrit</i>
Epoetin zeta 8,000units/0.8ml solution for injection pre-filled syringes	6	23079	C	<i>Retacrit</i>
PAGE 206				
Estriol 50micrograms/g vaginal gel with applicator	■ 30 g	1890	C	<i>Blissel</i>
PAGE 225				
Insulin glargine 100units/ml / Lixisenatide 33micrograms/ml solution for injection 3ml pre- filled disposable devices	3	5130	C	<i>Suliqua SoloStar</i>
Insulin glargine 100units/ml / Lixisenatide 50micrograms/ml solution for injection 3ml pre- filled disposable devices	3	6750	C	<i>Suliqua SoloStar</i>
PAGE 231				
Lenograstim 13.4million unit powder and solvent for solution for injection pre-filled syringes	■ 1	4011	C	<i>Granocyte</i>
Lenograstim 33.6million unit powder and solvent for solution for injection pre-filled syringes	■ 1	6254	C	<i>Granocyte</i>
PAGE 236				
Lorazepam 500microgram tablets	28	1000	C	<i>Advanz Pharma</i>
PAGE 239				
Melatonin 1mg modified-release tablets	60	4120	C	<i>Slenyto</i>
Melatonin 5mg modified-release tablets	30	10300	C	<i>Slenyto</i>
PAGE 257				
Paracetamol 1g tablets	100	249	C	<i>Dawa Ltd</i>

PREFACE

PAGE 259

Perampanel 500micrograms/ml oral suspension sugar free	■	340 ml	12750	C	<i>Fycompa</i>
---	---	--------	-------	---	----------------

PAGE 260

Phenylephrine 10% eye drops 0.5ml unit dose preservative free		20	1187	C	<i>Minims</i>
---	--	----	------	---	---------------

Phenylephrine 2.5% eye drops 0.5ml unit dose preservative free		20	1187	C	<i>Minims</i>
--	--	----	------	---	---------------

PAGE 269

Rotavirus vaccine live oral suspension 1.5ml pre-filled syringes	■	1	3476	C	<i>Rotarix</i>
--	---	---	------	---	----------------

PAGE 274

Sodium citrate 4g oral granules sachets		6	238	C	<i>Cystitis Relief</i>
--	--	---	-----	---	------------------------

PAGE 289

Varicella immunoglobulin 250mg solution for injection vials	■	1	60000	C	<i>Varicella-Zoster</i>
--	---	---	-------	---	-------------------------

5.6.3 PART VIII B - BASIC PRICE OF UNLICENSED MEDICINES**PAGE 295**

Betamethasone valerate 0.1% ointment 50% in STD Unguentum M cream			30g	25358	6
--	--	--	-----	-------	---

PAGE 296

Chlorothiazide 200mg/5ml oral suspension	AF, LF, SF		150ml	38806	53
--	------------	--	-------	-------	----

PAGE 298

Hydralazine 10mg/5ml oral suspension	SF, LF, AF, NSF		100ml	23028	35
--------------------------------------	-----------------	--	-------	-------	----

PAGE 300

Melatonin 4mg/5ml oral suspension	STD, SF, LF, AF		150ml	32099	1
-----------------------------------	-----------------	--	-------	-------	---

Melatonin 5mg/5ml oral solution alcohol free	AF		100ml	2146	5
--	----	--	-------	------	---

Melatonin 5mg/5ml oral suspension alcohol free	AF		100ml	2107	2
---	----	--	-------	------	---

PAGE 302

Spirolactone 25mg/5ml oral solution	SF		100ml	25183	61
-------------------------------------	----	--	-------	-------	----

PREFACE

5.6.4 PART IXA - APPLIANCES

- Products marked with this symbol must be dispensed with a supply of wipes and disposal bags

PAGE 320 - BLADDER INSTILLATION

Hyaluronic Acid

Instylan (contains 80mg of sodium hyaluronate) 50ml 4800

PAGE 336 - CATHETERS, URINARY, URETHRAL

(B)(ii)(a) Foley Catheter - 2 Way For Long Term Use - Adult

LINC Medical Systems Ltd

LINC All Silicone Catheter with integral balloon, glycerine filled syringe and a syringe of lidocaine/chlorhexidine

lubricant gel

pack of 1

(Standard) (08501410-OTG) 10 14 557

(Female) (08501410F-OTG) 10 14 557

PAGE 361 - DRESSINGS

Wound Management Dressings

Cavity Dressing

Exufiber 1cm x 45cm 165

PAGE 398

Soft Silicone Wound Contact Dressing with Polyurethane Foam Film Backing - Sterile

With Silicone Adhesive Border

Mepilex Border Comfort 10cm x 20cm 372

10cm x 30cm 558

PAGE 399

Tegaderm Silicone Foam Border

15cm x 17cm 470

16.5cm x 16.5cm 593

18.5cm x 22cm 599

PAGE 418 - EYE PRODUCTS

Eye Drops - Sodium Hyaluronate

Aeon Repair (10ml preservative free bottle) 400

PAGE 425 - HYPODERMIC EQUIPMENT

Needles for Pre-filled and Reusable Pen Injectors

pack of 100

Microdot Dual Safety Pen Needles 4mm/31 gauge 2500

PAGE 428

Lancets - Sterile, Single-Use

Microdot HiFlow 2.2mm/21 gauge 200 950

(Cambridge Sensors Ltd)

PAGE 509 - OSCILLATING POSITIVE EXPIRATORY PRESSURE DEVICE

RC-Cornet Plus 3853

PAGE 514 - PRESSURE OFFLOADING DEVICE

Knee Pressure Offloading Device

Action Reliever

Left, Right, Medial, Lateral Size 1-8 19500

PREFACE

PAGE 540 - TRACHEOSTOMY AND LARYNGECTOMY APPLIANCES

Tracheostomy Breathing Aids
 pack of 30

■Humidotwin		46460	6600
-------------	--	-------	------

PAGE 549

Tracheostomy and Laryngectomy Protectors
 FreeVent Tracheofix see Provox Tracheofix

5.6.5 PART IXC - STOMA APPLIANCES

▲ Products marked with this symbol qualify for the stoma customisation fee

PAGE 704 - COLOSTOMY BAGS

Salts Healthcare
 Confidence BE
 Closed pouches with soft water repellent cover on bodyside, hydrophobic protected filter and dual thickness
 Flexifit wafer containing Aloe Vera extracts

Transparent Standard starter hole				
Stone	13-75mm	BT1375ST	30	9015
Large starter hole				
Stone	13-75mm	BLT1375ST	30	9015

Closed pouches with soft water repellent cover on both sides, hydrophobic protected filter and dual thickness
 Flexifit wafer containing Aloe Vera extracts

Overlap Standard starter hole				
Black	13-75mm	B1375B	30	9015
Stone	13-75mm	B1375ST	30	9015
White	13-75mm	B1375W	30	9015
Large starter hole				
Black	13-75mm	BL1375B	30	9015
Stone	13-75mm	BL1375ST	30	9015
White	13-75mm	BL1375W	30	9015

PAGE 772 - ILEOSTOMY (DRAINABLE) BAGS

Salts Healthcare
 Confidence BE
 Drainable pouches with soft water repellent cover on bodyside, hydrophobic protected filter, dual thickness
 Flexifit wafer containing Aloe Vera extracts and easy-open hidden outlet

Transparent Standard starter hole				
Stone	13-75mm	BDT1375ST	30	10140
Large starter hole				
Stone	13-75mm	BDLT1375ST	30	10140

PREFACE

Drainable pouches with soft water repellent cover on both sides, hydrophobic protected filter, dual thickness Flexifit wafer containing Aloe Vera extracts and easy-open hidden outlet

Overlap
Standard
starter hole

Black	13-75mm	BD1375B	30	10140
Stone	13-75mm	BD1375ST	30	10140
White	13-75mm	BD1375W	30	10140

Large
starter hole

Black	13-75mm	BDL1375B	30	10140
Stone	13-75mm	BDL1375ST	30	10140
White	13-75mm	BDL1375W	30	10140

PAGE 798 - SKIN PROTECTORS (WAFERS, BLANKETS, FOAM PADS, WASHERS)

Oakmed Ltd	Option Slim Seals 20mm	WM-500	10	1966
------------	---------------------------	--------	----	------

PAGE 847 - TWO PIECE OSTOMY SYSTEMS

Pelican Healthcare Ltd	▲ Pelican Platinum 2 piece convex baseplate 60mm ring cut-to-fit 15-40mm	600015C	5	1995
	pre-cut 20mm	600020C	5	1995
	25mm	600025C	5	1995
	30mm	600030C	5	1995
	35mm	600035C	5	1995
	40mm	600040C	5	1995
	80mm ring cut-to-fit 15-60mm	800015C	5	1995

5.6.6 PART XV - BORDERLINE SUBSTANCES
PAGE 909 - LIST A

Altrajuce

For the dietary management of disease-related malnutrition, short bowel syndrome, intractable malabsorption, pre-operative preparation of patients who are undernourished, patients with proven inflammatory bowel disease, following total gastrectomy, bowel fistulae.

PAGE 910

Aymes Actasolve Delight

For the dietary management of short-bowel syndrome, intractable malabsorption, pre-operative preparation of patients who are undernourished, proven inflammatory bowel disease, following total gastrectomy, bowel fistulae and disease related malnutrition.

Aymes Actasolve Delight Starter Pack

For the dietary management of short-bowel syndrome, intractable malabsorption, pre-operative preparation of patients who are undernourished, proven inflammatory bowel disease, following total gastrectomy, bowel fistulae and disease related malnutrition.

PAGE 915

Foodlink Complete Compact

For the dietary management of disease-related malnutrition.

PREFACE

PAGE 918

Fresubin 2kcal HP

For the dietary management of short bowel syndrome, intractable malabsorption, pre-operative preparation of patients who are undernourished, patients with proven inflammatory bowel disease, following total gastrectomy, bowel fistulae, disease related malnutrition and dysphagia.

PAGE 925

Glytactin 20/20

For the dietary management of phenylketonuria

PAGE 929

Low-protein Products

Mevalia low-protein cookies

Mevalia low-protein lattis

PAGE 931

Mevalia PKU Motion 10 (Red Fruits and Tropical flavours)

For the dietary management of phenylketonuria.

Mevalia PKU Motion 20 (Red Fruits and Tropical flavours)

For the dietary management of phenylketonuria.

PAGE 939

PKU Go

For the dietary management of phenylketonuria in children from 9 months to 10 years of age.

5.7 DELETIONS FROM NOVEMBER 2019 DRUG TARIFF**5.7.1 PART II - REQUIREMENTS ENABLING PAYMENTS TO BE MADE FOR THE SUPPLY OF DRUGS, APPLIANCES AND CHEMICAL REAGENTS****PAGE 17 - DRUGS FOR WHICH DISCOUNT IS NOT DEDUCTED**

Individual Items

Granocyte 13million unit powder and solvent for solution for injection vials

Granocyte 34million unit powder and solvent for solution for injection vials

PAGE 19

MMA PA Anamix Infant powder

PAGE 20

Neocate Active powder

Ondemet 4mg tablets

PAGE 23

Sodium chloride 0.18% / Glucose 4% infusion 1litre Macoflex bags

5.7.2 PART VIII A - BASIC PRICES OF DRUGS

- Special Container
- Item requiring reconstitution

PAGE 180

Cefaclor 125mg/5ml oral suspension sugar free	●	100 ml	516	C	<i>Keftid</i>
Cefaclor 250mg capsules		21	680	C	<i>Keftid</i>

PREFACE

Cefaclor 250mg/5ml oral suspension sugar free	●	100 ml	1032	C	<i>Keftid</i>
PAGE 181					
Chlordiazepoxide 10mg tablets		100	4950	C	<i>A A H Pharmaceuticals Ltd</i>
PAGE 185					
Clobetasol 500micrograms/g foam	■	100 g	1106	C	<i>Clarelux</i>
PAGE 198					
Dipyridamole 200mg modified-release / Aspirin 25mg capsules		100 (2x■50)	935	C	<i>Molita</i>
PAGE 210					
Fluocinolone acetonide 0.0025% cream	■	50 g	458	C	<i>Synalar 1 in 10 Dilution</i>
PAGE 230					
Leuporelin 22.5mg powder and solvent for suspension for injection vials	■	1	19186	C	<i>Lutrate</i>
Leuporelin 3.75mg powder and solvent for suspension for injection vials	■	1	6395	C	<i>Lutrate</i>
PAGE 268					
Salbutamol 2.5mg/2.5ml / Ipratropium bromide 500micrograms/2.5ml nebuliser liquid ampoules		60	1750	C	<i>Salipraneb</i>
5.7.3 PART IXA - APPLIANCES					
PAGE 328 - CATHETERS, URINARY, URETHRAL					
(A)(ii) Nélaton Catheter ('ordinary' cylindrical Catheter) Single use Peak Medical Ltd Peak Medical Ltd UltraSmooth Plus Hydrophilic Catheter pack of 25					
(Paediatric)		(USP3006-USP3010)		6-10	2375
PAGE 372 - DRESSINGS					
Wound Management Dressings Polyurethane Foam Film Dressing - Sterile - With Adhesive Border Moderate to heavily exuding wounds ActivHeal Foam Contact					
Square	15cm x 15cm	(wound contact pad 12.5cm x 12.5cm + border 1.25cm)			416
PAGE 423 - HYPODERMIC EQUIPMENT					
Reusable Pens For Insulin					
NovoPen 4 (Blue)		3.0ml	1 unit (1-60 units)		2686
(Silver) (Novo Nordisk)		3.0ml	1 unit (1-60 units)		2686

PREFACE

PAGE 542 - TRACHEOSTOMY AND LARYNGECTOMY APPLIANCESTracheostomy Breathing Aids
Provox FreeHands HME System

Filter Cassette

7712 220

5.7.4 PART XV - BORDERLINE SUBSTANCES**PAGE 936 - LIST A**

Pepdite 1+

For the dietary management of disaccharide and/or whole protein intolerance, or where amino acids or peptides are indicated in conjunction with MCT.

Pepdite 1+ (Banana Flavour)

Whole protein intolerance, or where amino acids or peptides are indicated in conjunction with MCT.

5.8 OTHER CHANGES TO NOVEMBER 2019 DRUG TARIFF**5.8.1 PART VIIIA - BASIC PRICES OF DRUGS****■ Special Container****PAGE 216**

Glucose 40% oral gel	75 g (3x■25)	716	C
----------------------	-----------------	-----	---

Now Reads

Glucose 40% oral gel	75 g (3x■25)	716	C	<i>GlucoGel</i>
----------------------	-----------------	-----	---	-----------------

PAGE 239

Melatonin 1mg/ml oral solution sugar free	150 ml	13000	C	<i>Colonis Pharma Ltd</i>
--	--------	-------	---	---------------------------

Now Reads

Melatonin 1mg/ml oral solution sugar free	150 ml	13000	A
--	--------	-------	---

Melatonin 3mg tablets	30	6500	C	<i>Colonis Pharma Ltd</i>
-----------------------	----	------	---	---------------------------

Now Reads

Melatonin 3mg tablets	30	6500	A
-----------------------	----	------	---

5.8.2 PART VIIIB - BASIC PRICE OF UNLICENSED MEDICINES**PAGE 295**

Arginine 2g/5ml oral solution	STD, SF, CF, NSF, AF, FF	250ml	6873	14
-------------------------------	-----------------------------	-------	------	----

Now Reads

Arginine 2g/5ml oral solution	STD, SF, CF, NSF, AF, FF, LF	250ml	5847	23
-------------------------------	---------------------------------	-------	------	----

PAGE 296

Chloral hydrate 500mg/5ml oral solution	STD, SF, CF, NSF, FF, AF, LF	100ml	1663	2
---	---------------------------------	-------	------	---

PREFACE

Now Reads

Chloral hydrate 500mg/5ml oral solution	STD, SF, CF, NSF, FF, AF, LF, PF	100ml	1637	2
---	-------------------------------------	-------	------	---

Clopidogrel 75mg/5ml oral suspension	STD, SF, NSF, AF	100ml	5743	35
--------------------------------------	------------------	-------	------	----

Now Reads

Clopidogrel 75mg/5ml oral suspension	STD, SF, NSF, AF, FF	100ml	5002	40
--------------------------------------	----------------------	-------	------	----

Coal tar solution 6% / Salicylic acid 2% in ointment	STD, All bases	100g	4562	2
--	----------------	------	------	---

Now Reads

Coal tar solution 6% / Salicylic acid 2% in ointment	STD, All bases, PF	100g	4588	7
--	--------------------	------	------	---

PAGE 300

Melatonin 10mg/5ml oral solution	STD, SF, LF, CF, NSF, FF	100ml	4935	3
----------------------------------	-----------------------------	-------	------	---

Now Reads

Melatonin 10mg/5ml oral solution	STD, SF, LF, CF, NSF, FF, AF	100ml	4469	1
----------------------------------	---------------------------------	-------	------	---

Melatonin 2mg/5ml oral suspension	STD, SF, LF, CF, NSF, AF	100ml	4310	4
-----------------------------------	-----------------------------	-------	------	---

Now Reads

Melatonin 2mg/5ml oral suspension	STD, SF, LF, CF, NSF, AF, FF	100ml	4041	1
-----------------------------------	---------------------------------	-------	------	---

Nadolol 20mg/5ml oral suspension	STD, SF, LF, CF, NSF, AF	100ml	10321	13
----------------------------------	-----------------------------	-------	-------	----

Now Reads

Nadolol 20mg/5ml oral suspension	STD, SF, LF, CF, NSF, AF, FF	100ml	10479	1
----------------------------------	---------------------------------	-------	-------	---

PAGE 302

Quetiapine 25mg/5ml oral suspension	STD, SF, LF, CF, NSF, AF	150ml	3540	22
-------------------------------------	-----------------------------	-------	------	----

Now Reads

Quetiapine 25mg/5ml oral suspension	STD, SF, LF, CF, NSF, AF, FF	150ml	3390	22
-------------------------------------	---------------------------------	-------	------	----

PAGE 303

Venlafaxine 75mg/5ml oral solution	STD, SF, LF, CF, NSF	150ml	5701	33
------------------------------------	----------------------	-------	------	----

Now Reads

Venlafaxine 75mg/5ml oral solution	STD, SF, LF, CF, NSF, FF	150ml	5735	28
------------------------------------	-----------------------------	-------	------	----

PREFACE
PAGE 304

Zonisamide 50mg/5ml oral suspension	STD, SF, LF, CF, NSF, AF	200ml	11572	5
Now Reads				
Zonisamide 50mg/5ml oral suspension	STD, SF, LF, CF, NSF, AF, FF	200ml	9485	8
Zopiclone 3.75mg/5ml oral solution	STD, SF, LF, CF, AF, NSF	150ml	3313	8
Now Reads				
Zopiclone 3.75mg/5ml oral solution	STD, SF, LF, CF, AF, NSF, FF	150ml	3081	8

5.8.3 PART IXA - APPLIANCES

- **Products marked with this symbol must be dispensed with a supply of wipes and disposal bags**

PAGE 307 - ANAL IRRIGATION SYSTEM

Aquaflush Actif Irrigation Cone System (CS Bullen Ltd)				
■ Starter Set			AFAS	7700
(Contains 1 water bag, 1 pump, 1 hook for water bag, 1 extension tube, 5 cones wrapped in glove/disposal bag, 1 strap, 1 washbag)				
■ Monthly Set			AFAM	9900
(Contains 1 water bag, 1 pump, 1 hook for water bag, 15 cones wrapped in glove/disposal bag)				
Now Reads				
Aquaflush Actif Irrigation Cone System				
■ Starter Set			AFAS	7700
(Contains 1 water bag, 1 pump, 1 hook for water bag, 1 extension tube, 5 cones wrapped in glove/disposal bag, 1 strap, 1 washbag)				
■ Monthly Set			AFAM	9900
(Contains 1 water bag, 1 pump, 1 hook for water bag, 15 cones wrapped in glove/disposal bag)				
Aquaflush Compact System (CS Bullen Ltd)				
■ Starter Set			AFCS	3395
(Contains 1 pump, 5 cones, 5 glove/disposal bags, 1 wash bag)				
■ Monthly Set			AFCM	5800
(Contains 1 pump, 15 cones, 15 glove/disposal bags)				
Now Reads				
Aquaflush Compact System				
■ Starter Set			AFCS	3395
(Contains 1 pump, 5 cones, 5 glove/disposal bags, 1 wash bag)				
■ Monthly Set			AFCM	5800
(Contains 1 pump, 15 cones, 15 glove/disposal bags)				
Aquaflush Compact+ System (CS Bullen Ltd)				
■ Starter Set			AFPCS	3395
(Contains 1 pump, 5 cones, 5 disposal bags, 5 lubricant sachets, 1 wash bag, 1 extension tube)				
■ Monthly Set			AFCPM	5800
(Contains 1 pump, 15 cones, 15 disposal bags, 15 lubricant sachets)				
Now Reads				
Aquaflush Compact+ System				
■ Starter Set			AFPCS	3395
(Contains 1 pump, 5 cones, 5 disposal bags, 5 lubricant sachets, 1 wash bag, 1 extension tube)				
■ Monthly Set			AFCPM	5800
(Contains 1 pump, 15 cones, 15 disposal bags, 15 lubricant sachets)				

PREFACE

Aquaflush Lite System (CS Bullen Ltd)			
▪ Starter Set	AFLS	7300	
(Contains 1 water bag, 1 pump, 1 hook for water bag, 1 extension tube, 7 cones, 7 lubricant sachets, 1 washbag)			
▪ Monthly Set	AFLM	9500	
(Contains 1 water bag, 1 pump, 16 cones, 16 lubricant sachets)			
▪ Refill Pack	AFLA	5800	
(Contains 15 cones, 15 lubricant sachets)			

Now Reads

Aquaflush Lite System			
▪ Starter Set	AFLS	7300	
(Contains 1 water bag, 1 pump, 1 hook for water bag, 1 extension tube, 7 cones, 7 lubricant sachets, 1 washbag)			
▪ Monthly Set	AFLM	9500	
(Contains 1 water bag, 1 pump, 16 cones, 16 lubricant sachets)			
▪ Refill Pack	AFLA	5800	
(Contains 15 cones, 15 lubricant sachets)			

Aquaflush Quick System (CS Bullen Ltd)			
▪ Starter Set	AFQS	7700	
(Contains 1 water bag, 1 pump, 1 hook for water bag, 1 extension tube, 5 cones, 5 glove/disposal bags, 1 strap, 1 washbag)			
▪ Monthly Set	AFQM	9900	
(Contains 1 water bag, 1 pump, 15 cones, 15 glove/disposal bags)			

Now Reads

Aquaflush Quick System			
▪ Starter Set	AFQS	7700	
(Contains 1 water bag, 1 pump, 1 hook for water bag, 1 extension tube, 5 cones, 5 glove/disposal bags, 1 strap, 1 washbag)			
▪ Monthly Set	AFQM	9900	
(Contains 1 water bag, 1 pump, 15 cones, 15 glove/disposal bags)			

PAGE 417 - EYE PRODUCTS

Eye Drops - Hypromellose

Ocufresh (formerly Hypromellose 0.3% (Blumont Healthcare Ltd))

Now Reads

Ocufresh

PAGE 429 - HYPODERMIC EQUIPMENT

Lancets - Sterile, Single-Use

OneTouch Delica (Lifescan UK)	0.32mm/30 gauge	200	585
-------------------------------	-----------------	-----	-----

Now Reads

OneTouch Delica Plus (formerly OneTouch Delica) (Lifescan UK)	0.32mm/30 gauge	200	585
---	-----------------	-----	-----

PAGE 467 - LYMPHOEDEMA GARMENTS

Jobst Opaque

Class 1 (18-21mmHg)

Thigh High Closed Toe Standard Width with Soft Silicone Band	Petite, Regular	I, II, III, IV, V, VI	5252
Thigh High Closed Toe Wide Width with Soft Silicone Band	Petite, Regular	I, II, III, IV, V, VI	5252
Thigh High Open Toe Standard Width with Silicone Band	Petite, Regular	I, II, III, IV, V, VI	5252
Thigh High Open Toe Wide Width with Silicone Band	Petite, Regular	I, II, III, IV, V, VI	5252

PREFACE

Now Reads

Thigh High Closed Toe Standard Width with Sensitive Band (formerly Thigh High Closed Toe Standard Width with Soft Silicone Band)	Petite, Regular	I, II, III, IV, V, VI	5252
Thigh High Closed Toe Wide Width with Sensitive Band (formerly Thigh High Closed Toe Wide Width with Soft Silicone Band)	Petite, Regular	I, II, III, IV, V, VI	5252
Thigh High Open Toe Standard Width with Sensitive Band (formerly Thigh High Open Toe Standard Width with Silicone Band)	Petite, Regular	I, II, III, IV, V, VI	5252
Thigh High Open Toe Wide Width with Sensitive Band (formerly Thigh High Open Toe Wide Width with Silicone Band)	Petite, Regular	I, II, III, IV, V, VI	5252

Class 2 (23-32mmHg)

Thigh High Closed Toe Standard Width with Soft Silicone Band	Petite, Regular	I, II, III, IV, V, VI	5252
Thigh High Closed Toe Wide Width with Soft Silicone Band	Petite, Regular	I, II, III, IV, V, VI	5252
Thigh High Open Toe Standard Width with Silicone Band	Petite, Regular	I, II, III, IV, V, VI	5252
Thigh High Open Toe Wide Width with Silicone Band	Petite, Regular	I, II, III, IV, V, VI	5252

Now Reads

Thigh High Closed Toe Standard Width with Sensitive Band (formerly Thigh High Closed Toe Standard Width with Soft Silicone Band)	Petite, Regular	I, II, III, IV, V, VI	5252
Thigh High Closed Toe Wide Width with Sensitive Band (formerly Thigh High Closed Toe Wide Width with Soft Silicone Band)	Petite, Regular	I, II, III, IV, V, VI	5252
Thigh High Open Toe Standard Width with Sensitive Band (formerly Thigh High Open Toe Standard Width with Silicone Band)	Petite, Regular	I, II, III, IV, V, VI	5252
Thigh High Open Toe Wide Width with Sensitive Band (formerly Thigh High Open Toe Wide Width with Silicone Band)	Petite, Regular	I, II, III, IV, V, VI	5252

PAGE 468

Jobst UltraSheer

Class 1 (18-21mmHg)

Thigh High Closed Toe Standard Width with Soft Silicone Band	Petite, Regular	I, II, III, IV, V, VI	5243
Thigh High Closed Toe Wide Width with Soft Silicone Band	Petite, Regular	I, II, III, IV, V, VI	5243
Thigh High Open Toe Standard Width with Soft Silicone Band	Petite, Regular	I, II, III, IV, V, VI	5243
Thigh High Open Toe Wide Width with Soft Silicone Band	Petite, Regular	I, II, III, IV, V, VI	5243

Now Reads

Thigh High Closed Toe Standard Width with Sensitive Band (formerly Thigh High Closed Toe Standard Width with Soft Silicone Band)	Petite, Regular	I, II, III, IV, V, VI	5243
Thigh High Closed Toe Wide Width with Sensitive Band (formerly Thigh High Closed Toe Wide Width with Soft Silicone Band)	Petite, Regular	I, II, III, IV, V, VI	5243
Thigh High Open Toe Standard Width with Soft Silicone Band	Petite, Regular	I, II, III, IV, V, VI	5243
Thigh High Open Toe Wide Width with Sensitive Band (formerly Thigh High Open Toe Wide Width with Soft Silicone Band)	Petite, Regular	I, II, III, IV, V, VI	5243

PREFACE

Class 2 (23-32mmHg)				
Thigh High Closed Toe Standard Width with Soft Silicone Band	Petite, Regular	I, II, III, IV, V, VI		5243
Thigh High Closed Toe Wide Width with Soft Silicone Band	Petite, Regular	I, II, III, IV, V, VI		5243
Thigh High Open Toe Standard Width with Soft Silicone Band	Petite, Regular	I, II, III, IV, V, VI		5243
Thigh High Open Toe Wide Width with Soft Silicone Band	Petite, Regular	I, II, III, IV, V, VI		5243
Now Reads				
Thigh High Closed Toe Standard Width with Sensitive Band (formerly Thigh High Closed Toe Standard Width with Soft Silicone Band)	Petite, Regular	I, II, III, IV, V, VI		5243
Thigh High Closed Toe Wide Width with Sensitive Band (formerly Thigh High Closed Toe Wide Width with Soft Silicone Band)	Petite, Regular	I, II, III, IV, V, VI		5243
Thigh High Open Toe Standard Width with Sensitive Band (formerly Thigh High Open Toe Standard Width with Soft Silicone Band)	Petite, Regular	I, II, III, IV, V, VI		5243
Thigh High Open Toe Wide Width with Sensitive Band (formerly Thigh High Open Toe Wide Width with Soft Silicone Band)	Petite, Regular	I, II, III, IV, V, VI		5243

PAGE 547 - TRACHEOSTOMY AND LARYNGECTOMY APPLIANCES

Tracheostomy Cleaning Devices

■ SpiroTect Tube Cleaning Swabs (Prosys International Ltd)	PTA300	pack of 50 908
--	--------	-------------------

Now Reads

■ SpiroTect Tube Cleaning Swabs (Kapitex Healthcare Ltd)(formerly ProSys International Ltd)	PTA300	pack of 50 908
---	--------	-------------------

PAGE 550

Tracheostomy and Laryngectomy Protectors

FreeVent Tracheofix			pack of 10
Beige	55mm x 60mm (1 strip)	1429H	445
	55mm x 60mm (2 strips)	1432H	446
	70mm x 70mm (1 strip)	1430H	445
	70mm x 70mm (2 strips)	1433H	446
Ivory	55mm x 60mm (1 strip)	1427	445
	70mm x 70mm (1 strip)	1428	445
	70mm x 70mm (2 strips)	1435	446

Now Reads

Provox Tracheofix (formerly FreeVent Tracheofix)			pack of 10
Beige	55mm x 60mm (1 strip)	1429H	445
	55mm x 60mm (2 strips)	1432H	446
	70mm x 70mm (1 strip)	1430H	445
	70mm x 70mm (2 strips)	1433H	446
Ivory	55mm x 60mm (1 strip)	1427	445
	70mm x 70mm (1 strip)	1428	445
	70mm x 70mm (2 strips)	1435	446

5.8.4 PART XV - BORDERLINE SUBSTANCES**PAGE 917 - LIST A**

Fresubin 1000 Complete

For use as the sole source of nutrition or as a necessary nutritional supplement prescribed on medical grounds for:

Short bowel syndrome, intractable malabsorption, pre-operative preparation of patients who are undernourished, patients with proven inflammatory bowel disease, following total gastrectomy, dysphagia, bowel fistula, disease-related malnutrition. Not to be prescribed for any child under one year; use with caution for young children up to five years of age.

PREFACE

Now Reads

Fresubin 1000 Complete

For use as the sole source of nutrition or as a necessary nutritional supplement prescribed on medical grounds for:

Short bowel syndrome, intractable malabsorption, pre-operative preparation of patients who are undernourished, patients with proven inflammatory bowel disease, following total gastrectomy, dysphagia, bowel fistula, disease-related malnutrition. Not to be prescribed for any child under three years; use with caution for young children up to six years of age.

Fresubin 1200 Complete

For use as the sole source of nutrition or as a necessary nutritional supplement prescribed on medical grounds for:

Short bowel syndrome, intractable malabsorption, pre-operative preparation of patients who are undernourished, patients with proven inflammatory bowel disease, following total gastrectomy, bowel fistulae, disease-related malnutrition. Not to be prescribed for any child under five years of age.

Now Reads

Fresubin 1200 Complete

For use as the sole source of nutrition or as a necessary nutritional supplement prescribed on medical grounds for:

Short bowel syndrome, intractable malabsorption, pre-operative preparation of patients who are undernourished, patients with proven inflammatory bowel disease, following total gastrectomy, bowel fistulae, disease-related malnutrition. Not to be prescribed for any child under three years of age; use with caution for young children up to six years of age.

Fresubin 1500 Complete

For use as the sole source of nutrition or as a necessary nutritional supplement prescribed on medical grounds for:

Short bowel syndrome, intractable malabsorption, proven inflammatory bowel disease, following total gastrectomy, dysphagia, disease-related malnutrition. Not to be prescribed for any child under two years; use with caution for children up to five years.

Now Reads

Fresubin 1500 Complete

For use as the sole source of nutrition or as a necessary nutritional supplement prescribed on medical grounds for:

Short bowel syndrome, intractable malabsorption, proven inflammatory bowel disease, following total gastrectomy, dysphagia, disease-related malnutrition. Not to be prescribed for any child under three years; use with caution for young children up to six years of age.

Fresubin 1800 Complete

For use as the sole source of nutrition or as a necessary nutritional supplement prescribed on medical grounds for:

Short bowel syndrome, intractable malabsorption, pre-operative preparation of patients who are undernourished, patients with proven inflammatory bowel disease, following total gastrectomy, bowel fistulae, disease-related malnutrition. Not to be prescribed for any child under five years of age.

Now Reads

Fresubin 1800 Complete

For use as the sole source of nutrition or as a necessary nutritional supplement prescribed on medical grounds for:

Short bowel syndrome, intractable malabsorption, pre-operative preparation of patients who are undernourished, patients with proven inflammatory bowel disease, following total gastrectomy, bowel fistulae, disease-related malnutrition. Not to be prescribed for any child under three years; use with caution for young children up to six years of age.

PAGE 918**Fresubin 2250 Complete**

For use as the sole source of nutrition or as a necessary nutritional supplement prescribed on medical grounds for:

Short bowel syndrome, intractable malabsorption, pre-operative preparation of patients who are undernourished, patients with proven inflammatory bowel disease, following total gastrectomy, dysphagia, bowel fistulae, disease-related malnutrition. Not to be prescribed for any child under one year; use with caution for young children up to five years of age.

Now Reads**Fresubin 2250 Complete**

For use as the sole source of nutrition or as a necessary nutritional supplement prescribed on medical grounds for:

Short bowel syndrome, intractable malabsorption, pre-operative preparation of patients who are undernourished, patients with proven inflammatory bowel disease, following total gastrectomy, dysphagia, bowel fistulae, disease-related malnutrition. Not to be prescribed for any child under three years; use with caution for young children up to six years of age.

Fresubin 2kcal Creme

For the dietary management of short bowel syndrome, intractable malabsorption, pre-operative preparation of patients who are undernourished, patients with proven inflammatory bowel disease, following total gastrectomy, bowel fistulae, disease related malnutrition, dysphagia, continuous ambulatory peritoneal dialysis (CAPD) and haemodialysis.

Now Reads**Fresubin 2kcal Creme**

For the dietary management of short bowel syndrome, intractable malabsorption, pre-operative preparation of patients who are undernourished, patients with proven inflammatory bowel disease, following total gastrectomy, bowel fistulae, disease related malnutrition, dysphagia, continuous ambulatory peritoneal dialysis (CAPD) and haemodialysis. Not to be prescribed for any child under three years; use with caution for young children up to six years of age.

Fresubin 2kcal Drink

For use as a source of nutrition or as a nutritional supplement for patients with disease related malnutrition, short bowel syndrome, intractable malabsorption, proven inflammatory bowel disease, dysphagia, bowel fistulae, CAPD, haemodialysis, total gastrectomy and for pre-operative preparation of patients who are malnourished.

Now Reads**Fresubin 2kcal Drink**

For use as a source of nutrition or as a nutritional supplement for patients with disease related malnutrition, short bowel syndrome, intractable malabsorption, proven inflammatory bowel disease, dysphagia, bowel fistulae, CAPD, haemodialysis, total gastrectomy and for pre-operative preparation of patients who are malnourished. Not to be prescribed for any child under three years; use with caution for young children up to six years of age.

Fresubin 2kcal Drink Starter Pack

For use as a source of nutrition or as a nutritional supplement for patients with disease related malnutrition, short bowel syndrome, intractable malabsorption, proven inflammatory bowel disease, dysphagia, bowel fistulae, CAPD, haemodialysis, total gastrectomy and for pre-operative preparation of patients who are malnourished.

Now Reads**Fresubin 2kcal Drink Starter Pack**

For use as a source of nutrition or as a nutritional supplement for patients with disease related malnutrition, short bowel syndrome, intractable malabsorption, proven inflammatory bowel disease, dysphagia, bowel fistulae, CAPD, haemodialysis, total gastrectomy and for pre-operative preparation of patients who are malnourished. Not to be prescribed for any child under three years; use with caution for young children up to six years of age.

PREFACE

Fresubin 2kcal Fibre Drink

For use as a source of nutrition or as a nutritional supplement for patients with disease related malnutrition, short bowel syndrome, intractable malabsorption, proven inflammatory bowel disease, dysphagia, bowel fistulae, CAPD, haemodialysis, total gastrectomy and for pre-operative preparation of patients who are malnourished.

Now Reads**Fresubin 2kcal Fibre Drink**

For use as a source of nutrition or as a nutritional supplement for patients with disease related malnutrition, short bowel syndrome, intractable malabsorption, proven inflammatory bowel disease, dysphagia, bowel fistulae, CAPD, haemodialysis, total gastrectomy and for pre-operative preparation of patients who are malnourished. Not to be prescribed for any child under three years; use with caution for young children up to six years of age.

Fresubin 2kcal Fibre Mini Drink

For use as a source of nutrition or as a nutritional supplement for patients with disease related malnutrition, short bowel syndrome, intractable malabsorption, proven inflammatory bowel disease, dysphagia, bowel fistulae, CAPD, haemodialysis, total gastrectomy and for pre-operative preparation of patients who are malnourished.

Now Reads**Fresubin 2kcal Fibre Mini Drink**

For use as a source of nutrition or as a nutritional supplement for patients with disease related malnutrition, short bowel syndrome, intractable malabsorption, proven inflammatory bowel disease, dysphagia, bowel fistulae, CAPD, haemodialysis, total gastrectomy and for pre-operative preparation of patients who are malnourished. Not to be prescribed for any child under three years; use with caution for young children up to six years of age.

Fresubin 2kcal HP Fibre

For the dietary management of patients with or at risk of disease related malnutrition, short bowel syndrome, intractable malabsorption, pre-operative preparation of patients who are undernourished, patients with proven inflammatory bowel disease, following total gastrectomy, bowel fistulae, dysphagia.

Now Reads**Fresubin 2kcal HP Fibre**

For the dietary management of patients with or at risk of disease related malnutrition, short bowel syndrome, intractable malabsorption, pre-operative preparation of patients who are undernourished, patients with proven inflammatory bowel disease, following total gastrectomy, bowel fistulae, dysphagia. Not to be prescribed for any child under one year; use with caution for young children up to six years of age.

Fresubin 2kcal Mini Drink

For use as a source of nutrition or as a nutritional supplement for patients with disease related malnutrition, short bowel syndrome, intractable malabsorption, proven inflammatory bowel disease, dysphagia, bowel fistulae, CAPD, haemodialysis, total gastrectomy and for pre-operative preparation of patients who are malnourished.

Now Reads**Fresubin 2kcal Mini Drink**

For use as a source of nutrition or as a nutritional supplement for patients with disease related malnutrition, short bowel syndrome, intractable malabsorption, proven inflammatory bowel disease, dysphagia, bowel fistulae, CAPD, haemodialysis, total gastrectomy and for pre-operative preparation of patients who are malnourished. Not to be prescribed for any child under three years; use with caution for young children up to six years of age.

Fresubin 3.2kcal Drink

For the dietary management of disease related malnutrition, short bowel syndrome, intractable malabsorption, pre-operative preparation of patients who are undernourished, patients with proven inflammatory bowel disease, following total gastrectomy, bowel fistulae, dysphagia.

Now Reads

Fresubin 3.2kcal Drink

For the dietary management of disease related malnutrition, short bowel syndrome, intractable malabsorption, pre-operative preparation of patients who are undernourished, patients with proven inflammatory bowel disease, following total gastrectomy, bowel fistulae, dysphagia. Not to be prescribed for any child under three years; use with caution for young children up to six years of age.

PAGE 919

Fresubin 5kcal Shot

Approved for disease related malnutrition malabsorption states or other conditions requiring fortification with a high fat supplement with or without fluid or electrolyte restrictions.

Now Reads

Fresubin 5kcal Shot

Approved for disease related malnutrition malabsorption states or other conditions requiring fortification with a high fat supplement with or without fluid or electrolyte restrictions. Not to be prescribed for any child under three years.

Fresubin Dessert Fruit

For the dietary management of patients with or at risk of disease related malnutrition, short-bowel syndrome, pre-operative patients who are undernourished, inflammatory bowel disease, following total gastrectomy, bowel fistulae and dysphagia.

Now Reads

Fresubin Dessert Fruit

For the dietary management of patients with or at risk of disease related malnutrition, short-bowel syndrome, pre-operative patients who are undernourished, inflammatory bowel disease, following total gastrectomy, bowel fistulae and dysphagia. Not to be prescribed for any child under three years; use with caution for young children up to six years of age.

PAGE 920

Fresubin Energy

For use as the sole source of nutrition or as a necessary nutritional supplement prescribed on medical grounds for:

Short bowel syndrome, intractable malabsorption, pre-operative preparation of patients who are undernourished, patients with proven inflammatory bowel disease, following total gastrectomy, dysphagia, bowel fistulae, disease-related malnutrition. Not to be prescribed for any child under one year; use with caution for young children up to five years of age.

Now Reads

Fresubin Energy

For use as the sole source of nutrition or as a necessary nutritional supplement prescribed on medical grounds for:

Short bowel syndrome, intractable malabsorption, pre-operative preparation of patients who are undernourished, patients with proven inflammatory bowel disease, following total gastrectomy, dysphagia, bowel fistulae, disease-related malnutrition. Not to be prescribed for any child under three years; use with caution for young children up to six years of age.

Fresubin Energy Fibre Sip Feed

For use as the sole source of nutrition or as a necessary nutritional supplement prescribed on medical grounds for:

Short bowel syndrome, intractable malabsorption, pre-operative preparation of patients who are undernourished, patients with proven inflammatory bowel disease, following total gastrectomy, dysphagia, bowel fistulae, disease-related malnutrition. Not to be prescribed for any child under one year; use with caution for young children up to five years of age.

PREFACE

Now Reads**Fresubin Energy Fibre Sip Feed**

For use as the sole source of nutrition or as a necessary nutritional supplement prescribed on medical grounds for:

Short bowel syndrome, intractable malabsorption, pre-operative preparation of patients who are undernourished, patients with proven inflammatory bowel disease, following total gastrectomy, dysphagia, bowel fistulae, disease-related malnutrition. Not to be prescribed for any child under three years; use with caution for young children up to six years of age.

Fresubin Energy Fibre (Neutral) Tube Feed

For use as the sole source of nutrition or as a necessary nutritional supplement prescribed on medical grounds for:

Short bowel syndrome, intractable malabsorption, pre-operative preparation of patients who are undernourished, patients with proven inflammatory bowel disease, following total gastrectomy, dysphagia, bowel fistulae, disease-related malnutrition. Not to be prescribed for any child under one year; use with caution for young children up to five years of age.

Now Reads**Fresubin Energy Fibre (Neutral) Tube Feed**

For use as the sole source of nutrition or as a necessary nutritional supplement prescribed on medical grounds for:

Short bowel syndrome, intractable malabsorption, pre-operative preparation of patients who are undernourished, patients with proven inflammatory bowel disease, following total gastrectomy, dysphagia, bowel fistulae, disease-related malnutrition. Not to be prescribed for any child under three years; use with caution for young children up to six years of age.

Fresubin Energy Starter Pack

For use as the sole source of nutrition or as a necessary nutritional supplement prescribed on medical grounds for:

Short bowel syndrome, intractable malabsorption, pre-operative preparation of patients who are undernourished, patients with proven inflammatory bowel disease, following total gastrectomy, dysphagia, bowel fistulae, disease-related malnutrition. Not to be prescribed for any child under one year; use with caution for young children up to five years of age.

Now Reads**Fresubin Energy Starter Pack**

For use as the sole source of nutrition or as a necessary nutritional supplement prescribed on medical grounds for:

Short bowel syndrome, intractable malabsorption, pre-operative preparation of patients who are undernourished, patients with proven inflammatory bowel disease, following total gastrectomy, dysphagia, bowel fistulae, disease-related malnutrition. Not to be prescribed for any child under three years; use with caution for young children up to six years of age.

Fresubin HP Energy

As a necessary nutritional supplement prescribed on medical grounds for:

Short bowel syndrome, intractable malabsorption, pre-operative preparation of patients who are undernourished, patients with proven inflammatory bowel disease, following total gastrectomy, dysphagia, bowel fistulae, disease-related malnutrition continuous ambulatory peritoneal dialysis (CAPD), and haemodialysis. Not to be prescribed for any child under one year; use with caution for young children up to five years of age.

Now Reads**Fresubin HP Energy**

As a necessary nutritional supplement prescribed on medical grounds for:

Short bowel syndrome, intractable malabsorption, pre-operative preparation of patients who are undernourished, patients with proven inflammatory bowel disease, following total gastrectomy, dysphagia, bowel fistulae, disease-related malnutrition continuous ambulatory peritoneal dialysis (CAPD), and haemodialysis. Not to be prescribed for any child under one year; use with caution for young children up to six years of age.

Fresubin HP Energy Fibre

For the dietary management of short bowel syndrome, intractable malabsorption, pre-operative preparation of patients who are undernourished, patients with proven inflammatory bowel disease, following total gastrectomy, bowel fistulae, disease related malnutrition, continuous ambulatory peritoneal dialysis (CAPD) and haemodialysis.

Now Reads**Fresubin HP Energy Fibre**

For the dietary management of short bowel syndrome, intractable malabsorption, pre-operative preparation of patients who are undernourished, patients with proven inflammatory bowel disease, following total gastrectomy, bowel fistulae, disease related malnutrition, continuous ambulatory peritoneal dialysis (CAPD) and haemodialysis. Not to be prescribed for any child under three years; use with caution for young children up to six years of age.

Fresubin Jucy Drink

For the dietary management of patients with or at risk of malnutrition for the following indications: Short bowel syndrome, intractable malabsorption, pre-operative preparation of undernourished patients, inflammatory bowel disease, total gastrectomy, dysphagia, bowel fistulae, haemodialysis, continuous ambulatory peritoneal dialysis and disease related malnutrition.

Now Reads**Fresubin Jucy Drink**

For the dietary management of patients with or at risk of malnutrition for the following indications: Short bowel syndrome, intractable malabsorption, pre-operative preparation of undernourished patients, inflammatory bowel disease, total gastrectomy, dysphagia, bowel fistulae, haemodialysis, continuous ambulatory peritoneal dialysis and disease related malnutrition. Not to be prescribed for any child under three years; use with caution for young children up to six years of age.

Fresubin Jucy Drink Starter Pack

For the dietary management of patients with or at risk of malnutrition for the following indications: Short bowel syndrome, intractable malabsorption, pre-operative preparation of undernourished patients, inflammatory bowel disease, total gastrectomy, dysphagia, bowel fistulae, haemodialysis, continuous ambulatory peritoneal dialysis and disease related malnutrition.

Now Reads**Fresubin Jucy Drink Starter Pack**

For the dietary management of patients with or at risk of malnutrition for the following indications: Short bowel syndrome, intractable malabsorption, pre-operative preparation of undernourished patients, inflammatory bowel disease, total gastrectomy, dysphagia, bowel fistulae, haemodialysis, continuous ambulatory peritoneal dialysis and disease related malnutrition. Not to be prescribed for any child under three years; use with caution for young children up to six years of age.

PAGE 921**Fresubin Original Drink And Fresubin Original Tube Feed**

For use as the sole source of nutrition or as a necessary nutritional supplement prescribed on medical grounds for:

Short bowel syndrome, intractable malabsorption, pre-operative preparation of patients who are undernourished, patients with proven inflammatory bowel disease, following total gastrectomy, dysphagia, bowel fistulae, disease-related malnutrition and Refsum's Disease. Not to be prescribed for any child under one year; use with caution for young children up to five years of age.

Now Reads**Fresubin Original Drink And Fresubin Original Tube Feed**

For use as the sole source of nutrition or as a necessary nutritional supplement prescribed on medical grounds for:

Short bowel syndrome, intractable malabsorption, pre-operative preparation of patients who are undernourished, patients with proven inflammatory bowel disease, following total gastrectomy, dysphagia, bowel fistulae, disease-related malnutrition and Refsum's Disease. Not to be prescribed for any child under three years; use with caution for young children up to six years of age.

PREFACE

Fresubin Original Fibre

For use as the sole source of nutrition or as a necessary nutritional supplement prescribed on medical grounds for:

Short bowel syndrome, intractable malabsorption, proven inflammatory bowel disease, following total gastrectomy, dysphagia, disease-related malnutrition. Not to be prescribed for any child under two years; use with caution for children up to five years.

Now Reads**Fresubin Original Fibre**

For use as the sole source of nutrition or as a necessary nutritional supplement prescribed on medical grounds for:

Short bowel syndrome, intractable malabsorption, proven inflammatory bowel disease, following total gastrectomy, dysphagia, disease-related malnutrition. Not to be prescribed for any child under three years; use with caution for children up to six years of age.

Fresubin Powder Extra

For the dietary management of patients with or at risk of malnutrition for the following ACBS indications: short bowel syndrome, intractable malabsorption, pre-operative preparation of undernourished patients, inflammatory bowel disease, total gastrectomy, bowel fistulae, dysphagia and disease related malnutrition.

Now Reads**Fresubin Powder Extra**

For the dietary management of patients with or at risk of malnutrition for the following ACBS indications: short bowel syndrome, intractable malabsorption, pre-operative preparation of undernourished patients, inflammatory bowel disease, total gastrectomy, bowel fistulae, dysphagia and disease related malnutrition. Not to be prescribed for any child under three years; use with caution for young children up to six years of age.

Fresubin Powder Extra Starter Pack

For the dietary management of patients with or at risk of malnutrition for the following ACBS indications: short bowel syndrome, intractable malabsorption, pre-operative preparation of undernourished patients, inflammatory bowel disease, total gastrectomy, bowel fistulae, dysphagia and disease related malnutrition.

Now Reads**Fresubin Powder Extra Starter Pack**

For the dietary management of patients with or at risk of malnutrition for the following ACBS indications: short bowel syndrome, intractable malabsorption, pre-operative preparation of undernourished patients, inflammatory bowel disease, total gastrectomy, bowel fistulae, dysphagia and disease related malnutrition. Not to be prescribed for any child under three years; use with caution for young children up to six years of age.

Fresubin Protein Energy Drink

As a necessary nutritional supplement prescribed on medical grounds for:

Short bowel syndrome, intractable malabsorption, pre-operative preparation of patients who are undernourished, patients with proven inflammatory bowel disease, following total gastrectomy, dysphagia, bowel fistulae, disease-related malnutrition, continuous ambulatory peritoneal dialysis (CAPD) and haemodialysis. Not to be prescribed for any child under one year; use with caution for young children up to five years of age.

Now Reads**Fresubin Protein Energy Drink**

As a necessary nutritional supplement prescribed on medical grounds for:

Short bowel syndrome, intractable malabsorption, pre-operative preparation of patients who are undernourished, patients with proven inflammatory bowel disease, following total gastrectomy, dysphagia, bowel fistulae, disease-related malnutrition, continuous ambulatory peritoneal dialysis (CAPD) and haemodialysis. Not to be prescribed for any child under three years; use with caution for young children up to six years of age.

PREFACE

Fresubin Soya Fibre

For use as the sole source of nutrition or as a necessary nutritional supplement prescribed on medical grounds for:

Short bowel syndrome, intractable malabsorption, pre-operative preparation of patients who are malnourished, patients with proven inflammatory bowel disease, following total gastrectomy, bowel fistulae, disease-related malnutrition and for cow's milk protein intolerance and lactose intolerance.

Now Reads**Fresubin Soya Fibre**

For use as the sole source of nutrition or as a necessary nutritional supplement prescribed on medical grounds for:

Short bowel syndrome, intractable malabsorption, pre-operative preparation of patients who are malnourished, patients with proven inflammatory bowel disease, following total gastrectomy, bowel fistulae, disease-related malnutrition and for cow's milk protein intolerance and lactose intolerance. Not to be prescribed for any child under three years; use with caution for young children up to six years of age.

Fresubin Thickened

Approved for patients with dysphagia and patients with disease related malnutrition.

Now Reads**Fresubin Thickened (Level 2 And Level 3)(Formerly Fresubin Thickened)**

Approved for patients with dysphagia and patients with disease related malnutrition. Not to be prescribed for any child under three years; use with caution for young children up to six years of age.

Fresubin Yocreme (Apricot-peach, Biscuit, Lemon And Raspberry)

Approved for the dietary management of patients with or at risk of malnutrition in particular with increased energy or protein needs or dysphagia.

Now Reads**Fresubin Yocreme (Apricot-peach, Biscuit, Lemon And Raspberry)**

Approved for the dietary management of patients with or at risk of malnutrition in particular with increased energy or protein needs or dysphagia. Not to be prescribed for any child under three years; use with caution for young children up to six years of age.

Fresubin Yodrink

For the dietary management of patients with or at risk of malnutrition who are not able to meet their nutritional requirements from ordinary foods alone. Includes elderly patients, patients with chronic wasting disease (cancer, HIV/AIDS), peri-operative patients, further patients with evidence based indication for oral nutritional supplementation (eg pre- and post-organ transplantation, inflammatory bowel disease).

Now Reads**Fresubin Yodrink**

For the dietary management of patients with or at risk of malnutrition who are not able to meet their nutritional requirements from ordinary foods alone. Includes elderly patients, patients with chronic wasting disease (cancer, HIV/AIDS), peri-operative patients, further patients with evidence based indication for oral nutritional supplementation (eg pre- and post-organ transplantation, inflammatory bowel disease). Not to be prescribed for any child under three years; use with caution for young children up to six years of age.

PAGE 933**Nutlis Complete Drink Level 3 (Formerly Nutlis Complete Stage 1)**

Approved for dysphagia, short bowel syndrome, intractable malabsorption, pre-operative preparation of undernourished patients, inflammatory bowel disease, total gastrectomy, bowel fistulae, disease-related malnutrition.

Now Reads**Nutlis Complete Drink Level 3**

Approved for dysphagia, short bowel syndrome, intractable malabsorption, pre-operative preparation of undernourished patients, inflammatory bowel disease, total gastrectomy, bowel fistulae, disease-related malnutrition.

PREFACE

Nutlis Fruit Dessert Level 4 (Formerly Nutlis Fruit Stage 3)

Approved for short bowel syndrome, intractable malabsorption, pre-operative preparation of patients who are undernourished, patients with proven inflammatory bowel disease, following total gastrectomy, dysphagia, disease-related malnutrition, continuous ambulatory peritoneal dialysis (CAPD), haemodialysis.

Now Reads**Nutlis Fruit Dessert Level 4**

Approved for short bowel syndrome, intractable malabsorption, pre-operative preparation of patients who are undernourished, patients with proven inflammatory bowel disease, following total gastrectomy, dysphagia, disease-related malnutrition, continuous ambulatory peritoneal dialysis (CAPD), haemodialysis.

PAGE 943**Supportan Drink**

For the dietary management of patients with pancreatic cancer and patients with lung cancer undergoing chemotherapy. Not suitable for children under 1 year; use with caution in children 1-4 years.

Now Reads**Supportan Drink**

For the dietary management of patients with pancreatic cancer and patients with lung cancer undergoing chemotherapy. Not to be prescribed for any child under three years; use with caution for young children up to six years of age.

Survimed OPD

As a necessary nutritional supplement prescribed on medical grounds for:

Short bowel syndrome, intractable malabsorption, pre-operative preparation of patients who are undernourished, patients with proven inflammatory bowel disease, following total gastrectomy, dysphagia, bowel fistulae, disease-related malnutrition and/or growth failure. Not to be prescribed for any child under one year; use with caution for young children up to five years of age.

Now Reads**Survimed OPD**

As a necessary nutritional supplement prescribed on medical grounds for:

Short bowel syndrome, intractable malabsorption, pre-operative preparation of patients who are undernourished, patients with proven inflammatory bowel disease, following total gastrectomy, dysphagia, bowel fistulae, disease-related malnutrition and/or growth failure. Not to be prescribed for any child under three years; use with caution for young children up to six years of age.

Survimed OPD HN

Indication: For the dietary management of patients with or at risk of malnutrition for the following indications: Short bowel syndrome, intractable malabsorption, pre-operative preparation of undernourished patients, inflammatory bowel disease, total gastrectomy, dysphagia, bowel fistulae, haemodialysis, continuous ambulatory peritoneal dialysis and disease related malnutrition.

Now Reads**Survimed OPD HN**

Indication: For the dietary management of patients with or at risk of malnutrition for the following indications: Short bowel syndrome, intractable malabsorption, pre-operative preparation of undernourished patients, inflammatory bowel disease, total gastrectomy, dysphagia, bowel fistulae, haemodialysis, continuous ambulatory peritoneal dialysis and disease related malnutrition. Not to be prescribed for any child under three years; use with caution for young children up to six years of age.

Thick And Easy

Thickening of foods in dysphagia. Not to be prescribed for children under one year old except in cases of failure to thrive.

Now Reads**Thick And Easy Original (Formerly Thick And Easy)**

Thickening of foods in dysphagia. Not to be prescribed for children under one year old except in cases of failure to thrive.
