Part VIIIB

ARRANGEMENTS FOR PAYMENT FOR SPECIALS AND IMPORTED UNLICENSED MEDICINES

The arrangements laid out in this Part cover specials and imported unlicensed medicines (except for those specials and imported medicines listed in Part VIIIA)

Basic price of certain Specials and Imported unlicensed medicines

The price listed in respect of a drug specified in the following list is the basic price on which payment will be calculated pursuant to Part I Clause 5B 1 for the dispensing of that drug.

Drugs listed in this Part have a minimum quantity and price for that quantity and a price per subsequent ml/g/tab/cap unless in a special container.

The Secretary of State determines the price based on information submitted by manufacturers that hold Specials Manufacturers Licences issued by the Medicine and Healthcare products Regulatory Agency (MHRA).

Formulations - The Tariff covers the formulations specified. The following symbols are used in Part VIIIB.

STD Standard formulation including standard flavours

- SF Sugar free
- AF Alcohol free
- CF Colour free
- FF Flavour free
- LF Lactose free
- PF Preservative free
- NSF Non standard flavours
- Special Container
- Selected List Scheme (SLS) 8

Price - All unlicensed medicines are listed with a minimum quantity and corresponding price, which is payable for any amount prescribed up to the minimum quantity. Unless in a special container, subsequent quantities will be payable at the additional price per ml/g/tab/cap up to the total quantity prescribed.

The price of each product listed in this Part covers the formulations specified and this price will be paid regardless of how the product was sourced.

Arrangements for payment for all other Specials and Imported unlicensed medicines Prescriptions for <u>specials</u> not listed in this Part will be paid depending on how the special was sourced. Where the special has been sourced

- From a manufacturer holding a MHRA specials licence, the contractor will be paid the price endorsed on the prescription form. This price should be invoice price *less* any discount or rebate which may be linked to the procurement of this product.
- Under the manufacturing part of the Section 10 exemption from the Medicines Act 1968, the contractor will be paid the cost of the ingredients used to manufacture the special.

Prescriptions for imported unlicensed medicines not listed in this Part will be paid the price endorsed on the prescription form. This price should be invoice price *less* any discount or rebate which may be linked to the procurement of this product.

Endorsement requirements above Part II Clause 9

It is not necessary to endorse prescription forms for unlicensed medicines listed in this Part other than with the endorsement requirements outlined in Part II Clause 9. For products not listed in this Part, contractors shall endorse the form according to how the unlicensed medicine was sourced.

- Where the unlicensed medicine is manufactured under a specials licence or sourced under an importers licence issued by the MHRA, the contractor shall endorse the 1. pack size from which the order was supplied
 - invoice price per pack size from which the product was supplied less discount/rebates
 - manufacturer's/importer's licence number
 - batch number of the unlicensed medicine.
- Where the special has been prepared under the manufacturing part of the Section 10 exemption from the Medicines Act 1968, by the contractor or by a third party, the contractor shall endorse the names, 2. quantities and cost of the ingredients used in preparing the special.

Part VIIIB

ARRANGEMENTS FOR PAYMENT FOR SPECIALS AND IMPORTED UNLICENSED MEDICINES

Further requirements when supplying unlicensed medicines Contractors shall

а

- Keep the following records for 5 years:
 The source of the special or imported unlicensed product
 The person to whom and the date on which the special or imported unlicensed product was sold or supplied
- •
- The prescriber's details The quantity of each sale or supply The batch number of the special • •

b Make available these records for inspection by the Licensing Authority.

For specials not listed in this Part, the contractor or his representative must stamp, date, initial and endorse the Certificate of Analysis (COA)/Certificate of Conformity (COC) with the invoice price less discount and prescriber's details and retain the COA/COC for 5 years.

For imported unlicensed products not listed in this Part, the contractor or his representative shall make every reasonable effort to obtain a Certificate of Analysis (COA)/Certificate of Conformity (COC) for each imported product sourced and retain the COA/COC for 5 years.

- Where a COA/COC is available, the contractor must stamp, date, initial and endorse the COA/COC with the invoice price less discount and prescribers details.
- Where a COC/COA is not available, the contractor must stamp, date, initial and endorse the invoice with the invoice price less discount (where not clearly detailed by the supplier) and the prescriber's • details.

Part VIIIB

| Product | Formulations covered by tariff | Minimum volume | Price for minimum volume (p) | Price for each extra ml/g above minimum volume (p) |
|---|---------------------------------|-------------------|------------------------------------|--|
| Acetazolamide 250mg/5ml oral suspension | STD, SF, LF, CF, NSF, AF, FF | 100ml | 1514 | 2 |
| Acitretin 5mg/5ml oral suspension | STD, SF, LF, FF, AF | 60ml | 3761 | 35 |
| Allopurinol 100mg/5ml oral suspension | STD, SF, LF, CF, NSF, AF, FF | 150ml | 2190 | 1 |
| Allopurinol 300mg/5ml oral suspension | STD, SF, LF, CF, NSF, AF, FF | 100ml | 2250 | 12 |
| Amiodarone 100mg/5ml oral suspension | STD, SF, LF, CF, NSF, AF, FF | 100ml | 7454 | 40 |
| Amiodarone 50mg/5ml oral suspension | STD, SF, LF, CF, NSF, AF, FF | 100ml | 7312 | 1 |
| Antacid and Oxetacaine oral suspension | STD, SF, LF, CF, NSF, AF, FF | 150ml | 1490 | 10 |
| Arginine 2g/5ml oral solution | STD, SF, CF, NSF, AF, FF, LF | 250ml | 768 | 32 |
| Arginine 500mg/5ml oral solution | STD, SF, LF, CF, NSF, AF, FF | 200ml | 4852 | 16 |
| Atorvastatin 20mg/5ml oral suspension | STD, SF, NSF, AF, FF, CF, LF | 100ml | 3772 | 4 |
| Atropine 500micrograms/5ml oral solution | STD, SF, LF,CF | 100ml | 21013 | 15 |
| Azathioprine 100mg/5ml oral suspension | STD, SF, LF, CF, NSF, AF | 100ml | 4574 | 13 |
| Azathioprine 20mg/5ml oral suspension | STD, SF, LF, CF, AF, FF | 100ml | 8362 | 41 |
| Azathioprine 25mg/5ml oral suspension | STD, SF, LF, CF, NSF, AF, FF | 150ml | 6654 | 37 |
| Azathioprine 50mg/5ml oral suspension | STD, SF, LF, CF, NSF, AF, FF | 100ml | 2788 | 3 |
| Bendroflumethiazide 2.5mg/5ml oral suspension | | 150ml | 3390 | 1 |
| Betahistine 8mg/5ml oral suspension | STD, SF, LF, CF, NSF, AF, FF | 200ml | 8511 | 4 |
| Betamethasone valerate 0.1% ointment 50% i Jnguentum M cream | | 30g | 18975 | 1 |
| Bisacodyl 10mg/30ml enema | STD | ∎37ml | 3457 | |
| Bisacodyl 2.5mg/5ml oral suspension | STD, SF, LF, AF, FF | 100ml | 5410 | 1 |
| Bisacodyl 2.74mg/ml rectal solution | STD, LF, CF, AF, FF, PF, SF | 200ml | 1670 | 6 |
| Bisoprolol 1.25mg/5ml oral solution | STD, SF, LF, FF, AF, CF | 100ml | 17264 | 38 |
| Bisoprolol 1.25mg/5ml oral suspension | STD, SF, LF, CF, NSF, AF, FF | 100ml | 5501 | 12 |
| Bisoprolol 2.5mg/5ml oral solution | STD, SF, LF, CF, AF, FF, NSF | 150ml | 1777 | 7 |
| Bisoprolol 2.5mg/5ml oral suspension | STD, SF, LF, NSF, AF, CF, FF | 100ml | 4966 | 5 |
| Bisoprolol 5mg/5ml oral solution | STD, SF, LF, AF, CF, FF | 150ml | 3235 | 7 |
| Bisoprolol 5mg/5ml oral suspension | STD, SF, LF, NSF, AF | 100ml | 2723 | 5 |

| Price for each ext ml/g abov minimu volume (j | Price for minimum volume (p) | Minimum volume | Formulations covered by tariff | Product |
|---|------------------------------------|-------------------|-------------------------------------|---|
| | 1978 | 100ml | STD, SF, LF, CF, NSF, AF, FF | Calcium carbonate 500mg/5ml oral suspension |
| 1 | 3315 | 150ml | , | Calcium carbonate 600mg/5ml oral suspension |
| | 8622 | 150ml | STD, SF, LF, CF, NSF, AF, FF | Carbimazole 10mg/5ml oral suspension |
| | 5148 | 100ml | STD, SF, LF, CF, NSF, AF | Carvedilol 5mg/5ml oral suspension |
| 2 | 7952 | 100ml | STD, SF, LF, CF, NSF, FF, AF | Chloral hydrate 1g/5ml oral solution |
| | 1121 | 100ml | STD, SF, CF, NSF, FF, AF, LF, PF | Chloral hydrate 500mg/5ml oral solution |
| | Э. | d at this price | , , | Any prescription for chloral hydrate 500mg/5ml |
| | 4938 | 100ml | STD, SF, LF, CF, NSF, AF | Chlorothiazide 150mg/5ml oral suspension |
| | 9828 | 100ml | STD, SF, LF, AF | Chlorothiazide 25mg/5ml oral suspension |
| 4 | 8384 | 150ml | AF, LF, SF, STD | Chlorothiazide 200mg/5ml oral suspension |
| | 2895 | 50ml | STD, SF, LF, CF, NSF, FF, AF | Chlorothiazide 250mg/5ml oral suspension |
| | 998 | ■0.4ml | PF | Ciclosporin 0.05% eye drops 0.4ml unit dose preservative free |
| | 4836 | ■3.5g | STD | Ciclosporin 0.2% eye ointment |
| | 4902 | ■ 3.5g | PF | Ciclosporin 0.2% eye ointment preservative free |
| | 3011 | 100ml | STD, SF, LF, CF, NSF, AF, FF | Clindamycin 75mg/5ml oral suspension |
| 1 | 17419 | 100ml | STD, SF,CF, NSF, AF | Clomipramine 50mg/5ml oral suspension |
| Ę | 1126 | 10ml | STD, SF, CF | Clonazepam 2.5mg/ml drops |
| | 3536 | 100ml | STD, SF, LF, CF, NSF, AF, FF | Clopidogrel 1mg/1ml oral suspension |
| 2 | 3662 | 150ml | STD, SF, LF, CF, AF, NSF | Clopidogrel 75mg/5ml oral solution |
| 1 | 4336 | 100ml | STD, SF, NSF, AF, FF, CF. LF | Clopidogrel 75mg/5ml oral suspension |
| | 9078 | 100g | All bases, STD | Coal tar 10% ointment |
| 5 | 17004 | 100g | All bases, STD | Coal tar 5% ointment |
| 3 | 8832 | 100g | STD | Coal tar solution 5% in Betamethasone valerate 0.025% ointment |
| | 8281 | 100g | STD, All bases, PF | Coal tar solution 6% / Salicylic acid 2% in ointment |
| | 3615 | 100ml | nSTD, SF, LF, CF, NSF, AF, FF | Co-careldopa 12.5mg/50mg/5ml oral suspensio |
| | 2450 | 100ml | , | Co-careldopa 25mg/100mg/5ml oral suspensior |
| | 3381 | 100g | STD | Coconut oil 25% ointment |
| | 1153 | 150ml | STD, SF, LF, CF, NSF, FF, AF | Co-dydramol 10mg/500mg/5ml oral suspension |
| | 7431 | 20ml | STD, SF, LF, AF, FF | Colecalciferol 10,000units/5ml oral solution |

| MEDICINES | | | | | | |
|--|------------------------------------|-------------------|---------------------------------|---|--|--|
| Price f each ext ml/g abov minimu volume (| Price for minimum volume (p) | Minimum volume | Formulations covered by tariff | Product | | |
| | 14989 | 30ml | STD, SF, LF, CF, NSF | Colecalciferol 20,000units/ml oral solution | | |
| | 3765 | 20ml | STD, SF, LF, AF, FF | Colecalciferol 5,000units/5ml oral solution | | |
| | 3188 | 100ml | STD, NSF, AF | Cyclizine 50mg/5ml oral suspension | | |
| | 11968 | 100ml | STD, SF, LF, CF, NSF, AF, FF | Dantrolene 10mg/5ml oral suspension | | |
| | 1319 | 100ml | STD, SF, LF, CF, NSF, AF, FF | Dantrolene 100mg/5ml oral suspension | | |
| | 2238 | 100ml | STD, SF, LF, NSF, FF, AF | Dantrolene 25mg/5ml oral suspension | | |
| | 4036 | 30ml | STD, SF, LF, CF, NSF, FF, AF | Diazoxide 250mg/5ml oral suspension | | |
| 2 | 4423 | 100ml | STD, SF, LF, CF, NSF, FF, AF | Diazoxide 50mg/5ml oral suspension | | |
| | 7897 | 150ml | STD, SF, LF, AF, FF | Diclofenac 50mg/5ml oral suspension | | |
| : | 1976 | 30g | STD | Diltiazem 2% cream | | |
| | 1198 | 30g | STD | Diltiazem 2% ointment | | |
| | 1476 | 100ml | STD, SF, NSF, AF | Diltiazem 60mg/5ml oral suspension | | |
| | 8102 | 500ml | STD, SF, LF, CF, FF, AF | Dosulepin 25mg/5ml oral solution | | |
| | 6059 | 150ml | STD, SF, LF, CF, FF, AF | Dosulepin 75mg/5ml oral solution | | |
| 4 | 7298 | 150ml | STD, SF, LF, CF, AF, NSF | Doxazosin 1mg/5ml oral solution | | |
| | 9375 | 100ml | STD, SF, LF, CF, NSF | Doxazosin 1mg/5ml oral suspension | | |
| 3 | 5179 | 150ml | STD, SF, LF, CF, AF, NSF | Doxazosin 4mg/5ml oral solution | | |
| | 7851 | 150ml | STD, SF, NSF | Doxazosin 4mg/5ml oral suspension | | |
| | 4287 | 150ml | STD, SF, AF, CF, FF, LF, NSF | Enalapril 1.25mg/5ml oral suspension | | |
| | 2086 | 100ml | STD, SF, AF, FF, LF, NSF | Enalapril 10mg/5ml oral suspension | | |
| | 7016 | 150ml | STD, SF, LF, CF, AF, FF | Enalapril 5mg/5ml oral solution | | |
| | 3727 | 75ml | STD, SF, LF, CF, NSF, FF, AF | Enalapril 5mg/5ml oral suspension | | |
| | 2179 | 100ml | STD | Eosin 2% solution | | |
| | 4513 | 100ml | STD, SF, LF, CF, AF, FF | Ergocalciferol 1,000units/5ml oral solution | | |
| 2 | 2499 | 100ml | STD, SF, LF, CF, NSF, AF, FF | Ergocalciferol 10,000units/5ml oral solution | | |
| | 2048 | 20ml | STD, SF, LF, CF, NSF, AF, FF | Ergocalciferol 100,000units/5ml oral solution | | |
| 2 | 4288 | 60ml | STD, SF, LF, CF, NSF, AF, FF | Ergocalciferol 3,000units/ml oral solution | | |
| | 4256 | 100ml | STD, SF, LF, CF, NSF, | Ergocalciferol 6,000units/5ml oral solution | | |

Part VIIIB

| Price fo each extr ml/g abov minimur volume (p | Price for minimum volume (p) | Minimum volume | Formulations covered by tariff | Product |
|--|------------------------------------|-------------------|-------------------------------------|---|
| | 1991 | 100ml | STD, SF, LF, NSF, FF, CF, AF | Ferrous sulfate 60mg/5ml oral solution |
| 1 | 2131 | 100ml | STD, SF, LF, AF, FF | Flecainide 10mg/5ml oral suspension |
| | 5239 | 300ml | STD, SF, LF, CF, NSF, AF, FF, PF | Flecainide 25mg/5ml oral solution |
| | 2051 | 200ml | STD, SF, LF, CF, NSF, AF, FF, PF | Flecainide 25mg/5ml oral suspension |
| | 6071 | 100ml | STD, SF, LF, CF, NSF, AF, FF | Fludrocortisone 100micrograms/5ml oral suspension |
| 2 | 3916 | 100ml | STD, SF, LF, CF, NSF, AF, FF, PF | Fludrocortisone 50micrograms/5ml oral suspension |
| 8 | 18905 | 200ml | STD, AF, CF, FF, LF, NSF, PF, SF | Gabapentin 400mg/5ml suspension |
| | 1905 | 100ml | STD, SF, NSF, AF, CF, FF, LF | Gliclazide 40mg/5ml oral suspension |
| | 1546 | 150ml | STD, SF, LF, CF, NSF, AF, FF | Gliclazide 80mg/5ml oral suspension |
| | 2259 | 30g | STD | Glyceryl trinitrate 0.2% ointment |
| | 2506 | 500ml | STD, PF | Glycopyrronium bromide 0.05% topical solution |
| | 16450 | 30g | STD | Glycopyrronium bromide 2% in Cetomacrogol cream (Formula A) |
| | 9513 | 100ml | nSTD, SF, LF, CF, NSF, AF, FF | Glycopyrronium bromide 2.5mg/5ml oral solutio |
| | 2602 | 200ml | STD, SF, LF, CF, NSF, AF, FF | Glycopyrronium bromide 2.5mg/5ml oral suspension |
| | 1271 | 100ml | STD, SF, LF, CF, NSF, AF, FF | Glycopyrronium bromide 200micrograms/5ml oral solution |
| | 1516 | 100ml | STD, SF, LF, CF, NSF, AF, FF | Glycopyrronium bromide 200micrograms/5ml oral suspension |
| | 3119 | 100ml | STD, SF, LF, CF, NSF, AF, FF | Glycopyrronium bromide 5mg/5ml oral solution |
| 1 | 854 | 50ml | STD, SF, LF, CF, NSF, AF, FF | Glycopyrronium bromide 5mg/5ml oral suspension |
| | 2677 | 100ml | STD, SF, LF, CF, NSF, AF, FF | Glycopyrronium bromide 500micrograms/5ml oral solution |
| | 3086 | 300ml | STD, SF, LF, CF, NSF, AF, FF | Glycopyrronium bromide 500micrograms/5ml oral suspension |
| 1 | 6935 | 100ml | STD, SF, LF, CF, NSF, AF | Griseofulvin 125mg/5ml oral suspension |
| | 6957 | 100ml | STD, SF, LF, CF, NSF, AF | Griseofulvin 175mg/5ml oral suspension |
| 6 | 13745 | 100ml | SF, LF, AF, NSF, STD | Hydralazine 10mg/5ml oral suspension |
| | 2962 | 100ml | STD, SF, LF, CF, NSF, AF, FF | Hydrocortisone 10mg/5ml oral suspension |
| 1 | 1212 | 100ml | STD, SF, LF, CF, NSF, AF, FF | Hydrocortisone 5mg/5ml oral suspension |
| | 5160 | 30g | STD | Hydroquinone 4% cream |
| | 2200 | 100ml | n STD, SF, CF, NSF, AF, FF | Hydroxychloroquine 200mg/5ml oral suspensior |
| | 16821 | 100ml | STD, SF, AF, NSF | Hydroxyzine 10mg/5ml oral suspension |

Part VIIIB

| Price fe each ext ml/g abov minimu volume (| Price for minimum volume (p) | Minimum volume | Formulations covered by tariff | Product |
|---|------------------------------------|-------------------|----------------------------------|---|
| | 4439 | 100ml | STD, SF, AF, CF, FF, LF | Hyoscine butylbromide 10mg/5ml oral solution |
| | 3017 | 100ml | STD, NSF, AF, CF, FF, LF | Hyoscine butylbromide 10mg/5ml oral suspension |
| | 1449 | 100ml | | Hyoscine hydrobromide 300micrograms/5ml ora solution |
| 1 | 1387 | 100ml | | Hyoscine hydrobromide 300micrograms/5ml ora suspension |
| 1 | 1748 | 100ml | , | Hyoscine hydrobromide 500micrograms/5ml ora solution |
| | 1223 | 100ml | | Hyoscine hydrobromide 500micrograms/5ml ora suspension |
| | 1768 | ∎10ml | STD, PF | Hypromellose 0.25% eye drops |
| | 23765 | 150ml | STD, SF | Indapamide 2.5mg/5ml oral suspension |
| | 3442 | 100ml | STD, SF, NSF, AF, FF, LF | Indometacin 25mg/5ml oral suspension |
| | 3043 | 500ml | STD, SF, LF, CF, AF, NSF | Isoniazid 50mg/5ml oral solution |
| | 6279 | 100ml | STD, SF, LF, CF, NSF, AF, FF | Isosorbide mononitrate 20mg/5ml oral suspension |
| | 6133 | 200ml | STD, SF, LF, CF, NSF, FF, AF | Ketamine 50mg/5ml oral solution |
| | 4723 | 200ml | STD, SF, LF, CF, NSF | Ketamine 50mg/5ml oral suspension |
| | 4454 | 100ml | STD, SF, NSF, AF, FF, CF, LF | Lansoprazole 15mg/5ml oral suspension |
| | 2341 | 100ml | STD, SF, NSF, AF, CF, LF | Lansoprazole 30mg/5ml oral suspension |
| | 1780 | 100ml | STD, SF, LF, CF, NSF, AF, FF | Lansoprazole 5mg/5ml oral suspension |
| | 4505 | 100ml | STD, SF, LF, CF, NSF, AF, FF | Levomepromazine 2.5mg/5ml oral suspension |
| | 25790 | 100ml | STD, SF, AF, CF, FF, LF | Levomepromazine 6mg/5ml oral suspension |
| | 3834 | 15ml | STD | Lidocaine 2% gel |
| 2 | 3337 | 100ml | STD, SF, LF, CF, NSF, AF, FF | Lisinopril 20mg/5ml oral solution |
| : | 2862 | 100ml | STD, SF, LF, CF, NSF, AF, FF | Lisinopril 20mg/5ml oral suspension |
| | 1842 | 100ml | STD, SF, FF, NSF, AF, LF, CF | Loperamide 25mg/5ml oral solution |
| | 5321 | 100ml | STD, SF, LF, CF, NSF, AF, FF | Loperamide 25mg/5ml oral suspension |
| | 3939 | 150ml | STD, SF, LF, CF, NSF, AF | Lorazepam 1mg/5ml oral solution |
| | 4425 | 100ml | STD, SF, LF, CF, NSF, AF | Lorazepam 1mg/5ml oral suspension |
| | 2747 | 150ml | STD, SF, LF, CF, AF | Lorazepam 500micrograms/5ml oral solution |
| 2 | 6850 | 100ml | NSTD, SF, LF, CF, NSF, FF, AF | Lorazepam 500micrograms/5ml oral suspension |

| duct | Formulations covered by tariff | Minimum Price fo volume minimu volume (j | m each extr |
|---|-------------------------------------|--|-------------|
| artan 50mg/5ml oral suspension | STD, SF, LF, CF, NSF, AF | 150ml 33 ⁻ | 1 |
| gnesium glycerophosphate (magnesium 2mg/5ml (4mmol/5ml)) oral solution | STD, SF, FF, AF, CF, LF | 200ml 242 | 26 |
| gnesium glycerophosphate (magnesium 2mg/5ml (4mmol/5ml)) oral suspension | STD, SF, LF, NSF, AF, FF | 100ml 176 | 5 |
| atonin 10mg/5ml oral solution | STD, SF, LF, CF, NSF, FF, AF | 100ml 270 | 14 |
| atonin 10mg/5ml oral suspension | STD, SF, LF, CF, NSF, AF | 100ml 271 | 8 |
| atonin 2mg/5ml oral solution | STD, SF, LF, CF, NSF, AF, FF | 100ml 216 | 8 |
| atonin 2mg/5ml oral suspension | STD, SF, LF, CF, NSF, AF, FF, PF | 100ml 334 | 9 |
| atonin 2.5mg/5ml oral solution | STD, SF, LF, CF, NSF, AF, FF | 100ml 157 | 7 1 |
| atonin 2.5mg/5ml oral suspension | STD, SF, LF, CF, NSF, AF, FF | 100ml 126 | 60 1 |
| atonin 3mg/5ml oral solution | STD, SF, LF, CF, NSF, FF, AF | 100ml 151 | 0 |
| atonin 3mg/5ml oral suspension | STD, SF, LF, NSF, AF | 100ml 286 | 8 |
| atonin 4mg/5ml oral suspension | STD, SF, LF, AF | 150ml 2491 | 4 |
| nadiol 5mg/5ml oral suspension | STD, SF, LF, CF, NSF, AF, FF | 30ml 277 | 8 |
| captamine hydrochloride 0.55% eye drops servative free | PF | ■10ml 617 | '9 |
| hylphenidate 5mg/5ml oral suspension | STD, SF, LF, CF, NSF, AF, FF | 150ml 398 | 0 |
| oprolol 12.5mg/5ml oral solution | STD, SF, LF, CF, AF, NSF | 150ml 180 | 12 1 |
| oprolol 12.5mg/5ml oral suspension | STD, SF, AF | 100ml 62 | .4 |
| oprolol 50mg/5ml oral solution | STD, SF, LF, CF, AF, NSF | 150ml 500 | 12 3 |
| lolol 20mg/5ml oral suspension | STD, SF, LF, CF, NSF, AF, FF | 100ml 487 | '9 1 |
| lolol 30mg/5ml oral suspension | STD, SF, LF, AF, FF | 100ml 1542 | :0 |
| lolol 40mg/5ml oral suspension | STD, SF, NSF, AF | 100ml 473 | 9 |
| trexone 5mg/5ml oral solution | STD, SF, LF, CF, NSF, AF, FF | 100ml 1030 | 8 |
| trexone 5mg/5ml oral suspension | STD, SF, LF, CF, NSF, AF, FF | 100ml 1234 | 3 |
| proxen 200mg/5ml oral suspension | STD, SF, LF, CF, NSF, AF, FF | 100ml 248 | 6 |
| omycin 0.5% cream | STD | 15g 2804 | 1 |
| dipine 10mg/5ml oral suspension | STD, SF, LF, CF, NSF, AF, FF | 100ml 516 | i9 1 |
| dipine 5mg/5ml oral suspension | STD, SF, LF, CF, NSF, AF, FF | 100ml 576 | 6 |
| azepam 5mg/5ml oral suspension | STD, SF, LF, AF, FF, CF | 100ml 3283 | 2 |

| Price fo each extra ml/g above minimun volume (p | n Price for minimum volume (p) | Minimum volume | Formulations covered by tariff | Product |
|--|--------------------------------------|-------------------|-------------------------------------|---|
| 9 | 4592 | 70ml | STD, SF, LF, CF, NSF, AF, FF | Olanzapine 2.5mg/5ml oral suspension |
| : | 3079 | 100ml | STD, SF, LF, CF, NSF, AF, FF, PF | Omeprazole 40mg/5ml oral suspension |
| : | 2055 | 70ml | STD, SF, LF, CF, NSF, FF, AF, PF | Omeprazole 5mg/5ml oral suspension |
| 72 | 2321 | 10ml | STD | Paraldehyde 50% in Olive oil rectal solution |
| 23 | 3505 | 150ml | STD, SF, LF, CF | Perindopril erbumine 4mg/5ml oral solution |
| | 3733 | 100ml | STD, SF, LF, CF, NSF, AF, FF | Perindopril erbumine 4mg/5ml oral suspension |
| : | 5823 | 500ml | STD, SF, LF, CF, NSF, AF, FF | Phenytoin 90mg/5ml oral suspension |
| 3 | 3523 | 100ml | , | Phosphate 0.98mmol/ml / Sodium 0.78mmol/ml oral solution |
| 3 | 34760 | 100ml | STD, SF | Pizotifen 250micrograms/5ml oral solution |
| 2 | 6478 | 100ml | STD, SF, NSF | Pizotifen 250micrograms/5ml oral suspension |
| | 4650 | ∎10ml | STD, PF | Prednisolone sodium phosphate 0.03% eye drops |
| | 5574 | ∎10ml | STD, PF | Prednisolone sodium phosphate 0.05% eye drops |
| | 7397 | ∎10ml | sSTD, PF | Prednisolone sodium phosphate 0.1% eye drop |
| | 6743 | ■10ml | sSTD, PF | Prednisolone sodium phosphate 0.3% eye drop |
| | 4155 | ∎10ml | | Prednisolone sodium phosphate 1% eye drops preservative free |
| 23 | 12870 | 150ml | STD, SF, LF, AF, FF | Primidone 250mg/5ml oral suspension |
| : | 1407 | 150ml | STD, SF, LF, CF, NSF, AF, FF | Primidone 50mg/5ml oral suspension |
| | 2976 | 100ml | STD, SF, LF, CF, NSF | Primidone 62.5mg/5ml oral suspension |
| 3 | 12369 | 100g | STD | Propylene glycol 40% in Clobetasol 0.05% cream |
| | 373 | 100ml | STD, SF, LF, CF, NSF, AF, FF | Pyridostigmine bromide 20mg/5ml oral suspension |
| | 3982 | 50ml | STD, SF, LF, CF, NSF, AF, FF | Pyridostigmine bromide 30mg/5ml oral suspension |
| 5 | 3641 | 100ml | STD, SF, AF, NSF | Pyridostigmine bromide 50mg/5ml oral suspension |
| 3 | 7001 | 200ml | STD, SF, LF, NSF, AF, CF, FF | Pyridostigmine bromide 60mg/5ml oral suspension |
| : | 2151 | 100ml | STD, SF, LF, CF, AF, FF | Pyridoxine 100mg/5ml oral solution |
| 1 | 2763 | 50ml | STD, SF, LF, CF, NSF, AF, FF | Pyridoxine 100mg/5ml oral suspension |
| 1 | 2381 | 100ml | STD, SF, LF, CF, NSF, AF | Quetiapine 12.5mg/5ml oral suspension |
| 1 | 3710 | 150ml | STD, SF, LF, CF, NSF, AF, FF | Quetiapine 25mg/5ml oral suspension |
| 1 | 3227 | 100ml | STD, SF, LF, CF, NSF, AF | Quetiapine 50mg/5ml oral suspension |

| Product | Formulations covered by tariff | Minimum volume | Price for minimum volume (p) | Price fo each extra ml/g above minimum volume (p |
|---|-------------------------------------|-------------------|------------------------------------|--|
| Quinine sulfate 200mg/5ml oral suspension | STD, SF, AF, FF | 100ml | 4658 | 43 |
| Quinine sulfate 300mg/5ml oral suspension | STD, SF, LF, CF, NSF, FF, AF | 150ml | 3001 | 20 |
| Ranitidine 5mg/5ml oral solution | STD, SF, LF, CF, NSF, AF, FF, PF | 100ml | 3903 | 2 |
| Ranitidine 5mg/5ml oral suspension | STD, SF, LF, CF, NSF, AF, FF | 100ml | 2400 | |
| Riboflavin 120mg/5ml oral suspension | STD, SF, LF, NSF, AF, CF, FF | 100ml | 9741 | 53 |
| Salicylic acid 10% in Aqueous cream BP | STD | 100g | 3759 | |
| Salicylic acid 10% ointment | STD, All bases | 100g | 6375 | |
| Salicylic acid 20% ointment | All bases, STD | 100g | 3603 | |
| Salicylic acid 5% cream | STD | 100g | 3378 | 38 |
| Salicylic acid 5% ointment | All bases, STD | 100g | 4653 | 14 |
| Salicylic acid 2% in Aqueous cream BP | STD | 100g | 3390 | |
| Salicylic acid 2% / sulfur 2% in Aqueous cream | STD | 100g | 5931 | 12 |
| Sertraline 100mg/5ml oral suspension | STD, SF, LF, CF, NSF, AF, FF | 100ml | 3622 | 1: |
| Sertraline 25mg/5ml oral suspension | STD, SF, LF, AF, FF, CF, NSF | 150ml | 15981 | 2 |
| Sertraline 50mg/5ml oral suspension | STD, SF, LF, CF, NSF, FF, AF | 150ml | 1960 | |
| Sildenafil 10mg/5ml oral suspension | STD, SF, NSF, AF | 100ml | 7269 | |
| Sildenafil 25mg/5ml oral suspension | STD, SF, NSF, AF | 100ml | 10018 | 3 |
| Sodium benzoate 500mg/5ml oral solution | STD, SF, LF, CF, NSF, AF | 100ml | 1819 | 1 |
| Sodium chloride 1.17g/5ml (4mmol/ml) oral solution | STD, SF, LF, AF, CF, FF, PF | 100ml | 1135 | ; |
| Sodium chloride 1.5g/5ml (5.13mmol/ml) oral solution | STD, SF, LF, CF, AF, FF, PF | 100ml | 1386 | : |
| Sodium chloride 5% eye ointment | STD, PF | ∎5g | 5466 | |
| Sodium dihydrogen phosphate dihydrate 780m 5ml oral solution | g/STD, SF, LF, AF, FF, PF | 100ml | 3661 | : |
| Sotalol 25mg/5ml oral suspension | STD, SF, LF, CF, NSF, AF, FF | 200ml | 2014 | : |
| Spironolactone 100mg/5ml oral suspension | STD, SF, LF, CF, NSF, FF, AF | 125ml | 5189 | 1 |
| Spironolactone 10mg/5ml oral suspension | STD, SF, LF, CF, NSF, FF, AF | 125ml | 1579 | |
| Spironolactone 25mg/5ml oral solution | SF | 100ml | 20652 | |
| Spironolactone 25mg/5ml oral suspension | STD, SF, LF, NSF, FF, AF | 125ml | 1926 | : |
| Spironolactone 50mg/5ml oral suspension | STD, SF, LF, CF, NSF, AF, FF | 125ml | 2640 | |
| Spironolactone 5mg/5ml oral suspension | STD, SF, LF, CF, NSF, FF, AF | 125ml | 1550 | |

| Product | Formulations covered by tariff | Minimun volume | n Price for minimum volume (p) | Price fo each extra ml/g above minimum volume (p) |
|--|---------------------------------|-------------------|--------------------------------------|---|
| Sucralfate 2g/20ml enema | STD | 20ml | 471 | |
| Sucralfate 2g/50ml enema | STD | ∎50ml | 1596 | |
| Tamsulosin 400micrograms/5ml oral suspensio | n STD, SF | 100ml | 27231 | 18 |
| Terbinafine 250mg/5ml oral suspension | STD, SF, LF, CF, NSF, AF | 50ml | 2787 | 3 |
| Tetrabenazine 12.5mg/5ml oral suspension | STD, SF, LF, CF, NSF | 100ml | 3981 | 1 |
| Tetrabenazine 25mg/5ml oral suspension | STD, SF, LF, CF, NSF | 140ml | 3211 | 1 |
| Theophylline 50mg/5ml oral solution | STD, SF, LF, AF, CF, FF | 500ml | 11742 | 23 |
| Theophylline 50mg/5ml oral suspension | STD, SF, LF, AF | 500ml | 16633 | 17 |
| Thiamine 100mg/5ml oral solution | STD, SF, LF, AF, CF, FF | 100ml | 5841 | 27 |
| Thiamine 100mg/5ml oral suspension | STD, SF, LF, CF, NSF, AF, FF | 100ml | 1786 | 33 |
| Thiamine 50mg/5ml oral suspension | STD, SF, LF, CF, NSF, AF, FF | 100ml | 1937 | 3 |
| Tizanidine 2mg/5ml oral solution | STD, SF, LF, CF, NSF, AF, FF | 100ml | 504 | ŧ |
| Tizanidine 2mg/5ml oral suspension | STD, SF, LF, CF, NSF, FF, AF | 100ml | 1190 | 11 |
| Tolterodine 2mg/5ml oral suspension | STD, SF, NSF, AF, LF, FF | 100ml | 4162 | 29 |
| Topiramate 25mg/5ml oral suspension | STD, SF, LF, CF, NSF, AF, FF | 100ml | 902 | 8 |
| Tranexamic acid 250mg/5ml oral suspension | STD, LF, SF, AF, CF, FF | 60ml | 6360 | 17 |
| Tranexamic acid 5% mouthwash | STD, SF, LF, CF, NSF, AF, FF | 100ml | 3354 | 1 |
| Tranexamic acid 500mg/5ml oral solution | STD, SF, LF, NSF, FF, AF | 100ml | 2571 | 1 |
| Tranexamic acid 500mg/5ml oral suspension | STD, SF, NSF, AF, LF, CF, FF | 100ml | 2876 | 10 |
| Triamcinolone 0.1% oromucosal paste | STD | 5g | 8680 | 17 |
| Tricitrates oral solution | STD, SF | 500ml | 13416 | 27 |
| Venlafaxine 37.5mg/5ml oral solution | STD, SF, LF, CF, AF, FF | 150ml | 8351 | 49 |
| Venlafaxine 37.5mg/5ml oral suspension | STD, SF, NSF, AF, LF | 100ml | 3898 | 84 |
| Venlafaxine 75mg/5ml oral solution | STD, SF, LF, CF, NSF, FF, AF | 150ml | 4372 | 22 |
| Venlafaxine 75mg/5ml oral suspension | STD, SF, LF, CF, NSF, AF | 100ml | 4929 | 1' |
| Zinc and Salicylic acid paste BP | | 100g | 6915 | |
| Zinc oxide 15% and ichthammol 1% in yellow soft paraffin | STD | 200g | 2666 | 4 |
| Zonisamide 50mg/5ml oral suspension | STD, SF, LF, CF, NSF, AF, FF | 200ml | 9458 | 7 |

Part VIIIB

| Product | Formulations covered by tariff | Minimum volume | Price for minimum volume (p) | Price for each extra ml/g above minimum volume (p) |
|--------------------------------------|---------------------------------|-------------------|------------------------------------|--|
| Zopiclone 3.75mg/5ml oral solution | STD, SF, LF, CF, AF, NSF, FF | 150ml | 3321 | 7 |
| Zopiclone 3.75mg/5ml oral suspension | STD, SF, LF, CF, NSF, AF | 100ml | 3733 | 6 |
| Zopiclone 7.5mg/5ml oral solution | STD, SF, LF, CF, AF, FF | 100ml | 3931 | 39 |
| Zopiclone 7.5mg/5ml oral suspension | STD, SF, LF, CF, NSF, AF | 100ml | 6704 | 1 |