Part VIIIB

ARRANGEMENTS FOR PAYMENT FOR SPECIALS AND IMPORTED UNLICENSED MEDICINES

The arrangements laid out in this Part cover specials and imported unlicensed medicines (except for those specials and imported medicines listed in Part VIIIA)

Basic price of certain Specials and Imported unlicensed medicines

The price listed in respect of a drug specified in the following list is the basic price on which payment will be calculated pursuant to Part I Clause 5B 1 for the dispensing of that drug.

Drugs listed in this Part have a minimum quantity and price for that quantity and a price per subsequent ml/g/tab/cap unless in a special container.

The Secretary of State determines the price based on information submitted by manufacturers that hold Specials Manufacturers Licences issued by the Medicine and Healthcare products Regulatory Agency (MHRA).

Formulations - The Tariff covers the formulations specified. The following symbols are used in Part VIIIB.

STD Standard formulation including standard flavours

- SF Sugar free
- AF Alcohol free
- CF Colour free
- FF Flavour free
- LF Lactose free
- PF Preservative free
- NSF Non standard flavours
- Special Container
- Selected List Scheme (SLS) 8

Price - All unlicensed medicines are listed with a minimum quantity and corresponding price, which is payable for any amount prescribed up to the minimum quantity. Unless in a special container, subsequent quantities will be payable at the additional price per ml/g/tab/cap up to the total quantity prescribed. The price of each product listed in this Part covers the formulations specified and this price will be paid regardless.

of how the product was sourced.

Arrangements for payment for all other Specials and Imported unlicensed medicines Prescriptions for <u>specials</u> not listed in this Part will be paid depending on how the special was sourced. Where the special has been sourced

- From a manufacturer holding a MHRA specials licence, the contractor will be paid the price endorsed on the prescription form. This price should be invoice price *less* any discount or rebate which may be linked to the procurement of this product.
- Under the manufacturing part of the Section 10 exemption from the Medicines Act 1968, the contractor will be paid the cost of the ingredients used to manufacture the special.

Prescriptions for imported unlicensed medicines not listed in this Part will be paid the price endorsed on the prescription form. This price should be invoice price **less** any discount or rebate which may be linked to the procurement of this product.

Endorsement requirements above Part II Clause 9

It is not necessary to endorse prescription forms for unlicensed medicines listed in this Part other than with the endorsement requirements outlined in Part II Clause 9. For products not listed in this Part, contractors shall endorse the form according to how the unlicensed medicine was sourced.

- Where the unlicensed medicine is manufactured under a specials licence or sourced under an importers licence issued by the MHRA, the contractor shall endorse the 1. pack size from which the order was supplied
 - invoice price per pack size from which the product was supplied less discount/rebates
 - manufacturer's/importer's licence number
 - batch number of the unlicensed medicine.
- 2. Where the special has been prepared under the manufacturing part of the Section 10 exemption from the Medicines Act 1968, by the contractor or by a third party, the contractor shall endorse the names, quantities and cost of the ingredients used in preparing the special.

06/2021 Part VIIIB ARRANGEMENTS FOR PAYMENT FOR SPECIALS AND IMPORTED UNLICENSED MEDICINES

Further requirements when supplying unlicensed medicines Contractors shall

а

- Keep the following records for 5 years:
 The source of the special or imported unlicensed product
 The person to whom and the date on which the special or imported unlicensed product was sold or supplied
- .
- The prescriber's details The quantity of each sale or supply The batch number of the special
- b Make available these records for inspection by the Licensing Authority.

For specials not listed in this Part, the contractor or his representative must stamp, date, initial and endorse the Certificate of Analysis (COA)/Certificate of Conformity (COC) with the invoice price less discount and prescriber's details and retain the COA/COC for 5 years.

For imported unlicensed products not listed in this Part, the contractor or his representative shall make every reasonable effort to obtain a Certificate of Analysis (COA)/Certificate of Conformity (COC) for each imported product sourced and retain the COA/COC for 5 years.

- Where a COA/COC is available, the contractor must stamp, date, initial and endorse the COA/COC with the invoice price less discount and prescribers details.
- Where a COC/COA is not available, the contractor must stamp, date, initial and endorse the invoice with the invoice price less discount (where not clearly detailed by the supplier) and the prescriber's • details.

| Product | Formulations covered by tariff | Minimum volume | Price for minimum volume (p) | Price for each extra ml/g above minimum volume (p) |
|--|---------------------------------------|-------------------|------------------------------------|--|
| Acetazolamide 250mg/5ml oral suspension | STD, SF, LF, CF, NSF, AF, FF | 100ml | 1255 | 4 |
| Acitretin 5mg/5ml oral suspension | STD, SF, LF, FF, AF | 60ml | 3120 | 43 |
| Allopurinol 100mg/5ml oral suspension | STD, SF, LF, CF, NSF, AF, FF | 150ml | 2274 | 1 |
| Allopurinol 300mg/5ml oral suspension | STD, SF, LF, CF, NSF, AF, FF | 100ml | 2113 | 5 |
| Amiodarone 100mg/5ml oral suspension | STD, SF, LF, CF, NSF, AF, FF | 100ml | 5871 | 47 |
| Amiodarone 50mg/5ml oral suspension | STD, SF, LF, CF, NSF, AF, FF | 100ml | 5207 | 2 |
| Antacid and Oxetacaine oral suspension | STD, SF, LF, CF, NSF, AF, FF | 150ml | 1253 | 8 |
| Arginine 2g/5ml oral solution | STD, SF, CF, NSF, AF, FF, LF | 250ml | 1140 | 38 |
| Arginine 500mg/5ml oral solution | STD, SF, LF, CF, NSF, AF, FF | 200ml | 5424 | 11 |
| Atorvastatin 20mg/5ml oral suspension | STD, SF, NSF, AF, FF, CF, LF | 100ml | 3806 | 6 |
| Azathioprine 100mg/5ml oral suspension | STD, SF, LF, CF, NSF, AF | 100ml | 5635 | 1 |
| Azathioprine 20mg/5ml oral suspension | STD, SF, LF, CF, AF, FF | 100ml | 7805 | 26 |
| Azathioprine 25mg/5ml oral suspension | STD, SF, LF, CF, NSF, AF, FF | 150ml | 6027 | 17 |
| Azathioprine 50mg/5ml oral suspension | STD, SF, LF, CF, NSF, AF, FF | 100ml | 2778 | 5 |
| Beclometasone 0.0025% in White soft paraffin | , | 100g | 48124 | 21 |
| Bendroflumethiazide 2.5mg/5ml oral suspensio | on STD, SF, LF, CF, NSF, AF, FF | 150ml | 4393 | 1 |
| Betahistine 8mg/5ml oral suspension | STD, SF, LF, CF, NSF, AF, FF | 200ml | 8867 | 1 |
| Betamethasone valerate 0.1% ointment 50% ir Jnguentum M cream | · · · · · · · · · · · · · · · · · · · | 30g | 17736 | 1 |
| Bisacodyl 10mg/30ml enema | STD | ∎37ml | 2648 | |
| Bisacodyl 2.5mg/5ml oral suspension | STD, SF, LF, AF, FF | 100ml | 5760 | 1 |
| Bisacodyl 2.74mg/ml rectal solution | STD, LF, CF, AF, FF, PF, SF | 200ml | 1689 | 4 |
| Bisoprolol 1.25mg/5ml oral solution | STD, SF, LF, FF, AF, CF | 100ml | 8446 | 24 |
| Bisoprolol 1.25mg/5ml oral suspension | STD, SF, LF, CF, NSF, AF, FF | 100ml | 5445 | 2 |
| Bisoprolol 2.5mg/5ml oral solution | STD, SF, LF, CF, AF, FF, NSF | 150ml | 1547 | 8 |
| Bisoprolol 2.5mg/5ml oral suspension | STD, SF, LF, NSF, AF, CF, FF | 100ml | 4351 | 1 |
| Bisoprolol 5mg/5ml oral solution | STD, SF, LF, AF, CF, FF | 150ml | 2778 | 18 |
| Bisoprolol 5mg/5ml oral suspension | STD, SF, LF, NSF, AF | 100ml | 2467 | 4 |

| roduct | Formulations covered by tariff | Minimum volume | Price for minimum volume (p) | Price fo each extra ml/g above minimun volume (p |
|--|---|-------------------|------------------------------------|--|
| alcium carbonate 500mg/5ml oral suspension | | 100ml | 1559 | |
| calcium carbonate 600mg/5ml oral suspension | AF, FF STD, SF, LF, CF, NSF, FF, AF | 150ml | 2928 | - |
| Carbimazole 10mg/5ml oral suspension | STD, SF, LF, CF, NSF, AF, FF | 150ml | 10526 | |
| arvedilol 5mg/5ml oral suspension | STD, SF, LF, CF, NSF, AF | 100ml | 5270 | |
| chloral hydrate 1g/5ml oral solution | STD, SF, LF, CF, NSF, FF, AF | 100ml | 8488 | 30 |
| chloral hydrate 500mg/5ml oral solution | STD, SF, CF, NSF, FF, AF, LF, PF | 100ml | 911 | (|
| ny prescription for Chloral hydrate 500mg/5ml | | d at this price | e. | |
| chlorothiazide 150mg/5ml oral suspension | STD, SF, LF, CF, NSF, AF | 100ml | 4550 | |
| hlorothiazide 200mg/5ml oral suspension | AF, LF, SF, STD | 150ml | 8595 | 52 |
| chlorothiazide 250mg/5ml oral suspension | STD, SF, LF, CF, NSF, FF, AF | 50ml | 2570 | ł |
| hlorothiazide 25mg/5ml oral suspension | STD, SF, LF, AF | 100ml | 8868 | |
| ciclosporin 0.05% eye drops 0.4ml unit dose reservative free | PF | ■0.4ml | 1388 | |
| ciclosporin 0.2% eye ointment | STD | ■ 3.5g | 6114 | |
| closporin 0.2% eye ointment preservative free | PF | ■ 3.5g | 3850 | |
| iprofloxacin 0.3% ear drops | PF, STD | 10ml | 14311 | 59 |
| lindamycin 75mg/5ml oral suspension | STD, SF, LF, CF, NSF, AF, FF | 100ml | 2360 | 8 |
| lomipramine 50mg/5ml oral suspension | STD, SF,CF, NSF, AF | 100ml | 11848 | 23 |
| lonazepam 2.5mg/ml drops | STD, SF, CF | 10ml | 832 | 54 |
| Clopidogrel 1mg/1ml oral suspension | STD, SF, LF, CF, NSF, AF, FF | 100ml | 3278 | |
| Clopidogrel 75mg/5ml oral solution | STD, SF, LF, CF, AF, NSF | 150ml | 4079 | 20 |
| Clopidogrel 75mg/5ml oral suspension | STD, SF, NSF, AF, FF, CF. LF | 100ml | 4443 | : |
| coal tar 10% ointment | All bases, STD | 100g | 8228 | |
| coal tar 5% ointment | All bases, STD | 100g | 16824 | 5 |
| Coal tar solution 5% in Betamethasone valerate .025% ointment | STD | 100g | 11946 | 1(|
| coal tar solution 6% / Salicylic acid 2% in intment | STD, All bases, PF | 100g | 7870 | 1 |
| co-careldopa 12.5mg/50mg/5ml oral suspensio | nSTD, SF, LF, CF, NSF, AF, FF | 100ml | 5463 | |
| co-careldopa 25mg/100mg/5ml oral suspensior | , | 100ml | 2684 | |
| coconut oil 25% ointment | STD | 100g | 2034 | 2 |
| o-dydramol 10mg/500mg/5ml oral suspension | STD, SF, LF, CF, NSF, FF, AF | 150ml | 715 | |

| Price for each extra ml/g above minimum volume (p) | n Price for minimum volume (p) | Minimum volume | Formulations covered by tariff | Product |
|--|--------------------------------------|-------------------|---------------------------------|---|
| 14 | 7580 | 20ml | STD, SF, LF, AF, FF | Colecalciferol 10,000units/5ml oral solution |
| 3 | 17646 | 30ml | STD, SF, LF, CF, NSF | Colecalciferol 20,000units/ml oral solution |
| 48 | 721 | 15ml | SF, STD | Colecalciferol 200units/drop oral drops |
| 1 | 3415 | 20ml | STD, SF, LF, AF, FF | Colecalciferol 5,000units/5ml oral solution |
| 9 | 4012 | 100ml | STD, NSF, AF | Cyclizine 50mg/5ml oral suspension |
| 2 | 1419 | 100ml | STD, SF, LF, CF, NSF, AF, FF | Dantrolene 100mg/5ml oral suspension |
| 1 | 12697 | 100ml | STD, SF, LF, CF, NSF, AF, FF | Dantrolene 10mg/5ml oral suspension |
| 1 | 1672 | 100ml | STD, SF, LF, NSF, FF, AF | Dantrolene 25mg/5ml oral suspension |
| 10 | 3246 | 30ml | STD, SF, LF, CF, NSF, FF, AF | Diazoxide 250mg/5ml oral suspension |
| 15 | 4007 | 100ml | STD, SF, LF, CF, NSF, FF, AF | Diazoxide 50mg/5ml oral suspension |
| 6 | 6767 | 150ml | STD, SF, LF, AF, FF | Diclofenac 50mg/5ml oral suspension |
| 10 | 22299 | 10g | STD | Diltiazem 0.2% cream |
| 39 | 1265 | 30g | STD | Diltiazem 2% cream |
| 2 | 930 | 30g | STD | Diltiazem 2% ointment |
| 8 | 1263 | 100ml | STD, SF, NSF, AF | Diltiazem 60mg/5ml oral suspension |
| 1 | 7440 | 500ml | STD, SF, LF, CF, FF, AF | Dosulepin 25mg/5ml oral solution |
| 5 | 6087 | 150ml | STD, SF, LF, CF, FF, AF | Dosulepin 75mg/5ml oral solution |
| 42 | 6294 | 150ml | STD, SF, LF, CF, AF, NSF | Doxazosin 1mg/5ml oral solution |
| 8 | 9238 | 100ml | STD, SF, LF, CF, NSF | Doxazosin 1mg/5ml oral suspension |
| 40 | 5540 | 150ml | STD, SF, LF, CF, AF, NSF | Doxazosin 4mg/5ml oral solution |
| 20 | 6354 | 150ml | STD, SF, NSF | Doxazosin 4mg/5ml oral suspension |
| 1 | 3823 | 150ml | STD, SF, AF, CF, FF, LF, NSF | Enalapril 1.25mg/5ml oral suspension |
| 2 | 1767 | 100ml | STD, SF, AF, FF, LF, NSF | Enalapril 10mg/5ml oral suspension |
| 4 | 5309 | 150ml | STD, SF, LF, CF, AF, FF, NSF | Enalapril 5mg/5ml oral solution |
| 1 | 3756 | 75ml | STD, SF, LF, CF, NSF, FF, AF | Enalapril 5mg/5ml oral suspension |
| 2 | 1834 | 100ml | STD | Eosin 2% solution |
| 1 | 3587 | 100ml | STD, SF, LF, CF, AF, FF | Ergocalciferol 1,000units/5ml oral solution |
| 16 | 2730 | 100ml | STD, SF, LF, CF, NSF, AF, FF | Ergocalciferol 10,000units/5ml oral solution |
| 16 | 1740 | 20ml | STD, SF, LF, CF, NSF, AF, FF | Ergocalciferol 100,000units/5ml oral solution |

| volume minimum eac volume (p) ml/c m | Price f ch ext g abov ninimu lume (j |
|--|--|
| F, LF, CF, NSF, 60ml 4502 | 1 |
| F, LF, CF, NSF, 100ml 4280 PF | |
| F, LF, NSF, FF, 100ml 1863 | |
| F, LF, AF, FF 100ml 1549 | |
| F, LF, CF, NSF, 300ml 4635 PF | |
| F, LF, CF, NSF, 200ml 1932 PF | |
| F, LF, CF, NSF, 100ml 5109 | |
| F, LF, CF, NSF, 100ml 3600 PF | 2 |
| F, CF, FF, LF, 200ml 15341 ; SF | 8 |
| , NSF, AF, CF, 100ml 1721 | |
| F, LF, CF, NSF, 150ml 1704 | |
| 30g 1956 | |
| 500ml 2186 | |
| 30g 18002 | |
| F, LF, CF, NSF, 100ml 11328 | |
| F, LF, CF, NSF, 200ml 1980 | |
| F, LF, CF, NSF, 100ml 1173 | |
| F, LF, CF, NSF, 100ml 1586 | |
| F, LF, CF, NSF, 100ml 2607 | |
| F, LF, CF, NSF, 300ml 3461 | |
| F, LF, CF, NSF, 100ml 2704 | |
| F, LF, CF, NSF, 50ml 824 | 1 |
| F, LF, CF, NSF, 100ml 4781 | |
| F, LF, CF, NSF, 100ml 8154 | |
| AF, NSF, STD 100ml 8471 | 5 |
| F, LF, CF, NSF, 100ml 2229 | 1 |
| F, LF, CF, NSF, 100ml 1146 | |

| Price f each ext ml/g abov minimu volume (| Price for minimum volume (p) | Minimum volume | Formulations covered by tariff | Product |
|--|------------------------------------|-------------------|-----------------------------------|---|
| | 3348 | 30g | STD | Hydroquinone 4% cream |
| | 1911 | 100ml | STD, SF, CF, NSF, AF, FF | Hydroxychloroquine 200mg/5ml oral suspensior |
| | 15375 | 100ml | STD, SF, AF, NSF | Hydroxyzine 10mg/5ml oral suspension |
| | 4329 | 100ml | STD, SF, AF, CF, FF, LF | Hyoscine butylbromide 10mg/5ml oral solution |
| | 2180 | 100ml | STD, NSF, AF, CF, FF, LF | Hyoscine butylbromide 10mg/5ml oral suspension |
| | 1132 | 100ml | I STD, SF, LF, CF, NSF, AF, FF | Hyoscine hydrobromide 300micrograms/5ml ora solution |
| | 1255 | 100ml | I STD, SF, LF, CF, NSF, AF, FF | Hyoscine hydrobromide 300micrograms/5ml ora suspension |
| | 1576 | 100ml | I STD, SF, LF, AF, FF, CF | Hyoscine hydrobromide 500micrograms/5ml ora solution |
| | 586 | 100ml | | Hyoscine hydrobromide 500micrograms/5ml ora suspension |
| | 23756 | 150ml | STD, SF | Indapamide 2.5mg/5ml oral suspension |
| | 3468 | 100ml | STD, SF, NSF, AF, FF, LF | Indometacin 25mg/5ml oral suspension |
| | 3244 | 500ml | STD, SF, LF, CF, AF, NSF | Isoniazid 50mg/5ml oral solution |
| | 4758 | 100ml | STD, SF, LF, CF, NSF, AF, FF | Isosorbide mononitrate 20mg/5ml oral suspension |
| | 5530 | 200ml | STD, SF, LF, CF, NSF, FF, AF | Ketamine 50mg/5ml oral solution |
| | 3512 | 200ml | STD, SF, LF, CF, NSF | Ketamine 50mg/5ml oral suspension |
| 6 | 43355 | 100ml | SF, STD | Lamotrigine 50mg/5ml oral suspension |
| | 3738 | 100ml | STD, SF, NSF, AF, FF, CF, LF | Lansoprazole 15mg/5ml oral suspension |
| | 2481 | 100ml | STD, SF, NSF, AF, CF, LF | Lansoprazole 30mg/5ml oral suspension |
| | 1625 | 100ml | STD, SF, LF, CF, NSF, AF, FF | Lansoprazole 5mg/5ml oral suspension |
| | 3253 | 100ml | STD, SF, LF, CF, NSF, AF, FF | Levomepromazine 2.5mg/5ml oral suspension |
| | 25176 | 100ml | STD, SF, AF, CF, FF, LF, NSF | Levomepromazine 6mg/5ml oral suspension |
| 2 | 2424 | 15ml | STD | Lidocaine 2% gel |
| 3 | 3601 | 100ml | STD, SF, LF, CF, NSF, AF, FF | Lisinopril 20mg/5ml oral solution |
| 3 | 3377 | 100ml | STD, SF, LF, CF, NSF, AF, FF | Lisinopril 20mg/5ml oral suspension |
| | 1873 | 100ml | STD, SF, FF, NSF, AF, LF, CF | Loperamide 25mg/5ml oral solution |
| | 5315 | 100ml | STD, SF, LF, CF, NSF, AF, FF | Loperamide 25mg/5ml oral suspension |
| | 3460 | 150ml | STD, SF, LF, CF, NSF, AF | Lorazepam 1mg/5ml oral solution |

| each extra | Price for minimum volume (p) | Minimum volume | Formulations covered by tariff | Product |
|------------|------------------------------------|-------------------|-------------------------------------|--|
| 1 1 | 2909 | 100ml | STD, SF, LF, CF, NSF, AF | Lorazepam 1mg/5ml oral suspension |
| | 2741 | 150ml | STD, SF, LF, CF, AF | Lorazepam 500micrograms/5ml oral solution |
| 54 | 4437 | 100ml | n STD, SF, LF, CF, NSF, FF, AF | Lorazepam 500micrograms/5ml oral suspensio |
| 3 | 3013 | 150ml | STD, SF, LF, CF, NSF, AF | Losartan 50mg/5ml oral suspension |
| 7 | 1677 | 200ml | STD, SF, FF, AF, CF, LF | Magnesium glycerophosphate (magnesium 97.2mg/5ml (4mmol/5ml)) oral solution |
| ŧ | 1974 | 100ml | STD, SF, LF, NSF, AF, FF | Magnesium glycerophosphate (magnesium 97.2mg/5ml (4mmol/5ml)) oral suspension |
| 2 | 2348 | 100ml | STD, SF, LF, CF, NSF, FF, AF | Melatonin 10mg/5ml oral solution |
| | 2478 | 100ml | STD, SF, LF, CF, NSF, AF | Melatonin 10mg/5ml oral suspension |
| 11 | 1562 | 100ml | STD, SF, LF, CF, NSF, AF, FF | Melatonin 2.5mg/5ml oral solution |
| ę | 1169 | 100ml | STD, SF, LF, CF, NSF, AF, FF | Melatonin 2.5mg/5ml oral suspension |
| : | 1942 | 100ml | STD, SF, LF, CF, NSF, AF, FF | Melatonin 2mg/5ml oral solution |
| 2 | 2604 | 100ml | STD, SF, LF, CF, NSF, AF, FF, PF | Melatonin 2mg/5ml oral suspension |
| : | 1326 | 100ml | STD, SF, LF, CF, NSF, FF, AF | Melatonin 3mg/5ml oral solution |
| : | 2842 | 100ml | STD, SF, LF, NSF, AF | Melatonin 3mg/5ml oral suspension |
| | 22588 | 150ml | STD, SF, LF, AF | Melatonin 4mg/5ml oral suspension |
| : | 2300 | 30ml | STD, SF, LF, CF, NSF, AF, FF | Menadiol 5mg/5ml oral suspension |
| | 7924 | ∎10ml | PF | Mercaptamine hydrochloride 0.55% eye drops preservative free |
| | 2302 | 150ml | STD, SF, LF, CF, NSF, AF, FF | Methylphenidate 5mg/5ml oral suspension |
| 2: | 1694 | 150ml | STD, SF, LF, CF, AF, NSF | Metoprolol 12.5mg/5ml oral solution |
| : | 586 | 100ml | STD, SF, AF | Metoprolol 12.5mg/5ml oral suspension |
| 34 | 5101 | 150ml | STD, SF, LF, CF, AF, NSF | Metoprolol 50mg/5ml oral solution |
| ł | 4654 | 100ml | STD, SF, LF, CF, NSF, AF, FF | Nadolol 20mg/5ml oral suspension |
| | 15451 | 100ml | STD, SF, LF, AF, FF | Nadolol 30mg/5ml oral suspension |
| | 4055 | 100ml | STD, SF, NSF, AF | Nadolol 40mg/5ml oral suspension |
| 1: | 6999 | 100ml | STD, SF, LF, CF, NSF, AF, FF | Naltrexone 5mg/5ml oral solution |
| | 10551 | 100ml | STD, SF, LF, CF, NSF, AF, FF | Naltrexone 5mg/5ml oral suspension |
| | 2480 | 100ml | STD, SF, LF, CF, NSF, AF, FF | Naproxen 200mg/5ml oral suspension |
| | 27727 | 15g | STD | Neomycin 0.5% cream |

| Product | Formulations covered by tariff | Minimum volume | Price for minimum volume (p) | Price fo each extr ml/g abov minimu volume (r |
|--|-------------------------------------|-------------------|------------------------------------|---|
| Nifedipine 10mg/5ml oral suspension | STD, SF, LF, CF, NSF, AF, FF | 100ml | 5072 | 1 |
| Nifedipine 20mg/ml oral drops | STD | 30ml | 24624 | 10 |
| Nifedipine 5mg/5ml oral suspension | STD, SF, LF, CF, NSF, AF, FF | 100ml | 4969 | |
| Nitrazepam 5mg/5ml oral suspension | STD, SF, LF, AF, FF, CF | 100ml | 25983 | |
| Olanzapine 2.5mg/5ml oral suspension | STD, SF, LF, CF, NSF, AF, FF | 70ml | 4508 | |
| Omeprazole 40mg/5ml oral suspension | STD, SF, LF, CF, NSF, AF, FF, PF | 100ml | 2366 | |
| Omeprazole 5mg/5ml oral suspension | STD, SF, LF, CF, NSF, FF, AF, PF | 70ml | 1582 | |
| Paraldehyde 50% in Olive oil rectal solution | STD | 10ml | 1549 | 8 |
| Perindopril erbumine 4mg/5ml oral solution | STD, SF, LF, CF | 150ml | 3752 | 2 |
| Perindopril erbumine 4mg/5ml oral suspension | STD, SF, LF, CF, NSF, AF, FF | 100ml | 4095 | |
| Phenobarbital 50mg/5ml oral solution | STD, AF, CF, FF, LF, SF | 150ml | 23902 | 3 |
| Phenobarbital 50mg/5ml oral suspension | STD, AF, LF, NSF, SF | 100ml | 14556 | 6 |
| Phenytoin 90mg/5ml oral suspension | STD, SF, LF, CF, NSF, AF, FF | 500ml | 4537 | |
| Phosphate 0.98mmol/ml / Sodium 0.78mmol/ml oral solution | | 100ml | 4347 | 4 |
| Pizotifen 250micrograms/5ml oral suspension | STD, SF, NSF | 100ml | 3881 | 3 |
| Prednisolone sodium phosphate 0.03% eye drops | STD, PF | ∎10ml | 5369 | |
| Prednisolone sodium phosphate 0.05% eye drops | STD, PF | ∎10ml | 6868 | |
| Prednisolone sodium phosphate 0.1% eye drop | sSTD, PF | ∎10ml | 7340 | |
| Prednisolone sodium phosphate 0.3% eye drop | sSTD, PF | ∎10ml | 7167 | |
| Prednisolone sodium phosphate 1% eye drops preservative free | PF | ∎10ml | 4018 | |
| Pregabalin 75mg/5ml oral suspension | STD, AF, LF, NSF, SF | 100ml | 38085 | |
| Primidone 250mg/5ml oral suspension | STD, SF, LF, AF, FF | 150ml | 11552 | |
| Primidone 50mg/5ml oral suspension | STD, SF, LF, CF, NSF, AF, FF | 150ml | 1737 | |
| Primidone 62.5mg/5ml oral suspension | STD, SF, LF, CF, NSF | 100ml | 2692 | |
| Propylene glycol 40% in Clobetasol 0.05% cream | STD | 100g | 6964 | 1 |
| Pyridostigmine bromide 20mg/5ml oral suspension | STD, SF, LF, CF, NSF, AF, FF | 100ml | 341 | |
| Pyridostigmine bromide 30mg/5ml oral suspension | STD, SF, LF, CF, NSF, AF, FF | 50ml | 3990 | |
| Pyridostigmine bromide 50mg/5ml oral suspension | STD, SF, AF, NSF | 100ml | 4667 | 3 |

| Price for each extra ml/g above minimum volume (p | Price for minimum volume (p) | Minimum volume | Formulations covered by tariff | Product |
|---|------------------------------------|-------------------|--------------------------------------|--|
| 20 | 6908 | 200ml | STD, SF, LF, NSF, AF, | Pyridostigmine bromide 60mg/5ml oral |
| 1 | 1723 | 100ml | CF, FF STD, SF, LF, CF, AF, FF | uspension ² yridoxine 100mg/5ml oral solution |
| 2 | 3069 | 50ml | STD, SF, LF, CF, NSF, AF, FF | Pyridoxine 100mg/5ml oral suspension |
| 13 | 1834 | 100ml | STD, SF, LF, CF, NSF, AF | Quetiapine 12.5mg/5ml oral suspension |
| 24 | 3770 | 150ml | STD, SF, LF, CF, NSF, AF, FF | Quetiapine 25mg/5ml oral suspension |
| 18 | 3085 | 100ml | STD, SF, LF, CF, NSF, AF | Quetiapine 50mg/5ml oral suspension |
| 38 | 4959 | 100ml | STD, SF, AF, FF | Quinine sulfate 200mg/5ml oral suspension |
| 22 | 3239 | 150ml | STD, SF, LF, CF, NSF, FF, AF | Quinine sulfate 300mg/5ml oral suspension |
| 1 | 3069 | 100ml | STD, SF, LF, CF, NSF, AF, FF, PF | Ranitidine 5mg/5ml oral solution |
| 1 | 2282 | 100ml | STD, SF, LF, CF, NSF, AF, FF | Ranitidine 5mg/5ml oral suspension |
| 55 | 8832 | 100ml | STD, SF, LF, NSF, AF, CF, FF | Riboflavin 120mg/5ml oral suspension |
| 6 | 2578 | 100g | STD | Salicylic acid 10% in Aqueous cream BP |
| 1 | 8453 | 100g | STD, All bases | Salicylic acid 10% ointment |
| 36 | 3648 | 100g | STD | Salicylic acid 2% / sulfur 2% in Aqueous cream |
| 1 | 3029 | 100g | STD | Salicylic acid 2% in Aqueous cream BP |
| 4 | 2203 | 100g | All bases, STD | Salicylic acid 20% ointment |
| 58 | 3501 | 100g | STD | Salicylic acid 5% cream |
| 44 | 4644 | 100g | All bases, STD | Salicylic acid 5% ointment |
| 10 | 3827 | 100ml | STD, SF, LF, CF, NSF, AF, FF | Sertraline 100mg/5ml oral suspension |
| 14 | 15484 | 150ml | STD, SF, LF, AF, FF, CF, NSF | Sertraline 25mg/5ml oral suspension |
| 1 | 1800 | 150ml | STD, SF, LF, CF, NSF, FF, AF | Sertraline 50mg/5ml oral suspension |
| 1 | 5727 | 100ml | STD, SF, NSF, AF | Sildenafil 10mg/5ml oral suspension |
| 21 | 9567 | 100ml | STD, SF, NSF, AF | Sildenafil 25mg/5ml oral suspension |
| 23 | 2027 | 100ml | STD, SF, LF, CF, NSF, AF | Sodium benzoate 500mg/5ml oral solution |
| ę | 1169 | 100ml | STD, SF, LF, AF, CF, FF, PF | Sodium chloride 1.17g/5ml (4mmol/ml) oral solution |
| 2 | 1261 | 100ml | STD, SF, LF, CF, AF, FF, PF | Sodium chloride 1.5g/5ml (5.13mmol/ml) oral solution |
| | 6730 | ∎5g | STD, PF | Sodium chloride 5% eye ointment |
| 1 | 4311 | 100ml | J/STD, SF, LF, AF, FF, PF | Sodium dihydrogen phosphate dihydrate 780mg iml oral solution |
| 1 | 1905 | 200ml | STD, SF, LF, CF, NSF, | Sotalol 25mg/5ml oral suspension |

| Price fo each extr ml/g abov minimur volume (p | n Price for minimum volume (p) | Minimum volume | Formulations covered by tariff | Product |
|--|--------------------------------------|-------------------|---|---|
| | 4499 | 125ml | STD, SF, LF, CF, NSF, FF, AF | Spironolactone 100mg/5ml oral suspension |
| | 1661 | 125ml | FF, AF STD, SF, LF, CF, NSF, FF, AF | Spironolactone 10mg/5ml oral suspension |
| | 13660 | 100ml | SF, CF, FF, LF | Spironolactone 25mg/5ml oral solution |
| | 2046 | 125ml | STD, SF, LF, NSF, FF, AF | Spironolactone 25mg/5ml oral suspension |
| | 2880 | 125ml | STD, SF, LF, CF, NSF, AF, FF | Spironolactone 50mg/5ml oral suspension |
| | 1617 | 125ml | STD, SF, LF, CF, NSF, FF, AF | Spironolactone 5mg/5ml oral suspension |
| | 736 | ■20ml | STD | Sucralfate 2g/20ml enema |
| | 2453 | ∎50ml | STD | Sucralfate 2g/50ml enema |
| 7 | 27223 | 100ml | AF, CF, FF, LF, NSF, SF, STD | Tacrolimus 5mg/5ml oral suspension |
| 1 | 27265 | 100ml | , | Tamsulosin 400micrograms/5ml oral suspensic |
| | 2201 | 50ml | STD, SF, LF, CF, NSF, AF | Terbinafine 250mg/5ml oral suspension |
| | 2391 | 100ml | STD, SF, LF, CF, NSF | Tetrabenazine 12.5mg/5ml oral suspension |
| | 2206 | 140ml | STD, SF, LF, CF, NSF | Tetrabenazine 25mg/5ml oral suspension |
| 2 | 11808 | 500ml | STD, SF, LF, AF, CF, FF | Theophylline 50mg/5ml oral solution |
| 1 | 14624 | 500ml | STD, SF, LF, AF | Theophylline 50mg/5ml oral suspension |
| 4 | 3147 | 100ml | STD, SF, LF, AF, CF, FF | Thiamine 100mg/5ml oral solution |
| 3 | 2571 | 100ml | STD, SF, LF, CF, NSF, AF, FF | Thiamine 100mg/5ml oral suspension |
| | 1342 | 100ml | STD, SF, LF, CF, NSF, AF, FF | Thiamine 50mg/5ml oral suspension |
| | 630 | 100ml | STD, SF, LF, CF, NSF, AF, FF | Tizanidine 2mg/5ml oral solution |
| | 1428 | 100ml | STD, SF, LF, CF, NSF, FF, AF | Tizanidine 2mg/5ml oral suspension |
| | 5089 | 100ml | STD, SF, NSF, AF, LF, FF | Tolterodine 2mg/5ml oral suspension |
| | 1269 | 100ml | STD, SF, LF, CF, NSF, AF, FF | Topiramate 25mg/5ml oral suspension |
| 1 | 4914 | 60ml | STD, LF, SF, AF, CF, FF | Tranexamic acid 250mg/5ml oral suspension |
| | 2515 | 100ml | STD, SF, LF, CF, NSF, AF, FF | Tranexamic acid 5% mouthwash |
| | 2217 | 100ml | STD, SF, LF, NSF, FF, AF, CF | Tranexamic acid 500mg/5ml oral solution |
| 1 | 2426 | 100ml | STD, SF, NSF, AF, LF, CF, FF | Tranexamic acid 500mg/5ml oral suspension |
| 2 | 5589 | 5g | STD, PF | Triamcinolone 0.1% oromucosal paste |
| 2 | 10423 | 500ml | STD, SF | Tricitrates oral solution |

| Product | Formulations covered by tariff | Minimum Price for volume minimum volume (p) | Price for each extra ml/g above minimum volume (p) |
|--|---------------------------------|---|--|
| Venlafaxine 37.5mg/5ml oral solution | STD, SF, LF, CF, AF, FF, NSF | 150ml 9909 | 54 |
| Venlafaxine 37.5mg/5ml oral suspension | STD, SF, NSF, AF, LF | 100ml 4158 | 38 |
| Venlafaxine 75mg/5ml oral solution | STD, SF, LF, CF, NSF, FF, AF | 150ml 5613 | 17 |
| Venlafaxine 75mg/5ml oral suspension | STD, SF, LF, CF, NSF, AF | 100ml 3376 | 13 |
| Zinc and Salicylic acid paste BP | | 100g 5175 | 1 |
| Zinc oxide 15% and ichthammol 1% in yellow soft paraffin | STD | 200g 2654 | 6 |
| Zopiclone 3.75mg/5ml oral solution | STD, SF, LF, CF, AF, NSF, FF | 150ml 3152 | 8 |
| Zopiclone 3.75mg/5ml oral suspension | STD, SF, LF, CF, NSF, AF | 100ml 3493 | 3 |
| Zopiclone 7.5mg/5ml oral solution | STD, SF, LF, CF, AF, FF | 100ml 4827 | 35 |
| Zopiclone 7.5mg/5ml oral suspension | STD, SF, LF, CF, NSF, AF | 100ml 6585 | 1 |